

الهيئة العامة للغذاء والدواء  
Saudi Food & Drug Authority

مسودة

الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية  
MAXIMUM LIMITS OF PESTICIDE RESIDUES IN AGRICULTURAL AND  
FOOD PRODUCTS

ICS:

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

## تقديم

الهيئة جهة مستقلة الغرض الأساسي لها هو القيام بتنظيم ومراقبة الغذاء والدواء والأجهزة الطبية، ومن مهامها وضع اللوائح الفنية ومواصفات في مجالات الغذاء والدواء والأجهزة والمنتجات الطبية سواء كانت مستوردة أو مصنعة محلياً، وقد قام قطاع الغذاء بالهيئة بتحديث اللائحة الفنية السعودية الخليجية رقم (الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية) ، وقد تم تحديث المشروع بعد استعراض المواصفات ذات الصلة، وقد اعتمدت اللائحة الفنية في اجتماع مجلس إدارة الهيئة ( ) والذي عقد بتاريخ ( ) الموافق ( ) على أن تلغي هذه اللائحة اللوائح الفنية السعودية الخليجية رقم

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

## الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية

- 1 **المجال ونطاق التطبيق**

تختص هذه المواصفة القياسية بالحدود القصوى لمتبقيات مبيدات الآفات في أو على المنتجات الزراعية والغذائية.
- 2 **المراجع التكميلية**
  - 1.2 المواصفة القياسية التي تعتمدها الهيئة والخاصة بـ "أخذ العينات لتقدير بقايا مبيدات الآفات في المنتجات الزراعية والغذائية".
  - 2.2 المواصفة القياسية التي تعتمدها الهيئة والخاصة بـ "طرق تقدير بقايا المبيدات في المنتجات الزراعية والغذائية".
- 3 **التعريف**
  - 1.3 **المقدار المقبول تناوله يومياً (ADI) Acceptable Daily Intake:**

المقدار المقبول تناوله يومياً لمركب كيميائي طوال فترة الحياة والذي يتضح أنه يكون بدون خطر من الممكن تقديره أو إدراكه على صحة المستهلك وذلك بالاعتماد على كل الحقائق المعروفة وقت إجراء تقويم المركب الكيماوي بواسطة Joint FAO / WHO Meeting on Pesticide Residues (JMPR) ويعبر عن هذا المقدار بكمية المركب الكيماوي بالمليجرام لكل كيلوجرام من وزن الجسم (mg/kg).
  - 2.3 **الحد الأقصى المتبقي الدخيل (EMRL) Extraneous Maximum Residue Limit:**

يشير إلى متبقي المبيدات أو أي من الملوثات التي تنشأ من المصادر البيئية على ألا يكون مستعملاً بصورة مباشرة أو غير مباشرة على السلعة، ويكون أقصى تركيز من متبقي المبيد أو المادة الملوثة موصى به من لجنة دستور الأغذية يسمح به تشريعياً أو يكون مقبولاً في أو على الغذاء أو السلعة الزراعية أو علف الحيوان ويعبر عنه بالتركيز بالمليجرام من متبقي المبيد أو المادة لكل كيلوجرام من السلعة.
  - 3.3 **التطبيقات الزراعية الملائمة في استعمال مبيدات الآفات Food Agricultural Practice in the Use of Pesticides (GAP):**

يقصد بها التوصيات الرسمية أو المجازة لاستعمال مبيدات الآفات تحت الظروف العملية في أي من مراحل إنتاج وتخزين ونقل وتوزيع وتصنيع الغذاء والسلع الزراعية وأعلاف الحيوانات واضعين في الاعتبار

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

الإختلافات في المتطلبات أو الإحتياجات بين المناطق وبعضها التي تأخذ في الحسبان الحد الأدنى من الكميات الضرورية التي تحقق المكافحة الملائمة وتطبق بالطريقة السليمة التي يتخلف عنها أقل كمية من المتبقيات التي يمكن قبولها من الناحية السمية، وتشمل التطبيقات الزراعية الملائمة التوصيات التي تستجيب للعمليات المختلفة بما فيها المستحضرات ومعدلات الجرعة وتكرار التطبيق وفترات ما قبل الحصاد التي تجيزها الهيئات أو المؤسسات الوطنية.

## 4.3 حد التقدير ( LOD ) Limit of Determination:

أقل أو أدنى تركيز من متبقي المبيد أو الملوث الذي يمكن تعريفه وقياسه كمياً في غذاء معين أو سلعة زراعية أو علف حيواني بدرجة مقبولة من الثقة باستعمال طريقة منظمة للتحليل.

## 5.3 الحد الأقصى للمتبقي (MRL) Maximum Residue Limit:

أقصى تركيز من المتبقي ينتج من استعمال المبيد وفقاً للتطبيق الزراعي الملائم الموصى به من قبل لجنة دستور الأغذية والذي يسمح به أو يجاز شرعياً أو يكون مقبولاً في أو على الغذاء أو السلعة الزراعية أو علف الحيوان (تعتمد الحدود القصوى المسموح بها على بيانات الممارسات الزراعية الجيدة المستمدة من الأغذية والتي تتفق مع الحدود القصوى المسموح بها والمقبولة التأثير السمي) ويعبر عنه بالتركيز بالمليجرام لمتبقي المبيد لكل كيلوجرام من السلعة.

## 6.3 مبيدات الآفات Pesticides:

أي مادة تستخدم لمنع أو إبادة أو جذب أو طرد أو مكافحة أي آفة بما فيها الأنواع النباتية أو الحيوانية غير المرغوبة أثناء إنتاج أو تخزين أو نقل أو توزيع أو تصنيع الغذاء والسلع الزراعية أو أعلاف الحيوانات وأيضاً المواد التي تعالج بها الحيوانات لمكافحة الطفيليات الخارجية، ويشمل المصطلح المواد المجففة والتي تستخدم كمنظمات نمو نباتية أو مسقطات أوراق أو مواد ترقيق الثمار أو تثبيط الأشطاء والمواد المستعملة قبل أو بعد الحصاد لحماية السلعة من الفساد أثناء التخزين والنقل، وعادة فإن المصطلح يستثنى منه الأسمدة والمغذيات النباتية والحيوانية و مواد الإضافة للأغذية والأدوية الحيوانية

## 7.3 متبقيات المبيدات Pesticide Residues:

يقصد بها أي مادة معينة بالغذاء أو السلع الزراعية أو الأعلاف الحيوانية ناتجة من استعمال المبيدات ويشمل المصطلح المبيدات مثل نواتج التحول أو الأيض ونواتج التفاعل والشوائب التي تعتبر ذات أهمية سمية وأيضاً فإن المصطلح يشمل المتبقيات غير معلومة المصادر أو التي لا يمكن تجنبها.

## 8.3 المقدار المؤقت المقبول تناوله يومياً Temporary Acceptable Daily Intake (TADI):

المقدار المقبول الذي يجاز تناوله لفترة معينة محددة إلى أن يمكن الحصول على بيانات أو نتائج إضافية خاصة بالنواحي البيوكيميائية أو السمية أو غيرها من البيانات المطلوبة لحساب

# الهيئة العامة للغذاء والدواء

## Saudi Food & Drug Authority

المقدار المقبول تناوله يومياً، وعادة فإن مقدار TADI المقدر من قبل اجتماعات اللجنة المشتركة لمنظمتي الاغذية والزراعة والصحة العالمية المعنية بمتبقيات المبيدات (JMPR) والذي يستلزم تطبيق عامل الأمان بدرجة أكبر من تلك المستخدمة في حساب TADI.

**9.3 أعلاف :** محاصيل زراعية تم حصادها أو منتجات ثانوية لها أو منتجات أخرى من اصل نباتي أو حيواني تستخدم لتغذية الحيوان وغير معدة للاستهلاك الأدمي.

### 4 الخواص

يسمح باستخدام مبيدات الآفات في المنتجات الواردة في الجداول بحيث لا تزيد الحدود القصوى المسموح بها لبقايا مبيدات الآفات على النسب الواردة في الجداول.

### 5 أخذ العينات

تؤخذ العينات طبقاً للمواصفة القياسية التي تعتمدها الهيئة والخاصة بـ " طرق أخذ العينات لتقدير بقايا المبيدات في المنتجات الزراعية والغذائية ".

### 6 طرق الفحص والاختبار

يجرى تقدير بقايا المبيدات طبقاً للمواصفة القياسية التي تعتمدها الهيئة عن طرق تقدير بقايا المبيدات في المنتجات الزراعية والغذائية.

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

## جدول الحدود القصوى لمتبقيات مبيدات الآفات في المنتجات الزراعية والغذائية

SUBSTANCE	COMMODITY	MRL	REMARK
2.4-D	Berries and other small fruits	0.1 mg/Kg	
	Citrus fruits	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Edible offal (mammalian)	5 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Hay or fodder (dry) of grasses	400 mg/Kg	
	Maize	0.05 mg/Kg	
	Maize fodder (dry)	40 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	
	Milks	0.01 mg/Kg	
	Pome fruits	0.01 mg/Kg	At or about the limit of determination
	Potato	0.2 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination
	Rice straw and fodder, Dry	10 mg/Kg	
	Rice, Husked	0.1 mg/Kg	
	Rye	2 mg/Kg	
	Sorghum	0.01 mg/Kg	At or about the limit of determination
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination
	Soya bean fodder	0.01 mg/Kg	At or about the limit of determination
	Stone fruits	0.05 mg/Kg	At or about the limit of determination
Sugar cane	0.05 mg/Kg		
Sweet corn (corn-on-the-cob)	0.05 mg/Kg		
Tree nuts	0.2 mg/Kg		
Wheat	2 mg/Kg		
Wheat straw and fodder, Dry	100 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
2-phenylphenol	Citrus fruits	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Citrus pulp, Dry	60 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity
	Orange juice	0.5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Pear	20 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
Abamectin	Almond hulls	0.2 mg/Kg	
	Avocado	0.01 mg/Kg	
	Beans (dry)	0.005 mg/Kg	
	Beans, except broad bean and soya bean	0.08 mg/Kg	(immature beans with pods)
	Blackberries	0.05 mg/Kg	
	Celery	0.03 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.07 mg/Kg	
	Citrus fruits	0.02 mg/Kg	
	Cotton seed	0.01 mg/Kg	
	Cucumber	0.03 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.03 mg/Kg	
	Egg plant	0.05 mg/Kg	
	Garlic	0.005 mg/Kg	
	Gherkin	0.03 mg/Kg	
	Grape juice	0.01 mg/Kg	
	Grapes	0.01 mg/Kg	
	Hops, Dry	0.15 mg/Kg	
	Leek	0.005 mg/Kg	
	Lettuce, Head	0.15 mg/Kg	
	Mango	0.01 mg/Kg	
	Melons, except watermelon	0.01 mg/Kg	
	Onion, Bulb	0.005 mg/Kg	
	Papaya	0.01 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.03 mg/Kg	
	Peanut	0.005 mg/Kg	At or about the limit of determination
	Peppers Chili	0.005 mg/Kg	At or about the limit of determination
	Peppers Chili, dried	0.5 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	0.09 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.005 mg/Kg	
	Pome fruits	0.01 mg/Kg	
Potato	0.005 mg/Kg	At or about the limit of determination	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Raspberries, Red, Black	0.05 mg/Kg	
	Rice straw and fodder, Dry	0.001 mg/Kg	
	Rice, Husked	0.002 mg/Kg	
	Shallot	0.005 mg/Kg	
	Strawberry	0.15 mg/Kg	
	Sweet potato	0.005 mg/Kg	At or about the limit of determination
	Tomato	0.05 mg/Kg	
	Tree nuts	0.005 mg/Kg	At or about the limit of determination
	Yams	0.005 mg/Kg	At or about the limit of determination
SUBSTANCE	COMMODITY	MRL	REMARK
Acephate	Artichoke, Globe	0.3 mg/Kg	
	Beans, except broad bean and soya bean	5 mg/Kg	
	Cabbages, Head	2 mg/Kg	
	Cranberry	0.5 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	
	Milks	0.02 mg/Kg	
	Peppers Chili, dried	50 mg/Kg	
	Poultry fats	0.1 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rice straw and fodder, Dry	0.3 mg/Kg	
	Rice, Husked	1 mg/Kg	
	Soya bean (dry)	0.3 mg/Kg	
	Spices	0.2 mg/Kg	At or about the limit of determination
Tomato			
SUBSTANCE	COMMODITY	MRL	REMARK
Acetamidid	Asparagus	0.8 mg/Kg	
	Beans, except broad bean and soya bean	0.4 mg/Kg	
	Beans, Shelled	0.3 mg/Kg	
	Berries and other small fruits	2 mg/Kg	
	Cabbages, Head	0.7 mg/Kg	
	Cardamom	0.1 mg/Kg	
	Celery	1.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	1.5 mg/Kg	





# الهيئة العامة للغذاء والدواء

## Saudi Food & Drug Authority

Broad bean (dry)	0.15 mg/Kg	
Buckwheat	0.04 mg/Kg	At or about the limit of determination.
Buckwheat fodder	0.3 mg/Kg	
Chick-pea (dry)	0.15 mg/Kg	
Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
Eggs	0.02 mg/Kg	At or about the limit of determination.
Hyacinth bean (dry)	0.15 mg/Kg	
Legume animal feeds	3 mg/Kg	
Lentil (dry)	0.15 mg/Kg	
Lupin (dry)	0.15 mg/Kg	
Maize	0.02 mg/Kg	
Mammalian fats (except milk fats)	0.02 mg/Kg	At or about the limit of determination.
Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
Milks	0.02 mg/Kg	At or about the limit of determination.
Millet fodder, dry	0.3 mg/Kg	
Millet(Including Barnyard,Bulrush,Common,Finger,Foxtail and Little Millet)	0.04 mg/Kg	
Oat straw and fodder, Dry	0.3 mg/Kg	
Oats	0.04 mg/Kg	At or about the limit of determination.
Peas (dry)	0.02 mg/Kg	At or about the limit of determination.
Pigeon pea (dry)	0.15 mg/Kg	
Potato	0.04 mg/Kg	At or about the limit of determination.
Poultry meat	0.02 mg/Kg	At or about the limit of determination.
Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
Rye	0.04 mg/Kg	At or about the limit of determination.
Rye straw and fodder, Dry	0.3 mg/Kg	
Sugar beet	0.15 mg/Kg	
Sugar beet leaves or tops(dry)	3 mg/Kg	
Sugar beet molasses	0.3 mg/Kg	
Sugar beet pulp, Dry	0.3 mg/Kg	
Sunflower seed	0.04 mg/Kg	At or about the limit of determination.
Sweet corn (corn-on-the-cob)	0.04 mg/Kg	
Sweet corn fodder	1.5 mg/Kg	
Teosinte	0.04 mg/Kg	At or about the limit of determination.
Teosinte fodder	0.3 mg/Kg	
Triticale	0.04 mg/Kg	At or about the limit of determination.
Wheat	0.02 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Wheat straw and fodder, Dry	0.2 mg/Kg	
	Wild rice	0.04 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Aldicarb	Barley	0.02 mg/Kg	
	Barley straw and fodder, Dry	0.05 mg/Kg	
	Beans (dry)	0.1 mg/Kg	
	Brussels sprouts	0.1 mg/Kg	
	Citrus fruits	0.2 mg/Kg	
	Coffee beans	0.1 mg/Kg	
	Cotton seed	0.1 mg/Kg	
	Cotton seed oil, Edible	0.01 mg/Kg	At or about the limit of determination.
	Grapes	0.2 mg/Kg	
	Maize	0.05 mg/Kg	
	Maize fodder (dry)	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.1 mg/Kg	
	Peanut	0.02 mg/Kg	
	Peanut oil, Edible	0.01 mg/Kg	At or about the limit of determination.
	Pecan	1 mg/Kg	
	Sorghum	0.1 mg/Kg	
	Sorghum straw and fodder, Dry	0.5 mg/Kg	
	Soya bean (dry)	0.02 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.07 mg/Kg	
	Spices, Roots and Rhizomes	0.02 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
	Sugar cane	0.1 mg/Kg	
	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Sweet potato	0.1 mg/Kg	
Wheat	0.02 mg/Kg		
Wheat straw and fodder, Dry	0.05 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Aldrin and Dieldrin	Bulb vegetables	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Cereal grains	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Citrus fruits	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Eggs	0.1 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Fruiting vegetables, Cucurbits	0.1 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Garden pea, Shelled (succulent seeds)	1 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Leafy vegetables	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Legume vegetables	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. (only for MRLs) The MRL is based on extraneous residues.
	Milks	0.006 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". (only for MRLs) The MRL is based on extraneous residues.
	Pome fruits	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.2 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Pulses	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Root and tuber vegetables	0.1 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Ametoctradin	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	9 mg/Kg	
	Celery	20 mg/Kg	
	Cucumber	0.4 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	20 mg/Kg	
	Eggs	0.03 mg/Kg	At or about the limit of determination
	Fruiting vegetables other than cucurbits	1.5 mg/Kg	(except sweet corn and mushroom)
	Fruiting vegetables, Cucurbits	3 mg/Kg	(except cucumber)
	Garlic	1.5 mg/Kg	
	Grapes	6 mg/Kg	
	Hops, Dry	30 mg/Kg	
	Leafy vegetables	50 mg/Kg	
	Onion, Bulb	1.5 mg/Kg	
	Peppers Chili, dried	15 mg/Kg	
	Potato	0.05 mg/Kg	
	Poultry fats	0.03 mg/Kg	At or about the limit of determination
	Poultry meat	0.03 mg/Kg	At or about the limit of determination

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.03 mg/Kg	At or about the limit of determination
	Shallot	1.5 mg/Kg	
	Spring Onion	20 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Aminocyclopyrachlor	Edible offal (mammalian)	0.3 mg/Kg	
	Hay or fodder (dry) of grasses	150 mg/Kg	
	Mammalian fats (except milk fats)	0.03 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.02 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Aminopyralid	Barley	0.1 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	Except kidney
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Fodder (dry) of cereal grains	3 mg/Kg	
	Hay or fodder (dry) of grasses	70 mg/Kg	
	Kidney of cattle, goats and sheep	1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	
	Milks	0.02 mg/Kg	
	Oats	0.1 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Straw of cereal grains	0.3 mg/Kg	
	Triticale	0.1 mg/Kg	
	Wheat	0.1 mg/Kg	
	Wheat bran, Unprocessed	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Amitraz	Cattle meat	0.05 mg/Kg	The MRL accommodates external animal treatment.
	Cherries (includes all commodities in this subgroup)	0.5 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Cotton seed oil, Crude	0.05 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Edible offal of cattle & sheep	0.2 mg/Kg	The MRL accommodates external animal treatment.
	Milks	0.01 mg/Kg	The MRL accommodates external animal treatment.( At or about the limit of determination)

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5 mg/Kg	
	Peach	0.5 mg/Kg	
	Pome fruits	0.5 mg/Kg	
	Sheep meat	0.1 mg/Kg	The MRL accommodates external animal treatment.
	Tomato	0.5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
<b>Amitrole</b>	Grapes	0.05 mg/Kg	
	Pome fruits	0.05 mg/Kg	At or about the limit of determination
	Stone fruits	0.05 mg/Kg	At or about the limit of determination
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
<b>Azinphos-Methyl</b>	Alfalfa fodder	10 mg/Kg	
	Almond hulls	5 mg/Kg	
	Almonds	0.05 mg/Kg	
	Apple	0.05 mg/Kg	
	Blueberries	5 mg/Kg	
	Broccoli	1 mg/Kg	
	Cherries (includes all commodities in this subgroup)	2 mg/Kg	
	Clover hay or fodder	5 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Cranberry	0.1 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Fruits (except as otherwise listed)	1 mg/Kg	
	Melons, except watermelon	0.2 mg/Kg	
	Nectarine	2 mg/Kg	
	Peach	2 mg/Kg	
	Pear	2 mg/Kg	
	Pecan	0.3 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	1 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
Soya bean (dry)	0.05 mg/Kg	At or about the limit of determination.	
Spices	0.5 mg/Kg	At or about the limit of determination.	
Sugar cane	0.2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Tomato	1 mg/Kg	
	Vegetables (except as otherwise listed)	0.5 mg/Kg	
	Walnuts	0.3 mg/Kg	
	Watermelon	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Azocyclotin	Currants, Black, Red, White	0.1 mg/Kg	
	Grapes	0.3 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.2 mg/Kg	
	Pear	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Azoxystrobin	Almond hulls	7 mg/Kg	
	Artichoke, Globe	5 mg/Kg	
	Asparagus	0.01 mg/Kg	At or about the limit of determination
	Banana	2 mg/Kg	
	Barley	1.5 mg/Kg	
	Berries and other small fruits	5 mg/Kg	Except cranberry, grapes and strawberry
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	5 mg/Kg	
	Bulb vegetables	10 mg/Kg	
	Carambola	0.1 mg/Kg	
	Celery	5 mg/Kg	
	Citrus fruits	15 mg/Kg	
	Coffee beans	0.03 mg/Kg	
	Cotton seed	0.7 mg/Kg	
	Cranberry	0.5 mg/Kg	
	Dried herbs	300 mg/Kg	Except hops (dry)
	Edible offal (mammalian)	0.07 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Fruiting vegetables other than cucurbits	3 mg/Kg	Except mushrooms and sweet corn
	Fruiting vegetables, Cucurbits	1 mg/Kg	
	Ginseng	0.1 mg/Kg	
Ginseng, dried including red ginseng	0.3 mg/Kg		
Ginseng, extracts	0.5 mg/Kg		
Grapes	2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Herbs	70 mg/Kg	
	Hops, Dry	30 mg/Kg	
	Legume vegetables	3 mg/Kg	
	Lettuce, Head	3 mg/Kg	
	Lettuce, Leaf	3 mg/Kg	
	Maize	0.02 mg/Kg	
	Maize fodder (dry)	40 mg/Kg	Dry Weight. (dry wt)
	Maize oil, Edible	0.1 mg/Kg	
	Mango	0.7 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Milk fats	0.03 mg/Kg	
	Milks	0.01 mg/Kg	
	Oats	1.5 mg/Kg	
Azoxystrobin	Papaya	0.3 mg/Kg	
	Pea hay or pea fodder (dry)	20 mg/Kg	Dry Weight. (dry wt)
	Peanut	0.2 mg/Kg	
	Peanut fodder	30 mg/Kg	
	Peppers Chili, dried	30 mg/Kg	
	Pistachio nuts	1 mg/Kg	
	Plantain	2 mg/Kg	
	Potato	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Pulses	0.07 mg/Kg	
	Rice	5 mg/Kg	
	Root and tuber vegetables	1 mg/Kg	
	Rye	0.2 mg/Kg	
	Sorghum	10 mg/Kg	
	Sorghum straw and fodder, Dry	30 mg/Kg	Dry Weight. (dry wt)
	Soya bean (dry)	0.5 mg/Kg	
	Soya bean fodder	100 mg/Kg	
	Stone fruits	2 mg/Kg	
	Straw and fodder (dry) of cereal grains	15 mg/Kg	Dry Weight. (dry wt)
Strawberry	10 mg/Kg		
Sunflower seed	0.5 mg/Kg		
Tree nuts	0.01 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Triticale	0.2 mg/Kg	
	Wheat	0.2 mg/Kg	
	Witloof chicory (sprouts)	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Benalaxyl	Grapes	0.3 mg/Kg	
	Lettuce, Head	1 mg/Kg	
	Melons, except watermelon	0.3 mg/Kg	
	Onion, Bulb	0.02 mg/Kg	At or about the limit of determination.
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Tomato	0.2 mg/Kg	
	Watermelon	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bentazone	Alfalfa fodder	0.5 mg/Kg	
	Barley straw and fodder, Dry	0.3 mg/Kg	
	Beans (dry)	0.04 mg/Kg	
	Beans, except broad bean and soya bean	0.01 mg/Kg	(green pods and immature seeds) At or about the limit of determination
	Beans, Shelled	0.01 mg/Kg	(succulent=immature seeds) At or about the limit of determination
	Cereal grains	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Field pea (dry)	1 mg/Kg	
	Hay or fodder (dry) of grasses	2 mg/Kg	
	Herbs	0.1 mg/Kg	
	Linseed	0.02 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.4 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Millet fodder, dry	0.3 mg/Kg	
	Oat straw and fodder, Dry	0.3 mg/Kg	
	Onion, Bulb	0.04 mg/Kg	
	Peanut	0.05 mg/Kg	At or about the limit of determination.
	Peas (pods and succulent=immature seeds)	1.5 mg/Kg	
	Potato	0.1 mg/Kg	
	Poultry meat	0.03 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
Poultry, Edible offal of	0.07 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rye straw and fodder, Dry	0.3 mg/Kg	
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination.
	Spring Onion	0.08 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination.
	Triticale straw and fodder, Dry	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Benzovindiflupyr	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bifenazate	Almond hulls	10 mg/Kg	
	Beans (dry)	0.3 mg/Kg	
	Blackberries	7 mg/Kg	
	Cotton seed	0.3 mg/Kg	
	Dewberries (including boysenberry and loganberry)	7 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Grapes	0.7 mg/Kg	
	Hops, Dry	20 mg/Kg	
	Legume vegetables	7 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Milk fats	0.05 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Mints	40 mg/Kg	
	Peppers Chili	3 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	2 mg/Kg	
Pome fruits	0.7 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Bifentazate	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat . At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Raspberries, Red, Black	7 mg/Kg	
	Stone fruits	2 mg/Kg	
	Strawberry	2 mg/Kg	
	Tomato	0.5 mg/Kg	
	Tree nuts	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bifenthrin	Banana	0.1 mg/Kg	
	Barley	0.05 mg/Kg	At or about the limit of determination.
	Barley straw and fodder, Dry	0.5 mg/Kg	
	Blackberries	1 mg/Kg	
	Blueberries	3 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.4 mg/Kg	
	Citrus fruits	0.05 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Dewberries (including boysenberry and loganberry)	1 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Egg plant	0.3 mg/Kg	
	Grapes	0.3 mg/Kg	
	Hops, Dry	20 mg/Kg	
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	15 mg/Kg	
	Meat (from mammals other than marine mammals)	3 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	3 mg/Kg	
	Milks	0.2 mg/Kg	
	Mustard greens	4 mg/Kg	
	Pea hay or pea fodder (dry)	0.7 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.9 mg/Kg	
	Peas, Shelled (succulent seeds)	0.05 mg/Kg	At or about the limit of determination.
	Peppers	0.5 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
Pulses	0.3 mg/Kg		
Radish leaves (including radish tops)	4 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rape seed	0.05 mg/Kg	
	Rape seed oil, Edible	0.1 mg/Kg	
	Raspberries, Red, Black	1 mg/Kg	
	Root and tuber vegetables	0.05 mg/Kg	
	Spices, Fruits and Berries	0.03 mg/Kg	
	Spices, Roots and Rhizomes	0.05 mg/Kg	
	Strawberry	1 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	30 mg/Kg	
	Tomato	0.3 mg/Kg	
	Tree nuts	0.05 mg/Kg	
	Wheat	0.5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
Bifenthrin	Wheat bran, Unprocessed	2 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity
	Wheat germ	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bitertanol	Apricot	1 mg/Kg	
	Banana	0.5 mg/Kg	
	Barley	0.05 mg/Kg	At or about the limit of determination
	Barley straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination
	Cherries (includes all commodities in this subgroup)	1 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat . At or about the limit of determination
	Milks	0.05 mg/Kg	At or about the limit of determination
	Nectarine	1 mg/Kg	
	Oat straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination
	Oats	0.05 mg/Kg	At or about the limit of determination
	Peach	1 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Pome fruits	2 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
Rye	0.05 mg/Kg	At or about the limit of determination	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rye straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination
	Tomato	3 mg/Kg	
	Triticale	0.05 mg/Kg	At or about the limit of determination
	Triticale straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination
	Wheat	0.05 mg/Kg	At or about the limit of determination
	Wheat straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bosclid	Almond hulls	15 mg/Kg	
	Apple	2 mg/Kg	
	Banana	0.6 mg/Kg	
	Barley	0.5 mg/Kg	
	Barley straw and fodder, Dry	50 mg/Kg	Dry Weight
	Berries and other small fruits	10 mg/Kg	Except strawberry and grapes.
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	5 mg/Kg	
	Bulb vegetables	5 mg/Kg	
	Cereal grains	0.1 mg/Kg	Except barley, oats, rye and wheat.
	Citrus fruits	2 mg/Kg	
	Citrus oil, edible	50 mg/Kg	
	Citrus pulp, Dry	6 mg/Kg	
	Coffee beans	0.05 mg/Kg	At or about the limit of determination.
	Dried grapes (=currants, raisins and sultanas)	10 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Eggs	0.02 mg/Kg	
	Fruiting vegetables other than cucurbits	3 mg/Kg	Except fungi, mushroom and sweet corn.
	Fruiting vegetables, Cucurbits	3 mg/Kg	
	Grapes	5 mg/Kg	
	Hops, Dry	60 mg/Kg	
	Kiwifruit	5 mg/Kg	
	Leafy vegetables	40 mg/Kg	
	Legume vegetables	3 mg/Kg	
	Meat (from mammals other than marine mammals)	0.7 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	2 mg/Kg	
	Milks	0.1 mg/Kg	
	Oat straw and fodder, Dry	50 mg/Kg	Dry Weight
	Oats	0.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Oilseed	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Pistachio nuts	1 mg/Kg	
	Poultry fats	0.02 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.02 mg/Kg	
	Prunes, dried	10 mg/Kg	
	Pulses	3 mg/Kg	
	Root and tuber vegetables	2 mg/Kg	
	Rye	0.5 mg/Kg	
	Rye straw and fodder, Dry	50 mg/Kg	Dry Weight
	Stalk and Stem Vegetables	30 mg/Kg	
	Stone fruits	3 mg/Kg	
	Straw and fodder (dry) of cereal grains	5 mg/Kg	Except straw and fodder of barley, oats, rye and wheat.(Dry weight)
	Strawberry	3 mg/Kg	
	Tree nuts	0.05 mg/Kg	Except pistachi about the limit of determination) (At or
	Wheat	0.5 mg/Kg	
	Wheat straw and fodder, Dry	50 mg/Kg	Dry Weight
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
<b>Bromide Ion</b>	Avocado	75 mg/Kg	
	Broad bean (green pods and immature seeds)	500 mg/Kg	
	Broccoli	30 mg/Kg	
	Cabbages, Head	100 mg/Kg	
	Celery	300 mg/Kg	
	Cereal grains	50 mg/Kg	
	Citrus fruits	30 mg/Kg	
	Cucumber	100 mg/Kg	
	Dried candied	100 mg/Kg	
	Dried fruits	30 mg/Kg	Except as otherwise listed.
	Dried grapes (=currants, raisins and sultanas)	100 mg/Kg	
	Dried herbs	400 mg/Kg	
	Figs, Dried or dried and candied	250 mg/Kg	
	Fruits (except as otherwise listed)	20 mg/Kg	
	Garden pea (young pods)(=succulent, immature seeds)	500 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Lettuce, Head	100 mg/Kg	
	Okra	200 mg/Kg	
	Peach, Dried	50 mg/Kg	
	Peppers Chili, dried	200 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	20 mg/Kg	
	Prunes (see plums)	20 mg/Kg	
	Radish	200 mg/Kg	
	Spices	400 mg/Kg	
	Squash, summer	200 mg/Kg	
	Strawberry	30 mg/Kg	
	Tomato	75 mg/Kg	
	Turnip greens	1,000 mg/Kg	
	Turnip, Garden	200 mg/Kg	
	Wheat wholemeal	50 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Bromopropylate	Citrus fruits	2 mg/Kg	
	Common bean (pods and/or immature seeds)	3 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Grapes	2 mg/Kg	
	Melons, except watermelon	0.5 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Pome fruits	2 mg/Kg	
	Squash, summer	0.5 mg/Kg	
	Strawberry	2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Buprofezin	Almond hulls	2 mg/Kg	
	Almonds	0.05 mg/Kg	At or about the limit of determination.
	Apple	3 mg/Kg	
	Banana	0.3 mg/Kg	
	Cherries (includes all commodities in this subgroup)	2 mg/Kg	
	Citrus fruits	1 mg/Kg	
	Citrus pulp, Dry	2 mg/Kg	
	Coffee beans	0.4 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.7 mg/Kg	
	Grapes	1 mg/Kg	
	Mango	0.1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Nectarine	9 mg/Kg	
	Peach	9 mg/Kg	
	Pear	6 mg/Kg	
Buprofezin	Peppers	2 mg/Kg	
	Peppers Chili	10 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Strawberry	3 mg/Kg	
	Table Olives	5 mg/Kg	
	Tea, green	30 mg/Kg	
	Tomato	1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Cadusafos	Banana	0.01 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Captan	Almonds	0.3 mg/Kg	
	Blueberries	20 mg/Kg	
	Cherries (includes all commodities in this subgroup)	25 mg/Kg	
	Cucumber	3 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	50 mg/Kg	
	Grapes	25 mg/Kg	
	Melons, except watermelon	10 mg/Kg	
	Nectarine	3 mg/Kg	
	Peach	20 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	10 mg/Kg	
	Pome fruits	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Potato	0.05 mg/Kg	
	Raspberries, Red, Black	20 mg/Kg	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Spices, Roots and Rhizomes	0.05 mg/Kg	
	Strawberry	15 mg/Kg	
	Tomato	5 mg/Kg	
Carbaryl	Almond hulls	50 mg/Kg	
	Asparagus	15 mg/Kg	
	Beetroot	0.1 mg/Kg	
	Carrot	0.5 mg/Kg	
	Citrus fruits	15 mg/Kg	
	Cranberry	5 mg/Kg	
	Egg plant	1 mg/Kg	
	Kidney of cattle, goats and sheep	3 mg/Kg	
	Liver of cattle, goats & sheep	1 mg/Kg	
	Maize	0.02 mg/Kg	At or about the limit of determination
	Maize fodder (dry)	250 mg/Kg	
	Maize oil, Crude	0.1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	
	Milks	0.05 mg/Kg	
	Olive oil, Virgin	25 mg/Kg	
	Peppers Chili	0.5 mg/Kg	
	Peppers Chili, dried	2 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	5 mg/Kg	
	Rice bran, Unprocessed	170 mg/Kg	
	Rice hulls	50 mg/Kg	
	Rice straw and fodder, Dry	120 mg/Kg	
	Rice, Polished	1 mg/Kg	
	Sorghum	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity. The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated.
	Sorghum forage (dry)	50 mg/Kg	
	Soya bean (dry)	0.2 mg/Kg	
	Soya bean fodder	15 mg/Kg	
	Soya bean hulls	0.3 mg/Kg	
	Soya bean oil, Crude	0.2 mg/Kg	
	Spices, Fruits and Berries	0.8 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Sunflower seed	0.2 mg/Kg	
	Sunflower seed oil, crude	0.05 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.1 mg/Kg	
	Sweet corn cannery waste	7.4 mg/Kg	
	Sweet potato	0.02 mg/Kg	At or about the limit of determination
	Table Olives	30 mg/Kg	
	Tomato	5 mg/Kg	
	Tomato juice	3 mg/Kg	
	Tomato paste	10 mg/Kg	
	Tree nuts	1 mg/Kg	
	Turnip, Garden	1 mg/Kg	
	Wheat	2 mg/Kg	
	Wheat bran, Unprocessed	2 mg/Kg	
	Wheat flour	0.2 mg/Kg	
	Wheat germ	1 mg/Kg	
	Wheat straw and fodder, Dry	30 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Carbendazim	Apricot	2 mg/Kg	
	Asparagus	0.2 mg/Kg	
	Banana	0.2 mg/Kg	
	Barley	0.5 mg/Kg	
	Barley straw and fodder, Dry	2 mg/Kg	
	Beans (dry)	0.5 mg/Kg	
	Berries and other small fruits	1 mg/Kg	Except grapes
	Brussels sprouts	0.5 mg/Kg	
	Carrot	0.2 mg/Kg	
	Cattle meat	0.05 mg/Kg	At or about the limit of determination.
	Cherries (includes all commodities in this subgroup)	10 mg/Kg	
	Chicken fat	0.05 mg/Kg	At or about the limit of determination.
	Coffee beans	0.1 mg/Kg	
	Common bean (pods and/or immature seeds)	0.5 mg/Kg	
	Cucumber	0.05 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Garden pea, Shelled (succulent seeds)	0.02 mg/Kg	
	Gherkin	0.05 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Grapes	3 mg/Kg	
	Lettuce, Head	5 mg/Kg	
	Mango	5 mg/Kg	
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Nectarine	2 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	1 mg/Kg	
	Peach	2 mg/Kg	
	Peanut	0.1 mg/Kg	At or about the limit of determination.
	Peanut fodder	3 mg/Kg	
	Peppers Chili	2 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Pineapple	5 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
	Pome fruits	3 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	15 mg/Kg	
	Rice, Husked	2 mg/Kg	At or about the limit of determination.
	Rye	0.1 mg/Kg	
	Soya bean (dry)	0.5 mg/Kg	
	Soya bean fodder	0.1 mg/Kg	
	Spices, Fruits and Berries	0.1 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
	Squash, summer	0.5 mg/Kg	
	Sugar beet	0.1 mg/Kg	At or about the limit of determination.
	Tomato	0.5 mg/Kg	
	Tree nuts	0.1 mg/Kg	At or about the limit of determination.
	Wheat	0.05 mg/Kg	At or about the limit of determination.
	Wheat straw and fodder, Dry	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Carbofuran	Banana	0.01 mg/Kg	At or about the limit of determination.
	Cattle fat	0.05 mg/Kg	At or about the limit of determination.
	Citrus pulp, Dry	2 mg/Kg	Based on the use of carbosulfan
	Coffee beans	1 mg/Kg	
	Cotton seed	0.1 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Edible offal of cattle, goats, horses & sheep	0.05 mg/Kg	At or about the limit of determination.
	Goat fat	0.05 mg/Kg	At or about the limit of determination.
	Horse fat	0.05 mg/Kg	At or about the limit of determination.
	Maize	0.05 mg/Kg	Based on the use of carbosulfan At or about the limit of determination
	Mandarin	0.5 mg/Kg	Based on the use of carbosulfan
	Meat of cattle, goats, horses and sheep	0.05 mg/Kg	At or about the limit of determination.
Carbofuran	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5 mg/Kg	
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	1 mg/Kg	
	Rice, Husked	0.1 mg/Kg	
	Sheep fat	0.05 mg/Kg	At or about the limit of determination.
	Sorghum	0.1 mg/Kg	At or about the limit of determination.
	Sorghum straw and fodder, Dry	0.5 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
	Sugar beet	0.2 mg/Kg	Based on the use of carbosulfan
	Sugar cane	0.1 mg/Kg	
	Sunflower seed	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
carbosulfan	Citrus pulp, Dry	0.1 mg/Kg	
	Cotton seed	0.05 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Mandarin	0.1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.1 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.07 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
	Sugar beet	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

chorantraniliprole	Alfalfa fodder	50 mg/Kg	
	Artichoke, Globe	2 mg/Kg	
	Beans, except broad bean and soya bean	0.8 mg/Kg	(green pods and immature seeds)
	Berries and other small fruits	1 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Carrot	0.08 mg/Kg	
	Celery	7 mg/Kg	
	Cereal grains	0.02 mg/Kg	(except rice)
	Citrus fruits	0.7 mg/Kg	
	Coffee beans	0.05 mg/Kg	
	Cotton seed	0.3 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Eggs	0.2 mg/Kg	
	Fruiting vegetables other than cucurbits	0.6 mg/Kg	
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	
	Hops, Dry	40 mg/Kg	
	Leafy vegetables	20 mg/Kg	(except radish leaves)
	Maize fodder (dry)	25 mg/Kg	
	Mammalian fats (except milk fats)	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Milk fats	0.2 mg/Kg	
	Milks	0.05 mg/Kg	
	Mints	15 mg/Kg	
	Peas (pods and succulent=immature seeds)	2 mg/Kg	
	Peas, Shelled (succulent seeds)	0.05 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
	Pome fruits	0.4 mg/Kg	
	Pomegranate	0.4 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat . At or about the limit of determination
Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination	
Radish	0.5 mg/Kg		
Radish leaves (including radish tops)	40 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rape seed	2 mg/Kg	
	Rice	0.4 mg/Kg	
	Rice, Polished	0.04 mg/Kg	
	Root and tuber vegetables	0.02 mg/Kg	(except carrot and radish)
	Soya bean (dry)	0.05 mg/Kg	
	Stone fruits	1 mg/Kg	
	Straw and fodder (dry) of cereal grains	0.3 mg/Kg	
	Sugar cane	0.5 mg/Kg	
	Sunflower seed	2 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
	Tree nuts	0.02 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chlordane	Almonds	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Cotton seed oil, Crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Eggs	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Fruits and vegetables	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues. At or about the limit of determination.
	Hazelnuts	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Linseed oil, Crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Maize	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues. (for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.002 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". (only for MRLs) The MRL is based on extraneous residues.
	Oats	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Pecan	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.5 mg/Kg	only for MRLs) The MRL is based on extraneous residues. (for meat) The MRL/EMRL applies to the fat of meat.
	Rice, Polished	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rye	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Sorghum	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Soya bean oil, Crude	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Soya bean oil, Refined	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Walnuts	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Wheat	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chlorfenapyr	Acerola	99 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chloromequat	Barley	2 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Eggs	0.1 mg/Kg	
	Goat meat	0.2 mg/Kg	
	Kidney of cattle, goats and sheep	0.5 mg/Kg	
	Liver of cattle, goats & sheep	0.1 mg/Kg	
	Maize fodder (dry)	7 mg/Kg	
	Meat of cattle & sheep	0.2 mg/Kg	
	Milk of cattle, goats & sheep	0.5 mg/Kg	
	Oats	10 mg/Kg	
	Poultry meat	0.04 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.1 mg/Kg	
	Rape seed	5 mg/Kg	
	Rape seed oil, Crude	0.1 mg/Kg	At or about the limit of determination
	Rye	3 mg/Kg	
	Rye bran, Unprocessed	10 mg/Kg	
	Rye flour	3 mg/Kg	
	Rye wholemeal	4 mg/Kg	
	Straw and fodder (dry) of cereal grains	30 mg/Kg	
	Triticale	3 mg/Kg	
	Wheat	3 mg/Kg	
	Wheat bran, Unprocessed	10 mg/Kg	
	Wheat flour	2 mg/Kg	
Wheat wholemeal	5 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
Chlorothalonil	Asparagus	0.01 mg/Kg	At or about the limit of determination
	Banana	15 mg/Kg	
	Brussels sprouts	6 mg/Kg	
	Celery	20 mg/Kg	
	Chard	50 mg/Kg	
	Cherries (includes all commodities in this subgroup)	3 mg/Kg	
	Cranberry	5 mg/Kg	
	Cucumber	3 mg/Kg	
	Currants, Black, Red, White	20 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	5 mg/Kg	
	Gherkin	3 mg/Kg	
	Ginseng, dried including red ginseng	2 mg/Kg	
	Gooseberry	20 mg/Kg	
	Grapes	3 mg/Kg	
	Horseradish	1 mg/Kg	
	Leek	40 mg/Kg	
	Mammalian fats (except milk fats)	0.07 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	
	Melons, except watermelon	2 mg/Kg	
	Milks	0.07 mg/Kg	
	Onion, Bulb	1.5 mg/Kg	
	Onion, Chinese	10 mg/Kg	
	Onion, Welsh	10 mg/Kg	
	Papaya	20 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	1.5 mg/Kg	
	Peanut	0.1 mg/Kg	
	Peppers	7 mg/Kg	
	Peppers Chili, dried	70 mg/Kg	
	Pistachio nuts	0.3 mg/Kg	
	Poultry fats	0.01 mg/Kg	
	Poultry meat	0.01 mg/Kg	
Poultry skin	0.01 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.07 mg/Kg	
	Pulses	1 mg/Kg	
	Rhubarb	7 mg/Kg	
	Root and tuber vegetables	0.3 mg/Kg	(except horseradish)
	Shallot	1.5 mg/Kg	
	Spring Onion	10 mg/Kg	
	Squash, summer	3 mg/Kg	
	Strawberry	5 mg/Kg	
	Tomato	5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chlorpropham	Cattle meat	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Cattle, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Milk fats	0.02 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Potato	30 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chlorpyrifos	Alfalfa fodder	5 mg/Kg	
	Almonds	0.05 mg/Kg	
	Banana	2 mg/Kg	
	Broccoli	2 mg/Kg	
	Cabbages, Head	1 mg/Kg	
	Carrot	0.1 mg/Kg	
	Cattle kidney	0.01 mg/Kg	
	Cattle liver	0.01 mg/Kg	
	Cattle meat	1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Cauliflower	0.05 mg/Kg	
	Chinese cabbage (type pe-tsai)	1 mg/Kg	
	Citrus fruits	1 mg/Kg	
	Coffee beans	0.05 mg/Kg	
	Common bean (pods and/or immature seeds)	0.01 mg/Kg	
	Cotton seed	0.3 mg/Kg	
	Cotton seed oil, Edible	0.05 mg/Kg	At or about the limit of determination
	Cranberry	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Grapes	0.5 mg/Kg	
Maize	0.05 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Maize fodder (dry)	10 mg/Kg	
	Maize oil, Edible	0.2 mg/Kg	
	Milk of cattle, goats & sheep	0.02 mg/Kg	
	Onion, Bulb	0.2 mg/Kg	
	Peach	0.5 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.01 mg/Kg	
	Pecan	0.05 mg/Kg	At or about the limit of determination
	Peppers Chili, dried	20 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	2 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
	Pome fruits	1 mg/Kg	
	Potato	2 mg/Kg	
	Poultry meat	0.01 mg/Kg	
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rice	0.5 mg/Kg	
	Sheep meat	1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
Chlorpyrifos	Sheep, Edible offal of	0.01 mg/Kg	
	Sorghum	0.5 mg/Kg	
	Sorghum straw and fodder, Dry	2 mg/Kg	
	Soya bean (dry)	0.1 mg/Kg	
	Soya bean oil, Refined	0.03 mg/Kg	
	Spices, Fruits and Berries	1 mg/Kg	
	Spices, Roots and Rhizomes	1 mg/Kg	
	Spices, Seeds	5 mg/Kg	
	Strawberry	0.3 mg/Kg	
	Sugar beet	0.05 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	2 mg/Kg	
	Walnuts	0.05 mg/Kg	At or about the limit of determination
	Wheat	0.5 mg/Kg	
	Wheat flour	0.1 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Chlorpyrifos - Mthyl	Citrus fruits	2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Egg plant	1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grape pomace, Dry	5 mg/Kg	
	Grapes	1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Pome fruits	1 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rice	0.1 mg/Kg	
	Sorghum	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Spices, Fruits and Berries	0.3 mg/Kg	
	Spices, Roots and Rhizomes	5 mg/Kg	
	Spices, Seeds	1 mg/Kg	
	Stone fruits	0.5 mg/Kg	
	Strawberry	0.06 mg/Kg	
	Tomato	1 mg/Kg	
	Wheat	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Wheat bran, Unprocessed	20 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Clethodim	Alfalfa fodder	10 mg/Kg	
	Bean fodder	10 mg/Kg	
	Beans (dry)	2 mg/Kg	
	Beans, except broad bean and soya bean	0.5 mg/Kg	At or about the limit of determination.
	Cotton seed	0.5 mg/Kg	
	Cotton seed oil, Crude	0.5 mg/Kg	At or about the limit of determination.
	Cotton seed oil, Edible	0.5 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.2 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Field pea (dry)	2 mg/Kg	
	Fodder beet	0.1 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Garlic	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	At or about the limit of determination.
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.5 mg/Kg	
	Peanut	5 mg/Kg	
	Potato	0.5 mg/Kg	
	Poultry meat	0.2 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.2 mg/Kg	At or about the limit of determination.
	Rape seed	0.5 mg/Kg	
	Rape seed oil, Crude	0.5 mg/Kg	At or about the limit of determination.
	Rape seed oil, Edible	0.5 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	10 mg/Kg	
	Soya bean oil, Crude	1 mg/Kg	
	Soya bean oil, Refined	0.5 mg/Kg	At or about the limit of determination.
	Sugar beet	0.1 mg/Kg	
	Sunflower seed	0.5 mg/Kg	
	Sunflower seed oil, crude	0.1 mg/Kg	At or about the limit of determination.
	Tomato	1 mg/Kg	
	<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>
			<b>REMARK</b>
Clofentezine	Almond hulls	5 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Currants, Black, Red, White	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination
	Eggs	0.05 mg/Kg	At or about the limit of determination
	Grapes	2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination
	Melons, except watermelon	0.1 mg/Kg	
	Milks	0.05 mg/Kg	At or about the limit of determination
	Pome fruits	0.5 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination
	Stone fruits	0.5 mg/Kg	
	Strawberry	2 mg/Kg	
	Tomato	0.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
Clothianidin	Tree nuts	0.5 mg/Kg	
	Artichoke, Globe	0.05 mg/Kg	
	Avocado	0.03 mg/Kg	
	Banana	0.02 mg/Kg	
	Barley	0.04 mg/Kg	
	Barley straw and fodder, Dry	0.2 mg/Kg	dry wt
	Beans, except broad bean and soya bean	0.2 mg/Kg	
	Berries and other small fruits	0.07 mg/Kg	Except grapes
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.2 mg/Kg	
	Cacao beans	0.02 mg/Kg	At or about the limit of determination
	Celery	0.04 mg/Kg	
	Citrus fruits	0.07 mg/Kg	
	Coffee beans	0.05 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	Except liver. - At or about the limit of determination
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.05 mg/Kg	Except sweet corn
	Fruiting vegetables, Cucurbits	0.02 mg/Kg	At or about the limit of determination
	Grape juice	0.2 mg/Kg	
	Grapes	0.7 mg/Kg	
	Hops, Dry	0.07 mg/Kg	
	Leafy vegetables	2 mg/Kg	
	Legume vegetables	0.01 mg/Kg	At or about the limit of determination
	Liver of cattle, goats & sheep	0.2 mg/Kg	
	Maize	0.02 mg/Kg	
	Maize fodder (dry)	0.01 mg/Kg	Dry Weight- At or about the limit of determination
	Mammalian fats (except milk fats)	0.02 mg/Kg	At or about the limit of determination
	Mango	0.04 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination
	Milks	0.02 mg/Kg	
Mints	0.3 mg/Kg		
Oilseed	0.02 mg/Kg	At or about the limit of determination	
Papaya	0.01 mg/Kg	At or about the limit of determination	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Pea hay or pea fodder (dry)	0.2 mg/Kg	Dry Weight
	Pecan	0.01 mg/Kg	At or about the limit of determination
	Peppers Chili, dried	0.5 mg/Kg	
	Pineapple	0.01 mg/Kg	At or about the limit of determination
	Pome fruits	0.4 mg/Kg	
	Popcorn	0.01 mg/Kg	At or about the limit of determination
	Poultry fats	0.01 mg/Kg	At or about the limit of determination
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.1 mg/Kg	
	Prunes, dried	0.2 mg/Kg	
Clothianidin	Pulses	0.02 mg/Kg	
	Rice	0.5 mg/Kg	
	Root and tuber vegetables	0.2 mg/Kg	
	Sorghum	0.01 mg/Kg	At or about the limit of determination
	Sorghum straw and fodder, Dry	0.01 mg/Kg	Dry Weight
	Stalk and Stem Vegetables	0.04 mg/Kg	Except artichoke and celery
	Stone fruits	0.2 mg/Kg	
	Sugar cane	0.4 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	0.7 mg/Kg	
	Wheat	0.02 mg/Kg	At or about the limit of determination
	Wheat straw and fodder, Dry	0.2 mg/Kg	Dry Weight
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Cyantranilprole	Bean fodder	40 mg/Kg	(DM)
	Beans (dry)	0.3 mg/Kg	
	Beans, Shelled	0.3 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Bush berries	4 mg/Kg	
	Celery	15 mg/Kg	
	Cherries (includes all commodities in this subgroup)	6 mg/Kg	
	Citrus fruits	0.7 mg/Kg	
	Citrus oil, edible	4.5 mg/Kg	
	Coffee beans	0.05 mg/Kg	
	Common bean (pods and/or immature seeds)	1.5 mg/Kg	
	Cotton seed	1.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Edible offal (mammalian)	1.5 mg/Kg	
	Eggs	0.15 mg/Kg	
	Fodder beet	0.02 mg/Kg	
	Fruiting vegetables other than cucurbits	0.5 mg/Kg	(except mushrooms & sweet corn)
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	
	Garlic	0.05 mg/Kg	
	Leafy vegetables	20 mg/Kg	(except Lettuce, Head)
	Legume animal feeds	0.8 mg/Kg	Dry Weight
	Lettuce, Head	5 mg/Kg	
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	
	Milks	0.6 mg/Kg	
	Onion, Bulb	0.05 mg/Kg	
	Onion, Welsh	8 mg/Kg	
	Pea hay or pea fodder (dry)	60 mg/Kg	(DM)
Cyantranilprole	Peach	1.5 mg/Kg	
	Peas (pods and succulent=immature seeds)	2 mg/Kg	
	Peas, Shelled (succulent seeds)	0.3 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
	Pome fruits	0.8 mg/Kg	
	Pomegranate	0.01 mg/Kg	At or about the limit of determination.
	Potato	0.05 mg/Kg	
	Poultry fats	0.04 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.15 mg/Kg	
	Prunes, dried	0.8 mg/Kg	
	Rape seed	0.8 mg/Kg	
	Root and tuber vegetables	0.05 mg/Kg	(except potato)
	Shallot	0.05 mg/Kg	
	Soya bean (dry)	0.4 mg/Kg	
	Soya bean (immature seeds)	0.3 mg/Kg	
	Soya bean fodder	80 mg/Kg	DM
Spring Onion	8 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.2 mg/Kg	Dry Weight
	Sunflower seed	0.5 mg/Kg	
	Tree nuts	0.04 mg/Kg	
	Turnip fodder	0.02 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cyazofamid	Beans, except broad bean and soya bean	0.4 mg/Kg	
	Beans, Shelled	0.07 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	1.5 mg/Kg	
	Brassica leafy vegetables	15 mg/Kg	
	Egg plant	0.2 mg/Kg	
	Fruiting vegetables, Cucurbits	0.09 mg/Kg	
	Grapes	1.5 mg/Kg	
	Hops, Dry	15 mg/Kg	
	Leafy vegetables	10 mg/Kg	(except brassica leafy vegetables)
	Peppers Chili	0.8 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	0.4 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cycloxydim	Beans (dry)	30 mg/Kg	
	Beans, except broad bean and soya bean	15 mg/Kg	(green pods & immature seeds)
	Beetroot	0.2 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	9 mg/Kg	
	Carrot	5 mg/Kg	
	Celeriac	1 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Eggs	0.15 mg/Kg	
	Grapes	0.3 mg/Kg	
	Kale, curly	3 mg/Kg	
	Leek	4 mg/Kg	
	Lettuce, Head	1.5 mg/Kg	
Lettuce, Leaf	1.5 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Linseed	7 mg/Kg	
	Maize	0.2 mg/Kg	
	Maize fodder (dry)	2 mg/Kg	
	Mammalian fats (except milk fats)	0.1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.06 mg/Kg	
	Milks	0.02 mg/Kg	
	Onion, Bulb	3 mg/Kg	
	Peas (dry)	30 mg/Kg	
	Peas, Shelled (succulent seeds)	15 mg/Kg	
	Peppers	9 mg/Kg	
	Peppers Chili, dried	90 mg/Kg	
	Pome fruits	0.09 mg/Kg	At or about the limit of determination
	Potato	3 mg/Kg	
	Poultry fats	0.03 mg/Kg	At or about the limit of determination
	Poultry meat	0.03 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.02 mg/Kg	
	Rape seed	7 mg/Kg	
	Rice	0.09 mg/Kg	At or about the limit of determination
	Rice straw and fodder, Dry	0.09 mg/Kg	
	Soya bean (dry)	80 mg/Kg	
	Stone fruits	0.09 mg/Kg	At or about the limit of determination
	Strawberry	3 mg/Kg	
	Sugar beet	0.2 mg/Kg	
	Sunflower seed	6 mg/Kg	
	Swede	0.2 mg/Kg	
	Tomato	1.5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Cyflumetofen	Almond hulls	4 mg/Kg	
	Citrus fruits	0.3 mg/Kg	
	Citrus oil, edible	36 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1.5 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Grapes	0.6 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination
	Milks	0.01 mg/Kg	At or about the limit of determination

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Pome fruits	0.4 mg/Kg	
	Strawberry	0.6 mg/Kg	
	Tomato	0.3 mg/Kg	
	Tree nuts	0.01 mg/Kg	At or about the limit of determination
SUBSTANCE	COMMODITY	MRL	REMARK
Cyfluthrin/Cyfluthrin beta	Apple	0.1 mg/Kg	
	Cabbages, Head	0.08 mg/Kg	
	Cauliflower	2 mg/Kg	
	Citrus fruits	0.3 mg/Kg	
	Citrus pulp, Dry	2 mg/Kg	
	Cotton seed	0.7 mg/Kg	
	Cotton seed oil, Crude	1 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Egg plant	0.2 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.01 mg/Kg	
	Pear	0.1 mg/Kg	
	Peppers	0.2 mg/Kg	
	Peppers Chili, dried	1 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rape seed	0.07 mg/Kg	
	Soya bean (dry)	0.03 mg/Kg	
	Soya bean fodder	4 mg/Kg	
Spices, Fruits and Berries	0.03 mg/Kg		
Spices, Roots and Rhizomes	0.05 mg/Kg		
Tomato	0.2 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Cyhalothrin(includes lambda-Cyhalothrin	Almond hulls	2 mg/Kg	
	Apricot	0.5 mg/Kg	
	Asparagus	0.02 mg/Kg	
	Barley	0.5 mg/Kg	
	Basil	0.7 mg/Kg	
	Berries and other small fruits	0.2 mg/Kg	
	Bulb vegetables	0.2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cabbages, Head	0.3 mg/Kg	
	Cardamom	2 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.3 mg/Kg	
	Citrus fruits	0.2 mg/Kg	
	Coffee beans	0.01 mg/Kg	At or about the limit of determination.
	Dried grapes (=currants, raisins and sultanas)	0.3 mg/Kg	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.5 mg/Kg	
	Fruiting vegetables other than cucurbits	0.3 mg/Kg	Except mushrooms
	Fruiting vegetables, Cucurbits	0.05 mg/Kg	
	Kidney of cattle, goats and sheep	0.2 mg/Kg	
	Legume vegetables	0.2 mg/Kg	
	Liver of cattle, goats & sheep	0.05 mg/Kg	
	Maize	0.02 mg/Kg	
Cyhalothrin(includes lambda-Cyhalothrin	Mango	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	3 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.2 mg/Kg	
	Nectarine	0.5 mg/Kg	
	Oats	0.05 mg/Kg	
	Oilseed	0.2 mg/Kg	
	Peach	0.5 mg/Kg	
	Peppers Chili, dried	3 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2 mg/Kg	Except prunes
	Pome fruits	0.2 mg/Kg	
	Pulses	0.05 mg/Kg	
	Rice	1 mg/Kg	
	Root and tuber vegetables	0.01 mg/Kg	At or about the limit of determination.
	Rye	0.05 mg/Kg	
	Spices, Fruits and Berries	0.03 mg/Kg	(except cardamom)
	Spices, Roots and Rhizomes	0.05 mg/Kg	
	Straw and fodder (dry) of cereal grains	2 mg/Kg	
	Sugar cane	0.05 mg/Kg	
Table Olives	1 mg/Kg		
Tree nuts	0.01 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Triticale	0.05 mg/Kg	
	Wheat	0.05 mg/Kg	
	Wheat bran, Unprocessed	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Cyhexatin	Apple	0.2 mg/Kg	
	Currants, Black, Red, White	0.1 mg/Kg	
	Grapes	0.3 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.2 mg/Kg	
	Pear	0.2 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Cypermethrin(including alpha-and zeta-cypermethrin)	Alfalfa fodder	30 mg/Kg	
	Artichoke, Globe	0.1 mg/Kg	
	Asparagus	0.4 mg/Kg	
	Barley	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Bean fodder	2 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	1 mg/Kg	
	Carambola	0.2 mg/Kg	
	Cardamom	3 mg/Kg	
	Cereal grains	0.3 mg/Kg	Except rice barley, oats, rye and wheat.
	Citrus fruits	0.3 mg/Kg	(excluding shaddocks or pomelos)
	Coffee beans	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Dried grapes (=currants, raisins and sultanas)	0.5 mg/Kg	
	Durian	1 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	The MRL accommodates external animal treatment. At or about the limit of determination.
	Egg plant	0.03 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.07 mg/Kg	
	Grapes	0.2 mg/Kg	
	Leafy vegetables	0.7 mg/Kg	
	Leek	0.05 mg/Kg	
Legume vegetables	0.7 mg/Kg		
Litchi	2 mg/Kg		

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

Longan	1 mg/Kg	
Mango	0.7 mg/Kg	
Meat (from mammals other than marine mammals)	2 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
Milk fats	0.5 mg/Kg	
Milks	0.05 mg/Kg	The MRL accommodates external animal treatment.
Oats	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
Oilseed	0.1 mg/Kg	
Okra	0.5 mg/Kg	
Olive oil, Refined	0.5 mg/Kg	
Olive oil, Virgin	0.5 mg/Kg	
Onion, Bulb	0.01 mg/Kg	At or about the limit of determination.
Papaya	0.5 mg/Kg	
Pea hay or pea fodder (dry)	2 mg/Kg	
Peppers Chili	2 mg/Kg	
Peppers Chili, dried	10 mg/Kg	
Peppers, Sweet (including pimento or pimienta)	0.1 mg/Kg	
Pome fruits	0.7 mg/Kg	
Poultry fats	0.1 mg/Kg	
Poultry meat	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
Pulses	0.05 mg/Kg	At or about the limit of determination.
Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)	0.5 mg/Kg	
Rice	2 mg/Kg	
Root and tuber vegetables	0.01 mg/Kg	Except sugar beet At or about the limit of determination.
Rye	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
Spices, Fruits and Berries	0.5 mg/Kg	
Spices, Roots and Rhizomes	0.2 mg/Kg	
Stone fruits	2 mg/Kg	
Straw and fodder (dry) of cereal grains	10 mg/Kg	
Strawberry	0.07 mg/Kg	
Sugar beet	0.1 mg/Kg	
Sugar cane	0.2 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Sweet corn (corn-on-the-cob)	0.05 mg/Kg	At or about the limit of determination.
Cypermethrin(including alpha-and zeta-cypermethrin)	Table Olives	0.05 mg/Kg	At or about the limit of determination.
	Tea, Green, Black (black, fermented and dried)	15 mg/Kg	
	Tomato	0.2 mg/Kg	
	Tree nuts	0.05 mg/Kg	At or about the limit of determination.
	Wheat	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Wheat bran, Unprocessed	5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity
SUBSTANCE	COMMODITY	MRL	REMARK
Cyproconazole	Beans (dry)	0.02 mg/Kg	At or about the limit of determination
	Cereal grains	0.08 mg/Kg	Except maize, rice and sorghum
	Coffee beans	0.07 mg/Kg	
	Coffee beans, Roasted	0.1 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Maize	0.01 mg/Kg	At or about the limit of determination
	Maize fodder (dry)	2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat
	Milks	0.01 mg/Kg	
	Peas (dry)	0.02 mg/Kg	At or about the limit of determination
	Peas, Shelled (succulent seeds)	0.01 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rape seed	0.4 mg/Kg	
	Soya bean (dry)	0.07 mg/Kg	
	Soya bean fodder	3 mg/Kg	
	Soya bean oil, Refined	0.1 mg/Kg	
	Straw and fodder (dry) of cereal grains	5 mg/Kg	Except maize, rice and sorghum
	Sugar beet	0.05 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cyprodinil	Almond hulls	0.05 mg/Kg	At or about the limit of determination
	Almonds	0.02 mg/Kg	At or about the limit of determination
	Avocado	1 mg/Kg	
	Barley	3 mg/Kg	
	Beans (dry)	0.2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Beans, except broad bean and soya bean	0.7 mg/Kg	(green pods and immature seeds)
	Beans, Shelled	0.06 mg/Kg	
	Berries and other small fruits	10 mg/Kg	(except grapes)
	Brassica leafy vegetables	15 mg/Kg	
	Cabbages, Head	0.7 mg/Kg	
	Carrot	0.7 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Dried herbs	300 mg/Kg	(except hops, dry)
	Edible offal (mammalian)	0.01 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	2 mg/Kg	
Cyprodinil	Fruiting vegetables other than cucurbits	2 mg/Kg	(except sweet corn and mushroom)
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Grapes	3 mg/Kg	
	Herbs	40 mg/Kg	
	Leafy vegetables	50 mg/Kg	(except brassica leafy vegetables)
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination
	Milks	0.0004mg/Kg	The MRL is calculated as 4% of the LOQ for milk fat (0.01 mg/kg). Milk fat is the fraction of the milk that is analyzed (JMPR 2003). (for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Onion, Bulb	0.3 mg/Kg	
	Parsnip	0.7 mg/Kg	
	Peppers Chili, dried	9 mg/Kg	
	Pome fruits	2 mg/Kg	
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Prunes, dried	5 mg/Kg	
	Radish	0.3 mg/Kg	
Rape seed	0.02 mg/Kg		
Stone fruits	2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Straw and fodder (dry) of cereal grains	10 mg/Kg	
	Wheat	0.5 mg/Kg	
	Wheat bran, Unprocessed	2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Cyromazine	Artichoke, Globe	3 mg/Kg	
	Beans (dry)	3 mg/Kg	
	Broccoli	1 mg/Kg	
	Celery	4 mg/Kg	
	Chick-pea (dry)	3 mg/Kg	
	Cucumber	2 mg/Kg	
	Edible offal (mammalian)	0.3 mg/Kg	
	Eggs	0.3 mg/Kg	
	Fruiting vegetables other than cucurbits	1 mg/Kg	Except mushrooms and sweet corn (corn-on-the-cob)
	Lentil (dry)	3 mg/Kg	
	Lettuce, Head	4 mg/Kg	
	Lettuce, Leaf	4 mg/Kg	
	Lima bean (young pods and/or immature beans)	1 mg/Kg	
	Lupin (dry)	3 mg/Kg	
	Mango	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.3 mg/Kg	
	Melons, except watermelon	0.5 mg/Kg	
	Milks	0.01 mg/Kg	
	Mushrooms	7 mg/Kg	
	Mustard greens	10 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Poultry meat	0.1 mg/Kg	
Poultry, Edible offal of	0.2 mg/Kg		
Spring Onion	3 mg/Kg		
Squash, summer	2 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
DDT	Carrot	0.2 mg/Kg	The MRL is based on extraneous residues.
	Cereal grains	0.1 mg/Kg	The MRL is based on extraneous residues.
	Eggs	0.1 mg/Kg	The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	5 mg/Kg	The MRL is based on extraneous residues. The MRL/EMRL applies to the fat of meat. EMRL : (1-5) mg/kg .



# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Milks	0.02 mg/Kg	The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". The MRL is based on extraneous residues.
	Poultry meat	0.3 mg/Kg	The MRL is based on extraneous residues. The MRL/EMRL applies to the fat of meat. (EMRL: 0.1 - 0.3 mg/mg)
SUBSTANCE	COMMODITY	MRL	REMARK
Deltamethrin	Apple	0.2 mg/Kg	
	Carrot	0.02 mg/Kg	
	Cereal grains	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Citrus fruits	0.02 mg/Kg	
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.1 mg/Kg	
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Grapes	0.2 mg/Kg	
	Hazelnuts	0.02 mg/Kg	At or about the limit of determination.
	Kidney of cattle, goats and sheep	0.03 mg/Kg	At or about the limit of determination.
	Leafy vegetables	2 mg/Kg	
	Leek	0.2 mg/Kg	
	Legume vegetables	0.2 mg/Kg	
	Liver of cattle, goats & sheep	0.03 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.5 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.05 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Mushrooms	0.05 mg/Kg	
	Nectarine	0.05 mg/Kg	
	Onion, Bulb	0.05 mg/Kg	
	Peach	0.05 mg/Kg	
Plums (including prunes) (includes all commodities in this subgroup)	0.05 mg/Kg		
Potato	0.01 mg/Kg	At or about the limit of determination.	
Poultry meat	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Pulses	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Radish	0.01 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.03 mg/Kg	
	Spices, Roots and Rhizomes	0.5 mg/Kg	
	Strawberry	0.2 mg/Kg	
	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	At or about the limit of determination.
	Table Olives	1 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	5 mg/Kg	
	Tomato	0.3 mg/Kg	
	Walnuts	0.02 mg/Kg	At or about the limit of determination.
	Wheat bran, Unprocessed	5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat flour	0.3 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat wholemeal	2 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Diazinon	Almond hulls	5 mg/Kg	
	Almonds	0.05 mg/Kg	
	Blackberries	0.1 mg/Kg	
	Boysenberry	0.1 mg/Kg	
	Broccoli	0.5 mg/Kg	
	Cabbages, Head	0.5 mg/Kg	
	Cantaloupe	0.2 mg/Kg	
	Carrot	0.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	1 mg/Kg	
	Chicken eggs	0.02 mg/Kg	At or about the limit of determination.
	Chicken meat	0.02 mg/Kg	At or about the limit of determination.
	Chicken, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Chinese cabbage (type pe-tsai)	0.05 mg/Kg	
	Common bean (pods and/or immature seeds)	0.2 mg/Kg	
	Cranberry	0.2 mg/Kg	
	Cucumber	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Currants, Black, Red, White	0.2 mg/Kg	
	Garden pea, Shelled (succulent seeds)	0.2 mg/Kg	
	Goat meat	2 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat (v)
	Hops, Dry	0.5 mg/Kg	
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.05 mg/Kg	
	Kidney of cattle, goats and sheep	0.03 mg/Kg	The MRL accommodates external animal treatment. (V)
Diazinon	Kiwifruit	0.2 mg/Kg	
	Kohlrabi	0.2 mg/Kg	
	Lettuce, Head	0.5 mg/Kg	
	Lettuce, Leaf	0.5 mg/Kg	
	Liver of cattle, goats & sheep	0.03 mg/Kg	The MRL accommodates external animal treatment. (v)
	Maize	0.02 mg/Kg	At or about the limit of determination.
	Meat of cattle & sheep	2 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat (V)
	Milks	0.02 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Onion, Bulb	0.05 mg/Kg	
	Peach	0.2 mg/Kg	
	Peppers Chili, dried	0.5 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	0.05 mg/Kg	
	Pineapple	0.1 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	1 mg/Kg	
	Pome fruits	0.3 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Prunes, dried	2 mg/Kg	
	Radish	0.1 mg/Kg	
	Raspberries, Red, Black	0.2 mg/Kg	
	Spices, Fruits and Berries	0.1 mg/Kg	At or about the limit of determination.
Spices, Roots and Rhizomes	0.5 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Spices, Seeds	5 mg/Kg	
	Spinach	0.5 mg/Kg	
	Spring Onion	1 mg/Kg	
	Squash, summer	0.05 mg/Kg	
	Strawberry	0.1 mg/Kg	
	Sugar beet	0.1 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
	Tomato	0.5 mg/Kg	
	Walnuts	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Dicamba	Asparagus	5 mg/Kg	
	Barley	7 mg/Kg	
	Barley straw and fodder, Dry	50 mg/Kg	
	Cotton seed	0.04 mg/Kg	At or about the limit of determination
	Edible offal (mammalian)	0.7 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Hay or fodder (dry) of grasses	30 mg/Kg	
	Maize	0.01 mg/Kg	At or about the limit of determination
	Maize fodder (dry)	0.6 mg/Kg	
	Mammalian fats (except milk fats)	0.07 mg/Kg	
	Meat (from mammals other than marine mammals)	0.03 mg/Kg	
	Milks	0.2 mg/Kg	
	Poultry fats	0.04 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.07 mg/Kg	
	Sorghum	4 mg/Kg	
	Sorghum straw and fodder, Dry	8 mg/Kg	
	Soybean (dry)	10 mg/Kg	
	Sugar cane	1 mg/Kg	
	Sweet corn (kernels)	0.02 mg/Kg	
Wheat	2 mg/Kg		
Wheat straw and fodder, Dry	50 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Dichlobenil	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05 mg/Kg	
	Cane berries	0.2 mg/Kg	
	Celery	0.07 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cereal grains	0.01 mg/Kg	At or about the limit of determination
	Dried grapes (=currants, raisins and sultanas)	0.15 mg/Kg	
	Edible offal (mammalian)	0.04 mg/Kg	
	Eggs	0.03 mg/Kg	
	Fruiting vegetables other than cucurbits	0.01 mg/Kg	(except sweetcorn and mushrooms) At or about the limit of determination
	Fruiting vegetables, Cucurbits	0.01 mg/Kg	At or about the limit of determination
	Grape juice	0.07 mg/Kg	
	Grapes	0.05 mg/Kg	
	Leafy vegetables	0.3 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination
	Milks	0.01 mg/Kg	At or about the limit of determination
	Onion, Bulb	0.01 mg/Kg	At or about the limit of determination
	Onion, Welsh	0.02 mg/Kg	
	Peppers Chili, dried	0.01 mg/Kg	At or about the limit of determination
	Poultry fats	0.02 mg/Kg	
	Poultry meat	0.03 mg/Kg	
	Poultry, Edible offal of	0.1 mg/Kg	
	Pulses	0.01 mg/Kg	At or about the limit of determination
	Straw and fodder (dry) of cereal grains	0.4 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dichloran	Carrot	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Grapes	7 mg/Kg	
	Nectarine	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Onion, Bulb	0.2 mg/Kg	
	Peach	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dichlorvos	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rice	7 mg/Kg	
	Rice bran, Unprocessed	15 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Rice, Husked	1.5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Rice, Polished	0.15 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Spices	0.1 mg/Kg	At or about the limit of determination.
	Wheat	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Wheat bran, Unprocessed	15 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat flour	0.7 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat wholemeal	3 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dicofol	Spices, Fruits and Berries	0.1 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
	Spices, Seeds	0.05 mg/Kg	At or about the limit of determination
	Tea, Green, Black (black, fermented and dried)	40 mg/Kg	DDT may be present in tea as a result of its presence as a contaminant in the technical grade dicofol.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Difenoconazole	Asparagus	0.03 mg/Kg	
	Avocado	0.6 mg/Kg	
	Banana	0.1 mg/Kg	
	Beans, except broad bean and soya bean	0.7 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Carrot	0.2 mg/Kg	
	Celeriac	0.5 mg/Kg	
	Celery	3 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.2 mg/Kg	
	Citrus fruits	0.6 mg/Kg	
	Cucumber	0.2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Dried grapes (=currants, raisins and sultanas)	6 mg/Kg	
	Edible offal (mammalian)	1.5 mg/Kg	
	Eggs	0.03 mg/Kg	
	Fruiting vegetables other than cucurbits	0.6 mg/Kg	(except sweet corn and mushroom)
	Garlic	0.02 mg/Kg	At or about the limit of determination
Difenoconazole	Gherkin	0.2 mg/Kg	
	Ginseng	0.08 mg/Kg	
	Ginseng, dried including red ginseng	0.2 mg/Kg	
	Ginseng, extracts	0.6 mg/Kg	
	Grapes	3 mg/Kg	
	Leek	0.3 mg/Kg	
	Lettuce, Head	2 mg/Kg	
	Lettuce, Leaf	2 mg/Kg	
	Mango	0.07 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	0.7 mg/Kg	
	Milks	0.02 mg/Kg	
	Nectarine	0.5 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Papaya	0.2 mg/Kg	
	Passion fruit	0.05 mg/Kg	
	Peach	0.5 mg/Kg	
	Peanut	0.01 mg/Kg	At or about the limit of determination
	Peas (pods and succulent=immature seeds)	0.7 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.2 mg/Kg	
	Pome fruits	0.8 mg/Kg	
	Potato	4 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination .
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rape seed	0.15 mg/Kg	
Soya bean (dry)	0.1 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Spring Onion	9 mg/Kg	
	Squash, summer	0.2 mg/Kg	
	Sugar beet	0.2 mg/Kg	
	Sunflower seed	0.02 mg/Kg	
	Table Olives	2 mg/Kg	
	Tree nuts	0.03 mg/Kg	
	Wheat	0.02 mg/Kg	At or about the limit of determination
	Wheat straw and fodder, Dry	3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Diflubenzuron	Barley	0.05 mg/Kg	At or about the limit of determination.
	Citrus fruits	0.5 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.1 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Hay or fodder (dry) of grasses	3 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.02 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". At or about the limit of determination.
	Mushrooms	0.3 mg/Kg	
	Mustard greens	10 mg/Kg	
	Nectarine	0.5 mg/Kg	
	Oats	0.05 mg/Kg	At or about the limit of determination.
	Peach	0.5 mg/Kg	
	Peanut	0.1 mg/Kg	
	Peanut fodder	40 mg/Kg	
	Peppers Chili	3 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	0.7 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
	Pome fruits	5 mg/Kg	
	Poultry meat	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. or about the limit of determination. At
Rice	0.01 mg/Kg	At or about the limit of determination.	
Rice straw and fodder, Dry	0.7 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Straw and fodder (dry) of cereal grains	1.5 mg/Kg	
	Tree nuts	0.2 mg/Kg	
	Triticale	0.05 mg/Kg	At or about the limit of determination.
	Wheat	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dimethenamid-p	Bean fodder	0.01 mg/Kg	At or about the limit of determination.
	Beans (dry)	0.01 mg/Kg	At or about the limit of determination.
	Beetroot	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fodder beet	0.01 mg/Kg	At or about the limit of determination.
	Garlic	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.01 mg/Kg	At or about the limit of determination.
	Peanut	0.01 mg/Kg	At or about the limit of determination.
	Peanut fodder	0.01 mg/Kg	At or about the limit of determination.
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Shallot	0.01 mg/Kg	At or about the limit of determination.
	Sorghum	0.01 mg/Kg	At or about the limit of determination.
	Sorghum straw and fodder, Dry	0.01 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination.
Sugar beet	0.01 mg/Kg	At or about the limit of determination.	
Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination.	
Sweet potato	0.01 mg/Kg	At or about the limit of determination.	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dimethipin	Cotton seed	1 mg/Kg	
	Cotton seed oil, Crude	0.1 mg/Kg	
	Cotton seed oil, Edible	0.1 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination
	Milks	0.01 mg/Kg	At or about the limit of determination

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Potato	0.05 mg/Kg	At or about the limit of determination
	Poultry meat	0.01 mg/Kg	At or about the limit of determination
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination
	Rape seed	0.2 mg/Kg	
	Sunflower seed	1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dimethoate	Artichoke, Globe	0.05 mg/Kg	
	Asparagus	0.05 mg/Kg	At or about the limit of determination.
	Barley	2 mg/Kg	
	Brussels sprouts	0.2 mg/Kg	
	Cabbage, Savoy	0.05 mg/Kg	At or about the limit of determination.
	Cattle, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Cauliflower	0.2 mg/Kg	
	Celery	0.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	2 mg/Kg	
	Citrus fruits	5 mg/Kg	(excluding kumquats)
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Lettuce, Head	0.3 mg/Kg	
	Mammalian fats (except milk fats)	0.05 mg/Kg	At or about the limit of determination.
	Mango	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Meat of cattle, goats, horses & sheep	0.05 mg/Kg	At or about the limit of determination.
	Milk of cattle & sheep	0.05 mg/Kg	At or about the limit of determination.
	Pear	1 mg/Kg	
	Peas (pods and succulent=immature seeds)	1 mg/Kg	
	Peppers Chili, dried	3 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	0.5 mg/Kg	
	Potato	0.05 mg/Kg	
	Poultry fats	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Sheep, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.5 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	At or about the limit of determination.
	Spices, Seeds	5 mg/Kg	
	Sugar beet	0.05 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Table Olives	0.5 mg/Kg	
	Turnip greens	1 mg/Kg	
Dimethoate	Turnip, Garden	0.1 mg/Kg	
	Wheat	0.05 mg/Kg	
	Wheat straw and fodder, Dry	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Dimethomorph	Artichoke, Globe	2 mg/Kg	
	Beans, Shelled	0.7 mg/Kg	
	Broccoli	4 mg/Kg	
	Cabbages, Head	6 mg/Kg	
	Celery	15 mg/Kg	
	Corn salad	10 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	1.5 mg/Kg	
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Garlic	0.6 mg/Kg	
	Grapes	3 mg/Kg	
	Hops, Dry	80 mg/Kg	
	Kohlrabi	0.02 mg/Kg	
	Leek	0.8 mg/Kg	
	Lettuce, Head	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.6 mg/Kg	
	Onion, Welsh	9 mg/Kg	
	Peas, Shelled (succulent seeds)	0.15 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
	Pineapple	0.01 mg/Kg	At or about the limit of determination.
	Potato	0.05 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Shallot	0.6 mg/Kg	
	Spinach	30 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Spring Onion	9 mg/Kg	
	Strawberry	0.5 mg/Kg	
	Taro leaves	10 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dinocap	Apple	0.2 mg/Kg	
	Cucumber	0.7 mg/Kg	
	Fruiting vegetables, Cucurbits	0.05 mg/Kg	At or about the limit of determination.
	Grapes	0.5 mg/Kg	
	Melons, except watermelon	0.5 mg/Kg	
	Peach	0.1 mg/Kg	
	Peppers	0.2 mg/Kg	
	Peppers Chili, dried	2 mg/Kg	
	Squash, summer	0.07 mg/Kg	
	Strawberry	0.5 mg/Kg	Except glasshouse-grown strawberry
	Tomato	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dinotefuran	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Celery	0.6 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Cranberry	0.15 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	3 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	0.5 mg/Kg	(except sweet corn and mushrooms)
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Grapes	0.9 mg/Kg	
	Leafy vegetables	6 mg/Kg	(except watercress)
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	
	Milks	0.1 mg/Kg	
	Nectarine	0.8 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Peach	0.8 mg/Kg	
	Peppers Chili, dried	5 mg/Kg	
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Rice	8 mg/Kg	
	Rice straw and fodder, Dry	6 mg/Kg	
	Rice, Polished	0.3 mg/Kg	
	Spring Onion	4 mg/Kg	
	Watercress	7 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Diphenylamine	Apple	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Apple juice	0.5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Cattle kidney	0.01 mg/Kg	At or about the limit of determination.
	Cattle liver	0.05 mg/Kg	
	Cattle meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milk fats	0.01 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Pear	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Diquat	Banana	0.02 mg/Kg	At or about the limit of determination.
	Barley	5 mg/Kg	
	Beans (dry)	0.2 mg/Kg	
	Cajou (pseudofruit)	0.02 mg/Kg	At or about the limit of determination.
	Cashew apple	0.02 mg/Kg	At or about the limit of determination.
	Cashew nut	0.02 mg/Kg	
	Citrus fruits	0.02 mg/Kg	At or about the limit of determination.
	Coffee beans	0.02 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	0.01 mg/Kg	(except sweetcorn, fungi and mushrooms)
	Lentil (dry)	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Oats	2 mg/Kg	
	Pea hay or pea fodder (dry)	50 mg/Kg	
	Peas (dry)	0.3 mg/Kg	
Pome fruits	0.02 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Potato	0.1 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Rape seed	1.5 mg/Kg	
	Soybean (dry)	0.3 mg/Kg	
	Stone fruits	0.02 mg/Kg	At or about the limit of determination.
	Strawberry	0.05 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.9 mg/Kg	
	Wheat	2 mg/Kg	
	Wheat bran, Unprocessed	2 mg/Kg	
	Wheat flour	0.5 mg/Kg	
	Wheat wholemeal	2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Disulfoton	Alfalfa fodder	5 mg/Kg	Dry Weight.
	Asparagus	0.02 mg/Kg	At or about the limit of determination.
	Barley	0.2 mg/Kg	
	Barley straw and fodder, Dry	3 mg/Kg	
	Beans (dry)	0.2 mg/Kg	
	Chicken eggs	0.02 mg/Kg	At or about the limit of determination.
	Clover hay or fodder	10 mg/Kg	
	Coffee beans	0.2 mg/Kg	
	Common bean (pods and/or immature seeds)	0.2 mg/Kg	
	Cotton seed	0.1 mg/Kg	
	Garden pea (young pods)(=succulent, immature seeds)	0.1 mg/Kg	
	Garden pea, Shelled (succulent seeds)	0.02 mg/Kg	At or about the limit of determination.
	Maize	0.02 mg/Kg	
	Maize fodder (dry)	3 mg/Kg	
	Milk of cattle, goats & sheep	0.01 mg/Kg	
	Oat straw and fodder, Dry	0.05 mg/Kg	
	Oats	0.02 mg/Kg	At or about the limit of determination.
	Peanut	0.1 mg/Kg	
	Pecan	0.1 mg/Kg	
	Pineapple	0.1 mg/Kg	
Poultry meat	0.02 mg/Kg	At or about the limit of determination.	
Spices	0.05 mg/Kg	At or about the limit of determination.	
Sugar beet	0.2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	At or about the limit of determination.
	Sweet corn (kernels)	0.02 mg/Kg	At or about the limit of determination.
	Wheat	0.2 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Dithianon	Almonds	0.05 mg/Kg	At or about the limit of determination.
	Currants, Black, Red, White	2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	3.5 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Hops, Dry	300 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Pome fruits	1 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Stone fruits	2 mg/Kg	
	Table-grapes	2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Dithiocarbamates	Almond hulls	20 mg/Kg	
	Almonds	0.1 mg/Kg	At or about the limit of determination.
	Asparagus	0.1 mg/Kg	
	Banana	2 mg/Kg	
	Barley	1 mg/Kg	
	Barley straw and fodder, Dry	25 mg/Kg	
	Cabbages, Head	5 mg/Kg	
	Cardamom	0.1 mg/Kg	
	Carrot	1 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.2 mg/Kg	
	Coriander, seed	0.1 mg/Kg	
	Cos lettuce	10 mg/Kg	
	Cranberry	5 mg/Kg	
	Cucumber	2 mg/Kg	
	Cumin seed	10 mg/Kg	
	Currants, Black, Red, White	10 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Fennel, seed	0.1 mg/Kg	
	Garlic	0.5 mg/Kg	
	Ginseng	0.3 mg/Kg	
	Ginseng, dried including red ginseng	1.5 mg/Kg	
	Grapes	5 mg/Kg	
	Hops, Dry	30 mg/Kg	
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	15 mg/Kg	
Dithiocarbamates	Leek	0.5 mg/Kg	
	Lettuce, Head	0.5 mg/Kg	
	Maize fodder (dry)	2 mg/Kg	
	Mandarins ((including Mandarin-like hybrids)	10 mg/Kg	
	Mango	2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	0.5 mg/Kg	
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.5 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	2 mg/Kg	
	Papaya	5 mg/Kg	
	Peanut	0.1 mg/Kg	At or about the limit of determination.
	Peanut fodder	5 mg/Kg	
	Pecan	0.1 mg/Kg	At or about the limit of determination.
	Pepper, Black, White	0.1 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	1 mg/Kg	
	Pome fruits	5 mg/Kg	
	Potato	0.2 mg/Kg	
	Poultry meat	0.1 mg/Kg	
Poultry, Edible offal of	0.1 mg/Kg		
Pumpkins	0.2 mg/Kg		
Spring Onion	10 mg/Kg		
Squash, summer	1 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Stone fruits	7 mg/Kg	
	Strawberry	5 mg/Kg	
	Sugar beet	0.5 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.1 mg/Kg	At or about the limit of determination.
	Tomato	2 mg/Kg	
	Watermelon	1 mg/Kg	
	Wheat	1 mg/Kg	
	Wheat straw and fodder, Dry	25 mg/Kg	
	Winter squash	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Dodine	Cherries (includes all commodities in this subgroup)	3 mg/Kg	
	Nectarine	5 mg/Kg	
	Peach	5 mg/Kg	
	Pome fruits	5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Emamectin benzoate	Beans, except broad bean and soya bean	0.01 mg/Kg	
	Cos lettuce	0.7 mg/Kg	
	Cotton seed	0.002 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.08 mg/Kg	
	Fruiting vegetables other than cucurbits	0.02 mg/Kg	except sweet corn and mushrooms
	Fruiting vegetables, Cucurbits	0.007 mg/Kg	
	Grapes	0.03 mg/Kg	
	Lettuce, Head	1 mg/Kg	
	Lettuce, Leaf	0.7 mg/Kg	
	Mammalian fats (except milk fats)	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	0.004 mg/Kg	
	Milks	0.002 mg/Kg	
	Mustard greens	0.2 mg/Kg	
	Nectarine	0.03 mg/Kg	
	Peach	0.03 mg/Kg	
	Peppers Chili, dried	0.2 mg/Kg	
	Pome fruits	0.02 mg/Kg	
	Rape seed	0.005 mg/Kg	At or about the limit of determination.
	Tree nuts	0.001 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Endosulfan	Avocado	0.5 mg/Kg	
	Cacao beans	0.2 mg/Kg	
	Coffee beans	0.2 mg/Kg	
	Cotton seed	0.3 mg/Kg	
	Cucumber	1 mg/Kg	
	Custard apple	0.5 mg/Kg	
	Egg plant	0.1 mg/Kg	
	Eggs	0.03 mg/Kg	At or about the limit of determination.
	Hazelnuts	0.02 mg/Kg	At or about the limit of determination.
	Kidney of cattle, goats and sheep	0.03 mg/Kg	At or about the limit of determination.
	Litchi	2 mg/Kg	
	Liver of cattle, goats and sheep	0.1 mg/Kg	
	Macadamia nuts	0.02 mg/Kg	At or about the limit of determination.
	Mango	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	2 mg/Kg	
	Milk fats	0.1 mg/Kg	
	Milks	0.01 mg/Kg	
	Papaya	0.5 mg/Kg	
	Persimmon, American	2 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.03 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.03 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	1 mg/Kg	
	Soya bean oil, Crude	2 mg/Kg	
	Spices, Fruits and Berries	5 mg/Kg	
	Spices, Roots and Rhizomes	0.5 mg/Kg	
	Spices, Seeds	1 mg/Kg	
	Squash, summer	0.5 mg/Kg	
	Sweet potato	0.05 mg/Kg	At or about the limit of determination.
Tea, Green, Black (black, fermented and dried)	10 mg/Kg		
Tomato	0.5 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Endrin	Fruiting vegetables, Cucurbits	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.1 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
Esfenvalerate	Cotton seed	0.05 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.1 mg/Kg	
	Wheat	0.05 mg/Kg	
	Wheat straw and fodder, Dry	2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Ethephon	Apple	0.8 mg/Kg	
	Barley	1.5 mg/Kg	
	Barley straw and fodder, Dry	7 mg/Kg	dry weight
	Cherries (includes all commodities in this subgroup)	5 mg/Kg	
	Cotton seed	6 mg/Kg	
	Edible offal (mammalian)	0.4 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fig	3 mg/Kg	
	Grapes	0.8 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Pineapple	1.5 mg/Kg	
	Poultry fats	0.04 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.08 mg/Kg	
	Rye	0.5 mg/Kg	
	Rye straw and fodder, Dry	7 mg/Kg	dry weight
	Table Olives	7 mg/Kg	
	Tomato	2 mg/Kg	
	Triticale	0.5 mg/Kg	
	Triticale straw and fodder, Dry	7 mg/Kg	dry weight
	Wheat	0.5 mg/Kg	
	Wheat bran, Unprocessed	1.5 mg/Kg	
Wheat germ	1 mg/Kg		
Wheat straw and fodder, Dry	7 mg/Kg	dry weight	
SUBSTANCE	COMMODITY	MRL	REMARK

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Ethion	Spices, Fruits and Berries	5 mg/Kg	
	Spices, Roots and Rhizomes	0.3 mg/Kg	
	Spices, Seeds	3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Ethoprophos	Banana	0.02 mg/Kg	
	Cucumber	0.01 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	0.02 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peppers Chili, dried	0.2 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	0.05 mg/Kg	
	Potato	0.05 mg/Kg	
	Strawberry	0.02 mg/Kg	At or about the limit of determination.
	Sugar cane	0.02 mg/Kg	
	Sugar cane fodder	0.02 mg/Kg	At or about the limit of determination.
	Sweet potato	0.05 mg/Kg	
	Tomato	0.01 mg/Kg	At or about the limit of determination.
Turnip, Garden	0.02 mg/Kg	At or about the limit of determination.	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Ethoxyquin	Pear	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Etofenproox	Apple	0.6 mg/Kg	
	Beans (dry)	0.05 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	8 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grapes	4 mg/Kg	
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.5 mg/Kg	for meat) The MRL/EMRL applies to the fat of meat
	Milks	0.02 mg/Kg	
	Nectarine	0.6 mg/Kg	
	Peach	0.6 mg/Kg	
	Pear	0.6 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.01 mg/Kg	At or about the limit of determination.
	Rice	0.01 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	0.05 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Etoxazole	Almond hulls	3 mg/Kg	
	Citrus fruits	0.1 mg/Kg	
	Cucumber	0.02 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Grapes	0.5 mg/Kg	
	Hops, Dry	15 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Mints	15 mg/Kg	
	Pome fruits	0.07 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	15 mg/Kg	
	Tree nuts	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Famoxadone	Barley	0.2 mg/Kg	
	Barley straw and fodder, Dry	5 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grape pomace, Dry	7 mg/Kg	
	Grapes	2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.03 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Squash, summer	0.2 mg/Kg	
	Tomato	2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Wheat	0.1 mg/Kg	
	Wheat bran, Unprocessed	0.2 mg/Kg	
	Wheat straw and fodder, Dry	7 mg/Kg	
<b>Fenamidone</b>	Beans, except broad bean and soya bean	0.8 mg/Kg	
	Beans, Shelled	0.15 mg/Kg	
	Cabbages, Head	0.9 mg/Kg	
	Carrot	0.2 mg/Kg	
	Celery	40 mg/Kg	
	Cotton seed	0.02 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	4 mg/Kg	
	Fruiting vegetables other than cucurbits	1.5 mg/Kg	(except chilli pepper, fungi, sweet corn)
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Garlic	0.15 mg/Kg	
	Grapes	0.6 mg/Kg	
	Leek	0.3 mg/Kg	
	Lettuce, Head	20 mg/Kg	
	Lettuce, Leaf	0.9 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milk fats	0.02 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.15 mg/Kg	
	Onion, Welsh	3 mg/Kg	
	Peppers Chili	4 mg/Kg	
	Peppers Chili, dried	30 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Shallot	0.15 mg/Kg	
	Spring Onion	3 mg/Kg	
	Strawberry	0.04 mg/Kg	
Sunflower seed	0.02 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Tomato ketchup	3 mg/Kg	
	Tomato paste	4 mg/Kg	
	Witloof chicory (sprouts)	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Fenaimphos	Apple	0.05 mg/Kg	At or about the limit of determination.
	Banana	0.05 mg/Kg	At or about the limit of determination.
	Brussels sprouts	0.05 mg/Kg	
	Cabbages, Head	0.05 mg/Kg	
	Cotton seed	0.05 mg/Kg	At or about the limit of determination.
	Cotton seed oil, Crude	0.05 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	0.05 mg/Kg	
	Milks	0.005 mg/Kg	At or about the limit of determination.
	Peanut	0.05 mg/Kg	At or about the limit of determination.
	Peanut oil, Crude	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Fenarimol	Artichoke, Globe	0.1 mg/Kg	
	Banana	0.2 mg/Kg	
	Cattle kidney	0.02 mg/Kg	At or about the limit of determination.
	Cattle liver	0.05 mg/Kg	
	Cattle meat	0.02 mg/Kg	At or about the limit of determination.
	Cherries (includes all commodities in this subgroup)	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.2 mg/Kg	
	Grapes	0.3 mg/Kg	
	Hops, Dry	5 mg/Kg	
	Melons, except watermelon	0.05 mg/Kg	
	Peach	0.5 mg/Kg	
	Pecan	0.02 mg/Kg	At or about the limit of determination.
	Peppers Chili, dried	5 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	0.5 mg/Kg	
	Pome fruits	0.3 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Strawberry	1 mg/Kg	The MRL/EMRL is temporary, irrespective of the status of the ADI, until required information has been provided and evaluated.
	Sweet corn fodder	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenbuconazole	Almond hulls	3 mg/Kg	
	Apricot	0.5 mg/Kg	
	Banana	0.05 mg/Kg	
	Barley	0.2 mg/Kg	
	Barley bran, unprocessed	1 mg/Kg	
	Barley straw and fodder, Dry	3 mg/Kg	
	Blueberries	0.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	1 mg/Kg	
	Citrus fruits	0.5 mg/Kg	(except lemons and limes)
	Citrus oil, edible	30 mg/Kg	(except lemons and limes)
	Citrus pulp, Dry	4 mg/Kg	
	Cranberry	1 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grapes	1 mg/Kg	
	Lemons and limes (including Citron)	1 mg/Kg	
	Lemons and limes, edible oil refined	60 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Melons, except watermelon	0.2 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peach	0.5 mg/Kg	
	Peanut	0.1 mg/Kg	
	Peanut fodder	15 mg/Kg	
	Peppers	0.6 mg/Kg	
	Peppers Chili, dried	2 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.3 mg/Kg	
Pome fruits	0.5 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Rye	0.1 mg/Kg	
	Squash, summer	0.05 mg/Kg	
	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Sweet corn fodder	1 mg/Kg	
	Tree nuts	0.01 mg/Kg	At or about the limit of determination.
	Wheat	0.1 mg/Kg	
	Wheat straw and fodder, Dry	3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fenbutatin Oxide	Almonds	0.5 mg/Kg	
	Banana	10 mg/Kg	
	Cherries (includes all commodities in this subgroup)	10 mg/Kg	
	Chicken meat	0.05 mg/Kg	At or about the limit of determination.
	Chicken, Edible offal of	0.05 mg/Kg	
	Citrus fruits	5 mg/Kg	(including kumquats)
	Citrus pulp, Dry	25 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Eggs	0.05 mg/Kg	
	Grape pomace, Dry	100 mg/Kg	
	Grapes	5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Peach	7 mg/Kg	
	Pecan	0.5 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	3 mg/Kg	
	Pome fruits	5 mg/Kg	
	Prunes, dried	10 mg/Kg	
	Raisins (seedless white grape var., partially dried)	20 mg/Kg	
Strawberry	10 mg/Kg		
Tomato	1 mg/Kg		
Walnuts	0.5 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Fenhexamid	Almond hulls	2 mg/Kg	
	Almonds	0.02 mg/Kg	At or about the limit of determination.
	Apricot	10 mg/Kg	
	Bilberry	5 mg/Kg	
	Blackberries	15 mg/Kg	
	Blueberries	5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	7 mg/Kg	
	Cucumber	1 mg/Kg	
	Currants, Black, Red, White	5 mg/Kg	
	Dewberries (including boysenberry and loganberry)	15 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	25 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Egg plant	2 mg/Kg	
	Elderberries	5 mg/Kg	
	Gherkin	1 mg/Kg	
	Gooseberry	5 mg/Kg	
	Grapes	15 mg/Kg	
	Juneberries	5 mg/Kg	
	Kiwifruit	15 mg/Kg	
	Lettuce, Head	30 mg/Kg	
	Lettuce, Leaf	30 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.01 mg/Kg	for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". At or about the limit of determination.
	Nectarine	10 mg/Kg	
	Peach	10 mg/Kg	
	Peppers	2 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	1 mg/Kg	
Raspberries, Red, Black	15 mg/Kg		
Squash, summer	1 mg/Kg		
Strawberry	10 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Tomato	2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fenitrothion	Apple	0.5 mg/Kg	
	Cereal grains	6 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Rice bran, Unprocessed	40 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Soya bean (dry)	0.01 mg/Kg	
	Spices, Fruits and Berries	1 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	At or about the limit of determination.
	Spices, Seeds	7 mg/Kg	
	Wheat bran, Unprocessed	25 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Fenpropathrin	Almond hulls	10 mg/Kg	
	Citrus fruits	2 mg/Kg	
	Citrus oil, edible	100 mg/Kg	
	Coffee beans	0.03 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.03 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.01 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	1 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Prunes, dried	3 mg/Kg	
	Soya bean (dry)	0.01 mg/Kg	
	Strawberry	2 mg/Kg	
Fenpropathrin	Tea, Green, Black (black, fermented and dried)	3 mg/Kg	
	Tomato	1 mg/Kg	
	Tree nuts	0.15 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fenpropimorph	Banana	2 mg/Kg	
	Barley	0.5 mg/Kg	
	Barley straw and fodder, Dry	5 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Kidney of cattle, goats and sheep	0.05 mg/Kg	
	Liver of cattle, goats and sheep	0.3 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	
	Milks	0.01 mg/Kg	
	Oat straw and fodder, Dry	5 mg/Kg	
	Oats	0.5 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rye	0.5 mg/Kg	
	Rye straw and fodder, Dry	5 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
	Wheat	0.5 mg/Kg	
Wheat straw and fodder, Dry	5 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fenpyroximate	Avocado	0.2 mg/Kg	
	Cherries (includes all commodities in this subgroup)	2 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Common bean (pods and/or immature seeds)	0.4 mg/Kg	
	Cucumber	0.3 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.3 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Fruiting vegetables other than cucurbits	0.2 mg/Kg	Except sweet corn and mushrooms

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Grapes	0.1 mg/Kg	
	Hops, Dry	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peppers Chili, dried	1 mg/Kg	
	Pome fruits	0.3 mg/Kg	
	Potato	0.05 mg/Kg	
	Prunes, dried	0.7 mg/Kg	
	Stone fruits	0.4 mg/Kg	(except cherries)
	Strawberry	0.8 mg/Kg	
	Tree nuts	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fenthion	Cherries (includes all commodities in this subgroup)	2 mg/Kg	
	Citrus fruits	2 mg/Kg	
	Olive oil, Virgin	1 mg/Kg	
	Rice, Husked	0.05 mg/Kg	
	Table Olives	1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fenvalerate	Broccoli, Chinese	3 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Mango	1.5 mg/Kg	
	Meat (from mammals other than marine mammals)	1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.1 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Spices, Fruits and Berries	0.03 mg/Kg	
	Spices, Roots and Rhizomes	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fipronil	Banana	0.005 mg/Kg	
	Barley	0.002 mg/Kg	At or about the limit of determination.
	Cabbages, Head	0.02 mg/Kg	
	Cattle kidney	0.02 mg/Kg	
	Cattle liver	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cattle meat	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Cattle milk	0.02 mg/Kg	
	Eggs	0.02 mg/Kg	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.02 mg/Kg	
	Maize	0.01 mg/Kg	
	Maize fodder (dry)	0.1 mg/Kg	Dry Weight.
	Oats	0.002 mg/Kg	At or about the limit of determination.
	Potato	0.02 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	
	Rice	0.01 mg/Kg	
	Rice straw and fodder, Dry	0.2 mg/Kg	Dry Weight.
	Rye	0.002 mg/Kg	At or about the limit of determination.
	Sugar beet	0.2 mg/Kg	
	Sunflower seed	0.002 mg/Kg	At or about the limit of determination.
	Triticale	0.002 mg/Kg	At or about the limit of determination.
	Wheat	0.002 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Flonicamid	Celery	1.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.9 mg/Kg	
	Cotton seed	0.6 mg/Kg	
	Fruiting vegetables other than cucurbits	0.4 mg/Kg	(except mushrooms and sweet corn)
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Hops, Dry	20 mg/Kg	
	Lettuce, Head	1.5 mg/Kg	
	Lettuce, Leaf	8 mg/Kg	
	Low growing berries	1.5 mg/Kg	
	Mints	6 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.7 mg/Kg	
	Pecan	0.01 mg/Kg	At or about the limit of determination.
	Plums (including prunes) (includes all commodities in this subgroup)	0.1 mg/Kg	
	Radish	0.4 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Radish leaves (including radish tops)	20 mg/Kg	
	Spinach	20 mg/Kg	
	Tomato paste	7 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Flubendiamide	Almond hulls	10 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	4 mg/Kg	
	Celery	5 mg/Kg	
	Cotton seed	1.5 mg/Kg	
	Edible offal (mammalian)	1 mg/Kg	
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Grapes	2 mg/Kg	
	Legume vegetables	2 mg/Kg	
	Lettuce, Head	5 mg/Kg	
	Lettuce, Leaf	7 mg/Kg	
	Maize	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	5 mg/Kg	
	Milks	0.1 mg/Kg	
	Pea hay or pea fodder (dry)	40 mg/Kg	
	Peppers	0.7 mg/Kg	
	Peppers Chili, dried	7 mg/Kg	
	Pome fruits	0.8 mg/Kg	
	Pulses	1 mg/Kg	
	Soya bean fodder	60 mg/Kg	
	Stone fruits	2 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	50 mg/Kg	
Tomato	2 mg/Kg		
Tree nuts	0.1 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Fludioxonil	Avocado	0.4 mg/Kg	
	Beans (dry)	0.5 mg/Kg	
	Beans, except broad bean and soya bean	0.6 mg/Kg	(green pods and immature seeds)
	Beans, Shelled	0.4 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Blackberries	5 mg/Kg	
Fludioxonil	Blueberries	2 mg/Kg	
	Broccoli	0.7 mg/Kg	
	Cabbages, Head	2 mg/Kg	
	Carrot	0.7 mg/Kg	
	Cereal grains	0.05 mg/Kg	
	Citrus fruits	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cotton seed	0.05 mg/Kg	
	Dewberries (including boysenberry and loganberry)	5 mg/Kg	
	Dried herbs	60 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Egg plant	0.3 mg/Kg	
	Eggs	0.01 mg/Kg	
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Ginseng	4 mg/Kg	
	Grapes	2 mg/Kg	
	Herbs	9 mg/Kg	
	Kiwifruit	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Lettuce, Head	10 mg/Kg	
	Lettuce, Leaf	40 mg/Kg	
	Mango	2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.01 mg/Kg	
	Mustard greens	10 mg/Kg	
	Onion, Bulb	0.5 mg/Kg	
	Peas (dry)	0.07 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.3 mg/Kg	
	Peas, Shelled (succulent seeds)	0.03 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	4 mg/Kg	
	Pistachio nuts	0.2 mg/Kg	
	Pome fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Pomegranate	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
Potato	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry meat	0.01 mg/Kg	
	Poultry, Edible offal of	0.05 mg/Kg	
	Radish	0.3 mg/Kg	
	Radish leaves (including radish tops)	20 mg/Kg	
	Rape seed	0.02 mg/Kg	
	Raspberries, Red, Black	5 mg/Kg	
	Snap bean (young pods)	0.6 mg/Kg	
	Spinach	30 mg/Kg	
	Stone fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Straw and fodder (dry) of cereal grains	0.06 mg/Kg	
	Strawberry	3 mg/Kg	
Fludioxonil	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
	Sweet corn fodder	20 mg/Kg	
	Sweet potato	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Tomato	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Watercress	10 mg/Kg	
	Yams	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fluensulfone	Fruiting vegetables other than cucurbits	0.3 mg/Kg	(except sweet corn and mushrooms)
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	
	Peppers Chili, dried	2 mg/Kg	
	Tomato paste	0.5 mg/Kg	
	Tomato, dried	0.5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Flufenoxuron	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.4 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	20 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Flumethrin	Cattle meat	0.2 mg/Kg	On carcass fat basis. The MRL accommodates external animal treatment.(for meat) The MRL/EMRL applies to the fat of meat.
	Cattle milk	0.05 mg/Kg	On carcass fat basis. The MRL accommodates external animal treatment.(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
SUBSTANCE	COMMODITY	MRL	REMARK
Flumioxazin	Alfalfa fodder	3 mg/Kg	Dry Weight.
	Artichoke, Globe	0.02 mg/Kg	At or about the limit of determination.
	Asparagus	0.02 mg/Kg	
	Beans (dry)	0.07 mg/Kg	
	Bush berries	0.02 mg/Kg	At or about the limit of determination.
	Cabbages, Head	0.02 mg/Kg	At or about the limit of determination.
	Chick-pea (dry)	0.07 mg/Kg	
	Cotton seed	0.01 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	0.02 mg/Kg	(except sweet corn and mushrooms)
	Fruiting vegetables, Cucurbits	0.02 mg/Kg	At or about the limit of determination.
	Grapes	0.02 mg/Kg	At or about the limit of determination.
	Hay or fodder (dry) of grasses	0.02 mg/Kg	Wheat hay
	Lentil (dry)	0.07 mg/Kg	
	Lupin (dry)	0.07 mg/Kg	
	Maize	0.02 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.02 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.02 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Mints	0.02 mg/Kg	
	Onion, Bulb	0.02 mg/Kg	At or about the limit of determination.
	Peanut	0.02 mg/Kg	At or about the limit of determination.
	Peas (dry)	0.07 mg/Kg	
	Pome fruits	0.02 mg/Kg	At or about the limit of determination.
Pomegranate	0.02 mg/Kg	At or about the limit of determination.	
Potato	0.02 mg/Kg	At or about the limit of determination.	
Poultry fats	0.02 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.02 mg/Kg	At or about the limit of determination.
	Stone fruits	0.02 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.5 mg/Kg	
	Sweet potato	0.02 mg/Kg	At or about the limit of determination.
	Table Olives	0.02 mg/Kg	At or about the limit of determination.
	Tree nuts	0.02 mg/Kg	At or about the limit of determination.
	Wheat	0.4 mg/Kg	
	Wheat straw and fodder, Dry	7 mg/Kg	Dry Weight.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fluopicolid	Brussels sprouts	0.2 mg/Kg	
	Cabbages, Head	7 mg/Kg	
	Celery	20 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	10 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	2 mg/Kg	
	Fruiting vegetables other than cucurbits	1 mg/Kg	Except mushrooms and sweet corn.
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Grape pomace, Dry	7 mg/Kg	
	Grapes	2 mg/Kg	
	Leafy vegetables	30 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.02 mg/Kg	
	Onion, Bulb	1 mg/Kg	
	Onion, Welsh	10 mg/Kg	
	Peppers Chili, dried	7 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Straw and fodder (dry) of cereal grains	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fluopyram	Asparagus	0.01 mg/Kg	At or about the limit of determination.
	Banana	0.8 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Fluopyram	Beans (dry)	0.07 mg/Kg	
	Beans, except broad bean and soya bean	1 mg/Kg	
	Beans, Shelled	0.2 mg/Kg	
	Blackberries	3 mg/Kg	
	Broccoli	0.3 mg/Kg	
	Brussels sprouts	0.3 mg/Kg	
	Cabbages, Head	0.15 mg/Kg	
	Carrot	0.4 mg/Kg	
	Cauliflower	0.09 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.7 mg/Kg	
	Chick-pea (dry)	0.07 mg/Kg	
	Cotton seed	0.01 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Eggs	1 mg/Kg	
	Garlic	0.07 mg/Kg	
	Grapes	2 mg/Kg	
	Kidney of cattle, goats and sheep	0.8 mg/Kg	
	Leek	0.15 mg/Kg	
	Lentil (dry)	0.07 mg/Kg	
	Lettuce, Head	15 mg/Kg	
	Lettuce, Leaf	15 mg/Kg	
	Liver of cattle, goats and sheep	5 mg/Kg	
	Lupin (dry)	0.07 mg/Kg	
	Meat (from mammals other than marine mammals)	0.8 mg/Kg	
	Milks	0.6 mg/Kg	
	Onion, Bulb	0.07 mg/Kg	
	Pea hay or pea fodder (dry)	40 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	1 mg/Kg	
	Peanut	0.03 mg/Kg	
	Peas, Shelled (succulent seeds)	0.2 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
Pome fruits	0.5 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Sweet corn fodder	2 mg/Kg	
Flutolanil	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05 mg/Kg	At or about the limit of determination.
	Brassica leafy vegetables	0.07 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Rice bran, Unprocessed	10 mg/Kg	
	Rice straw and fodder, Dry	10 mg/Kg	
	Rice, Husked	2 mg/Kg	
	Rice, Polished	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Fluriafol	Banana	0.3 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	1.5 mg/Kg	
	Celery	3 mg/Kg	
	Cherries (includes all commodities in this subgroup)	0.8 mg/Kg	
	Coffee beans	0.15 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	
	Grapes	0.8 mg/Kg	
	Lettuce, Head	1.5 mg/Kg	
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	20 mg/Kg	
	Mammalian fats (except milk fats)	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.01 mg/Kg	At or about the limit of determination.
Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.6 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peanut	0.15 mg/Kg	
	Peanut fodder	20 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.4 mg/Kg	
	Pome fruits	0.4 mg/Kg	
	Poultry fats	0.02 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.03 mg/Kg	
	Prunes, dried	0.9 mg/Kg	
	Rape seed	0.5 mg/Kg	
	Sorghum	1.5 mg/Kg	
	Sorghum straw and fodder, Dry	7 mg/Kg	
	Soya bean (dry)	0.4 mg/Kg	
	Strawberry	1.5 mg/Kg	
	Sugar beet	0.02 mg/Kg	
	Sugar beet leaves or tops(dry)	3 mg/Kg	Dry Weight.
	Tomato	0.8 mg/Kg	
	Wheat	0.15 mg/Kg	
	Wheat bran, Unprocessed	0.3 mg/Kg	
	Wheat straw and fodder, Dry	8 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Fluxapyroxad	Banana	3 mg/Kg	
	Barley	2 mg/Kg	
	Barley bran, processed	4 mg/Kg	
	Barley straw and fodder, Dry	30 mg/Kg	
	Beans (dry)	0.3 mg/Kg	
	Beans, except broad bean and soya bean	2 mg/Kg	
	Beans, Shelled	0.09 mg/Kg	
	Berries and other small fruits	7 mg/Kg	(except grapes)
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Brassica leafy vegetables	4 mg/Kg	
	Carrot	1 mg/Kg	
	Celery	10 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Cherries (includes all commodities in this subgroup)	3 mg/Kg	
Chick-pea (dry)	0.4 mg/Kg	
Cotton seed	0.3 mg/Kg	
Dried grapes (=currants, raisins and sultanas)	15 mg/Kg	
Edible offal (mammalian)	0.1 mg/Kg	
Eggs	0.02 mg/Kg	
Fruiting vegetables other than cucurbits	0.6 mg/Kg	(except sweet corn and mushrooms)
Fruiting vegetables, Cucurbits	0.2 mg/Kg	
Garlic	0.6 mg/Kg	
Grape pomace, Dry	150 mg/Kg	
Grapes	3 mg/Kg	
Lentil (dry)	0.4 mg/Kg	
Lettuce, Head	4 mg/Kg	
Maize	0.01 mg/Kg	At or about the limit of determination.
Maize fodder (dry)	15 mg/Kg	
Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
Milk fats	0.5 mg/Kg	
Milks	0.02 mg/Kg	
Oat straw and fodder, Dry	30 mg/Kg	
Oats	2 mg/Kg	
Oilseed	0.8 mg/Kg	(except peanut and cotton)
Onion, Bulb	0.6 mg/Kg	
Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.3 mg/Kg	
Parsnip	1 mg/Kg	
Pea hay or pea fodder (dry)	40 mg/Kg	Dry Weight.
Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	1.5 mg/Kg	
Peanut	0.01 mg/Kg	
Peas (dry)	0.4 mg/Kg	
Peas (pods and succulent=immature seeds)	2 mg/Kg	
Peas, Shelled (succulent seeds)	0.09 mg/Kg	
Peppers Chili, dried	6 mg/Kg	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Plums (including prunes) (includes all commodities in this subgroup)	1.5 mg/Kg	
	Pome fruits	0.9 mg/Kg	
	Potato	0.03 mg/Kg	
	Poultry fats	0.05 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.02 mg/Kg	
	Prunes, dried	5 mg/Kg	
	Radish	0.2 mg/Kg	
	Radish leaves (including radish tops)	8 mg/Kg	
Fluxapyroxad	Rice	5 mg/Kg	
	Rice straw and fodder, Dry	50 mg/Kg	Dry Weight.
	Rice, Husked	3 mg/Kg	
	Rice, Polished	0.4 mg/Kg	
	Rye	0.3 mg/Kg	
	Rye straw and fodder, Dry	30 mg/Kg	
	Shallot	0.6 mg/Kg	
	Sorghum	0.7 mg/Kg	
	Sorghum straw and fodder, Dry	7 mg/Kg	Dry Weight.
	Soya bean (dry)	0.15 mg/Kg	
	Soya bean (immature seeds)	0.5 mg/Kg	
	Soya bean (young pod)	1.5 mg/Kg	
	Soya bean fodder	30 mg/Kg	Dry Weight.
	Soya bean hulls	0.3 mg/Kg	
	Sugar beet	0.15 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.15 mg/Kg	
	Tree nuts	0.04 mg/Kg	
	Triticale	0.3 mg/Kg	
	Triticale straw and fodder, Dry	30 mg/Kg	
	Wheat	0.3 mg/Kg	
Wheat bran, Unprocessed	1 mg/Kg		
Wheat straw and fodder, Dry	30 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Folpet	Apple	10 mg/Kg	
	Cucumber	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	40 mg/Kg	
	Grapes	10 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Lettuce, Head	50 mg/Kg	
	Melons, except watermelon	3 mg/Kg	
	Onion, Bulb	1 mg/Kg	
	Potato	0.1 mg/Kg	
	Strawberry	5 mg/Kg	
	Tomato	3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Glufosinate- Ammonium	Asparagus	0.4 mg/Kg	
	Assorted tropical and sub-tropical fruits - edible peel	0.1 mg/Kg	
	Assorted tropical and sub-tropical fruits - inedible peel	0.1 mg/Kg	(except banana and kiwifruit)
	Banana	0.2 mg/Kg	
	Bean fodder	1 mg/Kg	
	Blueberries	0.1 mg/Kg	
	Carrot	0.05 mg/Kg	
	Citrus fruits	0.05 mg/Kg	
	Coffee beans	0.1 mg/Kg	
	Common bean (dry)	0.05 mg/Kg	
	Common bean (pods and/or immature seeds)	0.05 mg/Kg	At or about the limit of determination.
	Corn salad	0.05 mg/Kg	
	Cotton seed	5 mg/Kg	
	Currants, Black, Red, White	1 mg/Kg	
	Edible offal (mammalian)	3 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Gooseberry	0.1 mg/Kg	
	Grapes	0.15 mg/Kg	
	Kiwifruit	0.6 mg/Kg	
	Lettuce, Head	0.4 mg/Kg	
	Lettuce, Leaf	0.4 mg/Kg	
	Maize	0.1 mg/Kg	
	Maize fodder (dry)	8 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Onion, Bulb	0.05 mg/Kg	
Pome fruits	0.1 mg/Kg		
Potato	0.1 mg/Kg		
Poultry meat	0.05 mg/Kg	At or about the limit of determination.	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.5 mg/Kg	
	Rape seed	30 mg/Kg	
	Sorghum straw and fodder, Dry	50 mg/Kg	
	Soya bean (dry)	20 mg/Kg	
	Sugar beet	15 mg/Kg	
	Sugar cane	2 mg/Kg	
	Sugar cane molasses	10 mg/Kg	
	Sunflower seed	7 mg/Kg	
	Sweet corn (corn-on-the-cob)	3 mg/Kg	
	Wheat bran, Unprocessed	20 mg/Kg	
	Wheat straw and fodder, Dry	300 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Guazatine	Cereal grains	0.05 mg/Kg	At or about the limit of determination.
	Citrus fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Haloxypop	Banana	0.02 mg/Kg	At or about the limit of determination.
	Beans (dry)	3 mg/Kg	
	Beans, except broad bean and soya bean	0.5 mg/Kg	
	Chick-pea (dry)	0.05 mg/Kg	
	Citrus fruits	0.02 mg/Kg	At or about the limit of determination.
	Coffee beans	0.02 mg/Kg	At or about the limit of determination.
	Cotton seed	0.7 mg/Kg	
	Edible offal (mammalian)	2 mg/Kg	
	Eggs	0.1 mg/Kg	
	Fodder beet	0.4 mg/Kg	
	Grapes	0.02 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	7 mg/Kg	
	Milks	0.3 mg/Kg	
	Onion, Bulb	0.2 mg/Kg	
	Peanut fodder	5 mg/Kg	
	Peas (dry)	0.2 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.7 mg/Kg	
	Peas, Shelled (succulent seeds)	1 mg/Kg	
	Pome fruits	0.02 mg/Kg	At or about the limit of determination.
Poultry meat	0.7 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.7 mg/Kg	
	Rape seed	3 mg/Kg	
	Soya bean (dry)	2 mg/Kg	
	Stone fruits	0.02 mg/Kg	At or about the limit of determination.
	Sugar beet	0.4 mg/Kg	
	Sunflower seed	0.3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Heptachlor	Cereal grains	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Citrus fruits	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Cotton seed	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Eggs	0.05 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. (only for MRLs) The MRL is based on extraneous residues.
	Milks	0.006 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". (only for MRLs) The MRL is based on extraneous residues.
	Pineapple	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. (only for MRLs) The MRL is based on extraneous residues.
	Soya bean (immature seeds)	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Soya bean oil, Crude	0.5 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Soya bean oil, Refined	0.02 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
SUBSTANCE	COMMODITY	MRL	REMARK
Hexythiazox	Citrus fruits	0.5 mg/Kg	
	Date	2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Egg plant	0.1 mg/Kg	
	Eggs	0.05 mg/Kg	
	Fruiting vegetables, Cucurbits	0.05 mg/Kg	Except watermelon.
	Grape pomace, Dry	15 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Grapes	1 mg/Kg	
	Hops, Dry	3 mg/Kg	
	Mammalian fats (except milk fats)	0.05 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	0.05 mg/Kg	
	Milks	0.05 mg/Kg	
	Pome fruits	0.4 mg/Kg	
	Poultry meat	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.05 mg/Kg	
	Prunes, dried	1 mg/Kg	
	Stone fruits	0.3 mg/Kg	
	Strawberry	6 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	15 mg/Kg	
	Tomato	0.1 mg/Kg	
	Tree nuts	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Hydrogen phosphide	Cacao beans	0.01 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cereal grains	0.1 mg/Kg	
	Dried fruits	0.01 mg/Kg	
	Dried vegetables	0.01 mg/Kg	
	Peanut	0.01 mg/Kg	
	Spices	0.01 mg/Kg	
	Tree nuts	0.01 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Imazalil	Banana	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Citrus fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cucumber	0.5 mg/Kg	
	Gherkin	0.5 mg/Kg	
	Melons, except watermelon	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Persimmon, Japanese	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Pome fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Potato	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Raspberries, Red, Black	2 mg/Kg	
	Strawberry	2 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Wheat	0.01 mg/Kg	
	Wheat straw and fodder, Dry	0.1 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Imazamox	Alfalfa fodder	0.1 mg/Kg	At or about the limit of determination.
	Beans (dry)	0.05 mg/Kg	At or about the limit of determination.
	Beans, except broad bean and soya bean	0.05 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Lentil (dry)	0.2 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Pea hay or pea fodder (dry)	0.05 mg/Kg	At or about the limit of determination.
	Peanut	0.01 mg/Kg	At or about the limit of determination.
	Peas (dry)	0.05 mg/Kg	At or about the limit of determination.
	Peas, Shelled (succulent seeds)	0.05 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Rice	0.01 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	0.01 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination.
	Soya bean fodder	0.01 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.3 mg/Kg	At or about the limit of determination.
	Wheat	0.05 mg/Kg	At or about the limit of determination.
Wheat bran, Unprocessed	0.2 mg/Kg		
Wheat germ	0.1 mg/Kg		
Wheat straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination.	
SUBSTANCE	COMMODITY	MRL	REMARK
Imazapic	Edible offal (mammalian)	1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Hay or fodder (dry) of grasses	3 mg/Kg	
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.1 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Milks	0.1 mg/Kg	
	Peanut	0.05 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Rice	0.05 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.5 mg/Kg	
	Sugar cane	0.01 mg/Kg	At or about the limit of determination.
	Wheat	0.05 mg/Kg	At or about the limit of determination.
	Wheat straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Imazapyr	Edible offal (mammalian)	0.2 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Hay or fodder (dry) of grasses	6 mg/Kg	
	Lentil (dry)	0.3 mg/Kg	
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	5 mg/Kg	
	Sunflower seed	0.08 mg/Kg	
	Wheat	0.05 mg/Kg	At or about the limit of determination.
	Wheat straw and fodder, Dry	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Imidacloprid	Almond hulls	5 mg/Kg	
	Apple	0.5 mg/Kg	
	Banana	0.05 mg/Kg	
	Barley straw and fodder, Dry	1 mg/Kg	
	Basil	20 mg/Kg	
	Beans, except broad bean and soya bean	2 mg/Kg	
	Berries and other small fruits	5 mg/Kg	Except cranberries, grapes and strawberries.
	Broccoli	0.5 mg/Kg	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Brussels sprouts	0.5 mg/Kg	
	Cabbages, Head	0.5 mg/Kg	
	Cauliflower	0.5 mg/Kg	
	Celery	6 mg/Kg	
Imidacloprid	Cereal grains	0.05 mg/Kg	
	Cherries (includes all commodities in this subgroup)	4 mg/Kg	
	Citrus fruits	1 mg/Kg	
	Citrus pulp, Dry	10 mg/Kg	
	Coffee beans	1 mg/Kg	
	Cranberry	0.05 mg/Kg	At or about the limit of determination.
	Cucumber	1 mg/Kg	
	Edible offal (mammalian)	0.3 mg/Kg	
	Egg plant	0.2 mg/Kg	
	Eggs	0.02 mg/Kg	
	Grapes	1 mg/Kg	
	Hops, Dry	10 mg/Kg	
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	5 mg/Kg	
	Leek	0.05 mg/Kg	At or about the limit of determination.
	Lettuce, Head	2 mg/Kg	
	Maize fodder (dry)	0.2 mg/Kg	
	Mango	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	
	Melons, except watermelon	0.2 mg/Kg	
	Milks	0.1 mg/Kg	
	Oat straw and fodder, Dry	1 mg/Kg	
	Olives for oil production	2 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	1.5 mg/Kg	
	Peanut	1 mg/Kg	
	Peanut fodder	30 mg/Kg	
Pear	1 mg/Kg		
Peas (pods and succulent=immature seeds)	5 mg/Kg		
Peas, Shelled (succulent seeds)	2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	1.5 mg/Kg	
	Pomegranate	1 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.05 mg/Kg	
	Prunes, dried	5 mg/Kg	
	Pulses	2 mg/Kg	(except soya beans)
	Radish leaves (including radish tops)	5 mg/Kg	
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Root and tuber vegetables	0.5 mg/Kg	
	Rye straw and fodder, Dry	1 mg/Kg	
	Soya bean (dry)	3 mg/Kg	
	Soya bean fodder	50 mg/Kg	
Imidacloprid	Squash, summer	1 mg/Kg	
	Strawberry	0.5 mg/Kg	
	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	At or about the limit of determination.
	Sweet corn fodder	5 mg/Kg	
	Table Olives	2 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	50 mg/Kg	
	Tomato	0.5 mg/Kg	
	Tree nuts	0.01 mg/Kg	
	Watermelon	0.2 mg/Kg	
	Wheat bran, Unprocessed	0.3 mg/Kg	
	Wheat flour	0.03 mg/Kg	
Wheat straw and fodder, Dry	1 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Indoxacarb	Alfalfa fodder	60 mg/Kg	
	Apple	0.5 mg/Kg	
	Broccoli	0.2 mg/Kg	
	Cabbages, Head	3 mg/Kg	
	Cauliflower	0.2 mg/Kg	
	Chick-pea (dry)	0.2 mg/Kg	
	Cotton fodder, dry	20 mg/Kg	
	Cotton seed	1 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Cowpea (dry)	0.1 mg/Kg	
	Cranberry	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Egg plant	0.5 mg/Kg	
	Eggs	0.02 mg/Kg	
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Grapes	2 mg/Kg	
	Lettuce, Head	7 mg/Kg	
	Lettuce, Leaf	3 mg/Kg	
	Maize fodder (dry)	25 mg/Kg	
	Meat (from mammals other than marine mammals)	2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	2 mg/Kg	
	Milks	0.1 mg/Kg	
	Mints	15 mg/Kg	
	Mung bean (dry)	0.2 mg/Kg	
	Peanut	0.02 mg/Kg	At or about the limit of determination.
	Peanut fodder	50 mg/Kg	
	Pear	0.2 mg/Kg	
	Peppers	0.3 mg/Kg	
	Potato	0.02 mg/Kg	
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Prunes, dried	3 mg/Kg	
	Soya bean (dry)	0.5 mg/Kg	
	Stone fruits	1 mg/Kg	
Indoxacarb	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	5 mg/Kg	
	Tomato	0.5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Iprodione	Almonds	0.2 mg/Kg	
	Barley	2 mg/Kg	
	Beans (dry)	0.1 mg/Kg	
	Blackberries	30 mg/Kg	
	Broccoli	25 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Carrot	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cherries (includes all commodities in this subgroup)	10 mg/Kg	
	Common bean (pods and/or immature seeds)	2 mg/Kg	
	Cucumber	2 mg/Kg	
	Grapes	10 mg/Kg	
	Kiwifruit	5 mg/Kg	
	Lettuce, Head	10 mg/Kg	
	Lettuce, Leaf	25 mg/Kg	
	Onion, Bulb	0.2 mg/Kg	
	Peach	10 mg/Kg	
	Pome fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Rape seed	0.5 mg/Kg	
	Raspberries, Red, Black	30 mg/Kg	
	Rice, Husked	10 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
	Spices, Seeds	0.05 mg/Kg	At or about the limit of determination.
	Strawberry	10 mg/Kg	
	Sugar beet	0.1 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.5 mg/Kg	
	Tomato	5 mg/Kg	
	Witloof chicory (sprouts)	1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Isopyrazam	Banana	0.06 mg/Kg	
	Barley	0.07 mg/Kg	
	Barley straw and fodder, Dry	3 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milk fats	0.02 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rye	0.03 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rye straw and fodder, Dry	3 mg/Kg	
	Triticale	0.03 mg/Kg	
	Triticale straw and fodder, Dry	3 mg/Kg	
Isopyrazam	Wheat	0.03 mg/Kg	
	Wheat bran, Unprocessed	0.15 mg/Kg	
	Wheat straw and fodder, Dry	3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Isoxaflutole	Chick-pea (dry)	0.01 mg/Kg	At or about the limit of determination.
	Chick-pea fodder	0.01 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.02 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.02 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poppy seed	0.02 mg/Kg	At or about the limit of determination.
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.2 mg/Kg	
	Sugar cane	0.01 mg/Kg	At or about the limit of determination.
	Sugar cane fodder	0.01 mg/Kg	At or about the limit of determination.
Sweet corn (corn-on-the-cob)	0.02 mg/Kg	At or about the limit of determination.	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Kresoxim-methyl	Barley	0.1 mg/Kg	
	Cucumber	0.05 mg/Kg	At or about the limit of determination.
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Grapefruit	0.5 mg/Kg	
	Grapes	1 mg/Kg	
	Mammalian fats (except milk fats)	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Olive oil, Virgin	0.7 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Pome fruits	0.2 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Rye	0.05 mg/Kg	At or about the limit of determination.
	Straw and fodder (dry) of cereal grains	5 mg/Kg	
	Table Olives	0.2 mg/Kg	
	Wheat	0.05 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Lindane	Cereal grains	0.01 mg/Kg	(except rice) (only for MRLs) The MRL is based on extraneous residues.
	Diadromous fish	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Edible offal (mammalian)	0.001 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Eggs	0.001 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Marine fish	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. (only for MRLs) The MRL is based on extraneous residues.
	Milks	0.001 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Poultry meat	0.005 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat (only for MRLs) The MRL is based on extraneous residues.
	Poultry, Edible offal of	0.005 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Straw and fodder (dry) of cereal grains	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
	Sweet corn (kernels)	0.01 mg/Kg	(only for MRLs) The MRL is based on extraneous residues.
SUBSTANCE	COMMODITY	MRL	REMARK
Lufenuron	Cucumber	0.09 mg/Kg	
	Edible offal (mammalian)	0.04 mg/Kg	
	Eggs	0.02 mg/Kg	
	Mammalian fats (except milk fats)	0.7 mg/Kg	
	Meat (from mammals other than marine mammals)	0.7 mg/Kg	
	Melons, except watermelon	0.4 mg/Kg	
	Milk fats	2 mg/Kg	
	Milks	0.1 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	0.8 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Potato	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.04 mg/Kg	
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.02 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.4 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Malathion	Apple	0.5 mg/Kg	
	Asparagus	1 mg/Kg	
	Beans (dry)	2 mg/Kg	
	Beans, except broad bean and soya bean	1 mg/Kg	
	Blueberries	10 mg/Kg	
	Cherries (includes all commodities in this subgroup)	3 mg/Kg	
	Citrus fruits	7 mg/Kg	
	Cotton seed	20 mg/Kg	
	Cotton seed oil, Crude	13 mg/Kg	
	Cotton seed oil, Edible	13 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Grapes	5 mg/Kg	
	Maize	0.05 mg/Kg	
	Mustard greens	2 mg/Kg	
	Onion, Bulb	1 mg/Kg	
	Peppers	0.1 mg/Kg	
	Peppers Chili, dried	1 mg/Kg	
	Sorghum	3 mg/Kg	
	Spices, Fruits and Berries	1 mg/Kg	
	Spices, Roots and Rhizomes	0.5 mg/Kg	
	Spices, Seeds	2 mg/Kg	
	Spinach	3 mg/Kg	
	Spring Onion	5 mg/Kg	
	Strawberry	1 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
	Tomato	0.5 mg/Kg	
	Tomato juice	0.01 mg/Kg	
Turnip greens	5 mg/Kg		
Turnip, Garden	0.2 mg/Kg		
Wheat	10 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Wheat bran, Unprocessed	25 mg/Kg	
	Wheat flour	0.2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Maleic hydrazide	Garlic	15 mg/Kg	
	Onion, Bulb	15 mg/Kg	
	Potato	50 mg/Kg	
	Shallot	15 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Mandipropamid	Broccoli	2 mg/Kg	
	Cabbages, Head	3 mg/Kg	
	Celery	20 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Grapes	2 mg/Kg	
	Hops, Dry	90 mg/Kg	
	Leafy vegetables	25 mg/Kg	
	Melons, except watermelon	0.5 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Spring Onion	7 mg/Kg	
	Squash, summer	0.2 mg/Kg	
Tomato	0.3 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
MCPA	Barley	0.2 mg/Kg	
	Barley straw and fodder, Dry	50 mg/Kg	
	Edible offal (mammalian)	3 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Flax-seed	0.01 mg/Kg	At or about the limit of determination.
	Hay or fodder (dry) of grasses	500 mg/Kg	
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.3 mg/Kg	
	Mammalian fats (except milk fats)	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	
	Milks	0.04 mg/Kg	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Oat straw and fodder, Dry	50 mg/Kg	
	Oats	0.2 mg/Kg	
	Peas (dry)	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Rye	0.2 mg/Kg	
	Rye straw and fodder, Dry	50 mg/Kg	
	Triticale	0.2 mg/Kg	
	Triticale straw and fodder, Dry	50 mg/Kg	
	Wheat	0.2 mg/Kg	
	Wheat straw and fodder, Dry	50 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Meptyldinocap	Cucumber	0.07 mg/Kg	
	Grapes	0.2 mg/Kg	
	Melons, except watermelon	0.5 mg/Kg	
	Squash, summer	0.07 mg/Kg	
	Strawberry	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Mesotrione	Asparagus	0.01 mg/Kg	At or about the limit of determination.
	Bush berries	0.01 mg/Kg	At or about the limit of determination.
	Cane berries	0.01 mg/Kg	At or about the limit of determination.
	Cranberry	0.01 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Linseed	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Millet(Including Barnyard,Bulrush,Common,Finger,Foxtail and Little Millet)	0.01 mg/Kg	At or about the limit of determination.
	Oats	0.01 mg/Kg	At or about the limit of determination.
	Okra	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
Rhubarb	0.01 mg/Kg	At or about the limit of determination.	
Rice, Husked	0.01 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Sorghum	0.01 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.03 mg/Kg	
	Sugar cane	0.01 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Metaflumizone	Brussels sprouts	0.8 mg/Kg	
	Chinese cabbage (type pack-choi)	6 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Egg plant	0.6 mg/Kg	
	Lettuce, Head	7 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milk fats	0.02 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peppers	0.6 mg/Kg	
	Peppers Chili, dried	6 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
Tomato	0.6 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Metalaxyl	Asparagus	0.05 mg/Kg	At or about the limit of determination.
	Avocado	0.2 mg/Kg	
	Broccoli	0.5 mg/Kg	
	Brussels sprouts	0.2 mg/Kg	
	Cabbages, Head	0.5 mg/Kg	
	Cacao beans	0.2 mg/Kg	
	Carrot	0.05 mg/Kg	At or about the limit of determination.
	Cauliflower	0.5 mg/Kg	
	Cereal grains	0.05 mg/Kg	At or about the limit of determination.
	Citrus fruits	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cotton seed	0.05 mg/Kg	At or about the limit of determination.
	Cucumber	0.5 mg/Kg	
	Gherkin	0.5 mg/Kg	
	Grapes	1 mg/Kg	
	Hops, Dry	10 mg/Kg	
	Lettuce, Head	2 mg/Kg	
	Melons, except watermelon	0.2 mg/Kg	
	Onion, Bulb	2 mg/Kg	
Peanut	0.1 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peas, Shelled (succulent seeds)	0.05 mg/Kg	At or about the limit of determination.
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Pome fruits	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Raspberries, Red, Black	0.2 mg/Kg	
	Soya bean (dry)	0.05 mg/Kg	At or about the limit of determination.
	Spices, Seeds	5 mg/Kg	
	Spinach	2 mg/Kg	
	Squash, summer	0.2 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Tomato	0.5 mg/Kg	
	Watermelon	0.2 mg/Kg	
	Winter squash	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Methamidophos	Artichoke, Globe	0.2 mg/Kg	
	Beans, except broad bean and soya bean	1 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fodder beet	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.02 mg/Kg	
	Potato	0.05 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rice straw and fodder, Dry	0.1 mg/Kg	
	Rice, Husked	0.6 mg/Kg	
	Soya bean (dry)	0.1 mg/Kg	
	Spices	0.1 mg/Kg	At or about the limit of determination.
Sugar beet	0.02 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Methidathion	Almonds	0.05 mg/Kg	At or about the limit of determination.
	Apple	0.5 mg/Kg	
	Artichoke, Globe	0.05 mg/Kg	At or about the limit of determination.
	Beans (dry)	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cabbages, Head	0.1 mg/Kg	
	Cattle fat	0.02 mg/Kg	At or about the limit of determination.
	Cherries (includes all commodities in this subgroup)	0.2 mg/Kg	
	Cotton seed	1 mg/Kg	
	Cotton seed oil, Crude	2 mg/Kg	
	Cucumber	0.05 mg/Kg	
	Edible offal of cattle & sheep	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Goat fat	0.02 mg/Kg	At or about the limit of determination.
	Goat meat	0.02 mg/Kg	At or about the limit of determination.
	Goat, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Grapefruit	2 mg/Kg	
	Grapes	1 mg/Kg	
	Hops, Dry	5 mg/Kg	
	Lemons and limes (including Citron)	2 mg/Kg	
	Macadamia nuts	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.1 mg/Kg	
	Mandarins ((including Mandarin-like hybrids)	5 mg/Kg	
	Meat of cattle & sheep	0.02 mg/Kg	At or about the limit of determination.
	Milks	0.001 mg/Kg	
	Nectarine	0.2 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	2 mg/Kg	
	Pear	1 mg/Kg	
	Peas (dry)	0.1 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.1 mg/Kg	
	Pecan	0.05 mg/Kg	At or about the limit of determination.
	Pineapple	0.05 mg/Kg	
Methidathion	Plums (including prunes) (includes all commodities in this subgroup)	0.2 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry fats	0.02 mg/Kg	At or about the limit of determination.
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Radish	0.05 mg/Kg	At or about the limit of determination.
	Rape seed	0.1 mg/Kg	
	Safflower seed	0.1 mg/Kg	
	Sheep fat	0.02 mg/Kg	At or about the limit of determination.
	Sorghum	0.2 mg/Kg	
	Spices, Fruits and Berries	0.02 mg/Kg	
	Spices, Roots and Rhizomes	0.05 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
	Sunflower seed	0.5 mg/Kg	
	Table Olives	1 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	0.5 mg/Kg	
	Tomato	0.1 mg/Kg	
	Walnuts	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Methiocarb	Artichoke, Globe	0.05 mg/Kg	At or about the limit of determination.
	Barley	0.05 mg/Kg	At or about the limit of determination.
	Barley straw and fodder, Dry	0.05 mg/Kg	
	Brussels sprouts	0.05 mg/Kg	At or about the limit of determination.
	Cabbages, Head	0.1 mg/Kg	
	Cauliflower	0.1 mg/Kg	
	Hazelnuts	0.05 mg/Kg	At or about the limit of determination.
	Leek	0.5 mg/Kg	
	Lettuce, Head	0.05 mg/Kg	At or about the limit of determination.
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	0.2 mg/Kg	
	Onion, Bulb	0.5 mg/Kg	
	Pea hay or pea fodder (dry)	0.5 mg/Kg	
	Peas (dry)	0.1 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.1 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	2 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.07 mg/Kg	
	Spices, Roots and Rhizomes	0.1 mg/Kg	
Strawberry	1 mg/Kg		
Sugar beet	0.05 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Sunflower seed	0.05 mg/Kg	At or about the limit of determination.
	Wheat	0.05 mg/Kg	At or about the limit of determination.
	Wheat straw and fodder, Dry	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Methomyl	Alfalfa fodder	20 mg/Kg	
	Apple	0.3 mg/Kg	
	Asparagus	2 mg/Kg	
	Barley	2 mg/Kg	
	Bean fodder	10 mg/Kg	
	Beans (dry)	0.05 mg/Kg	
	Beans, except broad bean and soya bean	1 mg/Kg	
	Citrus fruits	1 mg/Kg	
	Citrus pulp, Dry	3 mg/Kg	
	Common bean (pods and/or immature seeds)	1 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Cotton seed oil, Edible	0.04 mg/Kg	
	Cotton seed, hulls	0.2 mg/Kg	
	Cotton seed, meal	0.05 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.1 mg/Kg	
	Grapes	0.3 mg/Kg	
	Lettuce, Head	0.2 mg/Kg	
	Lettuce, Leaf	0.2 mg/Kg	
	Maize	0.02 mg/Kg	At or about the limit of determination.
	Maize oil, Edible	0.02 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Mint hay	0.5 mg/Kg	
	Nectarine	0.2 mg/Kg	
	Oats	0.02 mg/Kg	
	Onion, Bulb	0.2 mg/Kg	
	Peach	0.2 mg/Kg	
	Pear	0.3 mg/Kg	
Peas (pods and succulent=immature seeds)	5 mg/Kg		
Peppers	0.7 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peppers Chili, dried	10 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	1 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Rape seed	0.05 mg/Kg	
	Soya bean (dry)	0.2 mg/Kg	
	Soya bean fodder	0.2 mg/Kg	
	Soya bean hulls	1 mg/Kg	
	Soya bean meal	20 mg/Kg	
	Soya bean oil, Crude	0.2 mg/Kg	
	Soya bean oil, Refined	0.2 mg/Kg	
	Spices, Fruits and Berries	0.07 mg/Kg	
	Straw, fodder (dry) and hay of cereal grains and other grass-like plants	10 mg/Kg	
	Tomato	1 mg/Kg	
Methomyl	Wheat	2 mg/Kg	
	Wheat bran, Unprocessed	3 mg/Kg	
	Wheat flour	0.03 mg/Kg	
	Wheat germ	2 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Methoprene	Cereal grains	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Edible offal (mammalian)	0.02 mg/Kg	
	Eggs	0.02 mg/Kg	
	Maize oil, Crude	200 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.1 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Poultry meat	0.02 mg/Kg	
	Poultry, Edible offal of	0.02 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rice hulls	40 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat bran, Unprocessed	25 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Methoxyfenozide	Almond hulls	50 mg/Kg	
	Avocado	0.7 mg/Kg	
	Beans (dry)	0.5 mg/Kg	
	Beans, Shelled	0.3 mg/Kg	
	Blueberries	4 mg/Kg	
	Broccoli	3 mg/Kg	
	Cabbages, Head	7 mg/Kg	
	Carrot	0.5 mg/Kg	
	Celery	15 mg/Kg	
	Citrus fruits	2 mg/Kg	
	Common bean (pods and/or immature seeds)	2 mg/Kg	
	Cotton seed	7 mg/Kg	
	Cowpea (dry)	5 mg/Kg	
	Cranberry	0.7 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Eggs	0.01 mg/Kg	
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	(except watermelon)
	Grapes	1 mg/Kg	
	Lettuce, Head	15 mg/Kg	
	Lettuce, Leaf	30 mg/Kg	
	Maize	0.02 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	60 mg/Kg	Dry Weight.
	Mammalian fats (except milk fats)	0.3 mg/Kg	
	Meat (from mammals other than marine mammals)	0.3 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.05 mg/Kg	
	Mustard greens	30 mg/Kg	
Papaya	1 mg/Kg		
Peanut	0.03 mg/Kg		
Peanut fodder	80 mg/Kg		
Peanut oil, Edible	0.1 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peas (dry)	5 mg/Kg	
	Peas (pods and succulent=immature seeds)	2 mg/Kg	
	Peas, Shelled (succulent seeds)	0.3 mg/Kg	
	Peppers	2 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Pome fruits	2 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Prunes, dried	2 mg/Kg	
	Radish	0.4 mg/Kg	
	Radish leaves (including radish tops)	7 mg/Kg	
	Stone fruits	2 mg/Kg	
	Strawberry	2 mg/Kg	
	Sugar beet	0.3 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	At or about the limit of determination.
	Sweet corn fodder	7 mg/Kg	
	Sweet potato	0.02 mg/Kg	
	Tomato	2 mg/Kg	
	Tree nuts	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Methyl Bromide	Bread and other cooked cereal products	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption . At or about the limit of determination.
	Cacao beans	5 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before
	Cereal grains	5 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before
	Cocoa products	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption . At or about the limit of determination.
	Dried fruits	2 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before
	Dried fruits	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption . At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Milled cereals products	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption . To apply to commodity at point of retail sale or when offered for consumption . At or about the limit of determination.
	Milled cereals products	1 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before . The MRL accommodates post-harvest treatment of the commodity.
Methyl Bromide	Peanut	10 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before
	Peanut	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption. At or about the limit of determination.
	Tree nuts	0.01 mg/Kg	To apply to commodity at point of retail sale or when offered for consumption. At or about the limit of determination.
	Tree nuts	10 mg/Kg	To apply at point of entry into a country and, in case of cereal for milling, if product has been freely exposed to air for a period of at least 24 h after fumigation and before
SUBSTANCE	COMMODITY	MRL	REMARK
Metrafenone	Barley	0.5 mg/Kg	
	Barley straw and fodder, Dry	6 mg/Kg	Dry Weight.
	Cucumber	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	20 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Gherkin	0.2 mg/Kg	
	Grapes	5 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Mushrooms	0.5 mg/Kg	
	Oat straw and fodder, Dry	6 mg/Kg	Dry Weight.
	Oats	0.5 mg/Kg	
	Peppers Chili	2 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	2 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
Poultry meat	0.01 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Rye	0.06 mg/Kg	
	Rye straw and fodder, Dry	10 mg/Kg	Dry Weight.
	Squash, summer	0.06 mg/Kg	
	Strawberry	0.6 mg/Kg	
	Tomato	0.4 mg/Kg	
	Triticale	0.06 mg/Kg	
	Triticale straw and fodder, Dry	10 mg/Kg	Dry Weight.
	Wheat	0.06 mg/Kg	
	Wheat bran, Processed	0.25 mg/Kg	
	Wheat straw and fodder, Dry	10 mg/Kg	Dry Weight.
	Wheat wholemeal	0.08 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Myclobutanil	Beans, except broad bean and soya bean	0.8 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.05 mg/Kg	
	Bulb vegetables	0.06 mg/Kg	
	Cherries (includes all commodities in this subgroup)	3 mg/Kg	
	Currants, Black, Red, White	0.9 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	6 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Grapes	0.9 mg/Kg	
	Hops, Dry	5 mg/Kg	
	Leafy vegetables	0.05 mg/Kg	
	Legume animal feeds	0.2 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	3 mg/Kg	
	Peppers	3 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Pome fruits	0.6 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Root and tuber vegetables	0.06 mg/Kg	
	Straw and fodder (dry) of cereal grains	0.3 mg/Kg	
	Strawberry	0.8 mg/Kg	
	Tomato	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Novaluron	Beans (dry)	0.1 mg/Kg	
	Blueberries	7 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.7 mg/Kg	
	Chard	15 mg/Kg	
	Common bean (pods and/or immature seeds)	0.7 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Edible offal (mammalian)	0.7 mg/Kg	
	Eggs	0.1 mg/Kg	
	Fruiting vegetables other than cucurbits	0.7 mg/Kg	Except sweet corn.
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	10 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	7 mg/Kg	
	Milks	0.4 mg/Kg	
	Mustard greens	25 mg/Kg	
	Pome fruits	3 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.1 mg/Kg	
	Prunes, dried	3 mg/Kg	
	Soya bean (immature seeds)	0.01 mg/Kg	At or about the limit of determination.
Stone fruits	7 mg/Kg		
Strawberry	0.5 mg/Kg		
Sugar cane	0.5 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Sweet corn fodder	40 mg/Kg	
Omethoate	Spices, Fruits and Berries	0.01 mg/Kg	Residues of omethoate resulting from the use of dimethoate.
	Spices, Roots and Rhizomes	0.05 mg/Kg	Residues of omethoate resulting from the use of dimethoate.
SUBSTANCE	COMMODITY	MRL	REMARK
Oxamyl	Carrot	0.1 mg/Kg	
	Citrus fruits	5 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Cucumber	2 mg/Kg	
	Edible offal of cattle, goats, horses & sheep	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	2 mg/Kg	
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Peanut	0.05 mg/Kg	
	Peanut fodder	0.2 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	2 mg/Kg	
	Potato	0.1 mg/Kg	
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.07 mg/Kg	
	Spices, Roots and Rhizomes	0.05 mg/Kg	
Tomato	2 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Oxydemeton-methyl	Barley	0.02 mg/Kg	At or about the limit of determination.
	Barley straw and fodder, Dry	0.1 mg/Kg	
	Cattle fat	0.05 mg/Kg	At or about the limit of determination.
	Cauliflower	0.01 mg/Kg	At or about the limit of determination.
	Common bean (dry)	0.1 mg/Kg	
	Cotton seed	0.05 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kele)	0.01 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Kohlrabi	0.05 mg/Kg	
	Lemon	0.2 mg/Kg	
	Meat of cattle & sheep	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
Oxydemeton-methyl	Pear	0.05 mg/Kg	
	Potato	0.01 mg/Kg	At or about the limit of determination.
	Poultry fats	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Rye	0.02 mg/Kg	At or about the limit of determination.
	Rye straw and fodder, Dry	0.1 mg/Kg	
	Sheep fat	0.05 mg/Kg	At or about the limit of determination.
	Sugar beet	0.01 mg/Kg	At or about the limit of determination.
	Wheat	0.02 mg/Kg	At or about the limit of determination.
	Wheat straw and fodder, Dry	0.1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Paraquat	Almond hulls	0.01 mg/Kg	At or about the limit of determination.
	Assorted tropical and sub-tropical fruits - inedible peel	0.01 mg/Kg	At or about the limit of determination.
	Berries and other small fruits	0.01 mg/Kg	At or about the limit of determination.
	Citrus fruits	0.02 mg/Kg	
	Cotton seed	2 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	
	Eggs	0.005 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	0.05 mg/Kg	
	Fruiting vegetables, Cucurbits	0.02 mg/Kg	
	Hops, Dry	0.1 mg/Kg	
	Leafy vegetables	0.07 mg/Kg	
	Maize	0.03 mg/Kg	
	Maize flour	0.05 mg/Kg	
	Maize fodder (dry)	10 mg/Kg	Dry Weight.
	Meat (from mammals other than marine mammals)	0.005 mg/Kg	
	Milks	0.005 mg/Kg	At or about the limit of determination.
	Pome fruits	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.005 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.005 mg/Kg	At or about the limit of determination.
	Pulses	0.5 mg/Kg	
Rice	0.05 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rice straw and fodder, Dry	0.05 mg/Kg	
	Root and tuber vegetables	0.05 mg/Kg	
	Sorghum	0.03 mg/Kg	
	Sorghum straw and fodder, Dry	0.3 mg/Kg	Dry Weight.
	Soya bean fodder	0.5 mg/Kg	Dry Weight.
	Stone fruits	0.01 mg/Kg	At or about the limit of determination.
	Sunflower seed	2 mg/Kg	
	Table Olives	0.1 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	0.2 mg/Kg	
	Tree nuts	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Parathion	Spices, Fruits and Berries	0.2 mg/Kg	
	Spices, Roots and Rhizomes	0.2 mg/Kg	
	Spices, Seeds	0.1 mg/Kg	At or about the limit of determination
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Parathion-methyl	Apple	0.2 mg/Kg	
	Beans (dry)	0.05 mg/Kg	At or about the limit of determination.
	Cabbages, Head	0.05 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	
	Grapes	0.5 mg/Kg	
	Nectarine	0.3 mg/Kg	
	Peach	0.3 mg/Kg	
	Peas (dry)	0.3 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	5 mg/Kg	
	Spices, Roots and Rhizomes	3 mg/Kg	
	Spices, Seeds	5 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
penconazole	Cattle meat	0.05 mg/Kg	At or about the limit of determination.
	Cattle milk	0.01 mg/Kg	At or about the limit of determination.
	Cattle, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Chicken eggs	0.05 mg/Kg	At or about the limit of determination.
	Chicken meat	0.05 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cucumber	0.1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.5 mg/Kg	
	Grapes	0.2 mg/Kg	
	Hops, Dry	0.5 mg/Kg	
	Melons, except watermelon	0.1 mg/Kg	
	Nectarine	0.1 mg/Kg	
	Peach	0.1 mg/Kg	
	Pome fruits	0.2 mg/Kg	
	Strawberry	0.1 mg/Kg	
	Tomato	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Penthiopyrad	Alfalfa fodder	20 mg/Kg	DM
	Almond hulls	6 mg/Kg	DM
	Barley	0.2 mg/Kg	
	Barley straw and fodder, Dry	80 mg/Kg	DM
	Beans, except broad bean and soya bean	3 mg/Kg	(green pods and immature seeds)
	Beans, Shelled	0.3 mg/Kg	
	Cabbages, Head	4 mg/Kg	
	Carrot	0.6 mg/Kg	
	Celery	15 mg/Kg	
	Cotton gin trash	20 mg/Kg	DM
	Cotton seed	0.5 mg/Kg	
	Edible offal (mammalian)	0.08 mg/Kg	
	Eggs	0.03 mg/Kg	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	5 mg/Kg	
	Fruiting vegetables other than cucurbits	2 mg/Kg	(except sweet corn and mushroom)
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Leafy vegetables	30 mg/Kg	(except brassica leafy vegetables)
	Maize	0.01 mg/Kg	
	Maize flour	0.05 mg/Kg	
	Maize oil, Crude	0.15 mg/Kg	
Mammalian fats (except milk fats)	0.05 mg/Kg		
Meat (from mammals other than marine mammals)	0.04 mg/Kg		
Milks	0.04 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Millet fodder, dry	10 mg/Kg	DM
Millet(Including Barnyard,Bulrush,Common,Finger,Foxtail and Little Millet)	0.8 mg/Kg	
Oat straw and fodder, Dry	80 mg/Kg	DM
Oats	0.2 mg/Kg	
Onion, Bulb	0.7 mg/Kg	
Onion, Welsh	4 mg/Kg	
Pea hay or pea fodder (dry)	60 mg/Kg	DM
Peanut	0.05 mg/Kg	
Peanut fodder	30 mg/Kg	DM
Peanut oil, Edible	0.5 mg/Kg	
Peas (pods and succulent=immature seeds)	3 mg/Kg	
Peas, Shelled (succulent seeds)	0.3 mg/Kg	
Peppers Chili, dried	14 mg/Kg	
Pome fruits	0.4 mg/Kg	
Potato	0.05 mg/Kg	
Poultry fats	0.03 mg/Kg	
Poultry meat	0.03 mg/Kg	
Poultry, Edible offal of	0.03 mg/Kg	
Pulses	0.3 mg/Kg	(except soya beans)
Radish	3 mg/Kg	
Rape seed	0.5 mg/Kg	
Rape seed oil, Crude	1 mg/Kg	
Rape seed oil, Edible	1 mg/Kg	
Rye	0.1 mg/Kg	
Rye straw and fodder, Dry	80 mg/Kg	DM
Sorghum	0.8 mg/Kg	
Sorghum straw and fodder, Dry	10 mg/Kg	DM
Soya bean (dry)	0.3 mg/Kg	
Soya bean fodder	200 mg/Kg	DM
Spring Onion	4 mg/Kg	
Stone fruits	4 mg/Kg	
Strawberry	3 mg/Kg	
Sugar beet	0.5 mg/Kg	
Sunflower seed	1.5 mg/Kg	
Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
Tree nuts	0.05 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Triticale	0.1 mg/Kg	
	Triticale straw and fodder, Dry	80 mg/Kg	DM
Penthiopyrad	Turnip greens	50 mg/Kg	
	Wheat	0.1 mg/Kg	
	Wheat bran, Processed	0.1 mg/Kg	
	Wheat bran, Unprocessed	0.2 mg/Kg	
	Wheat germ	0.2 mg/Kg	
	Wheat straw and fodder, Dry	80 mg/Kg	DM
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Permethrin	Alfalfa fodder	100 mg/Kg	Dry Weight.
	Almonds	0.1 mg/Kg	
	Asparagus	1 mg/Kg	
	Beans (dry)	0.1 mg/Kg	
	Blackberries	1 mg/Kg	
	Broccoli	2 mg/Kg	
	Brussels sprouts	1 mg/Kg	
	Cabbage, Savoy	5 mg/Kg	
	Cabbages, Head	5 mg/Kg	
	Carrot	0.1 mg/Kg	
	Cauliflower	0.5 mg/Kg	
	Celery	2 mg/Kg	
	Cereal grains	2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Chinese cabbage (type pe-tsai)	5 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Coffee beans	0.05 mg/Kg	At or about the limit of determination.
	Common bean (pods and/or immature seeds)	1 mg/Kg	
	Cotton seed	0.5 mg/Kg	
	Cotton seed oil, Edible	0.1 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Currants, Black, Red, White	2 mg/Kg	
	Dewberries (including boysenberry and loganberry)	1 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	The MRL accommodates external animal treatment.
	Egg plant	1 mg/Kg	
	Eggs	0.1 mg/Kg	
	Gherkin	0.5 mg/Kg	
	Gooseberry	2 mg/Kg	
Grapes	2 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Hops, Dry	50 mg/Kg	
	Horseradish	0.5 mg/Kg	
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	5 mg/Kg	
	Kiwifruit	2 mg/Kg	
	Kohlrabi	0.1 mg/Kg	
	Leek	0.5 mg/Kg	
	Lettuce, Head	2 mg/Kg	
	Maize fodder (dry)	100 mg/Kg	Dry Weight.
	Meat (from mammals other than marine mammals)	1 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	0.1 mg/Kg	
Permethrin	Milks	undefined	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Mushrooms	0.1 mg/Kg	
	Peanut	0.1 mg/Kg	
	Peas, Shelled (succulent seeds)	0.1 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Pistachio nuts	0.05 mg/Kg	At or about the limit of determination.
	Pome fruits	2 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Poultry meat	0.1 mg/Kg	
	Radish, Japanese	0.1 mg/Kg	
	Rape seed	0.05 mg/Kg	At or about the limit of determination.
	Raspberries, Red, Black	1 mg/Kg	
	Sorghum straw and fodder, Dry	20 mg/Kg	
	Soya bean (dry)	0.05 mg/Kg	At or about the limit of determination.
	Soya bean fodder	50 mg/Kg	Dry Weight.
	Soya bean oil, Crude	0.1 mg/Kg	
	Spices	0.05 mg/Kg	At or about the limit of determination.
	Spinach	2 mg/Kg	
	Spring Onion	0.5 mg/Kg	
Squash, summer	0.5 mg/Kg		
Stone fruits	2 mg/Kg		
Strawberry	1 mg/Kg		

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
	Sunflower seed	1 mg/Kg	
	Sunflower seed oil, crude	1 mg/Kg	
	Sunflower seed oil, Edible	1 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.1 mg/Kg	
	Sweet corn fodder	50 mg/Kg	
	Table Olives	1 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	20 mg/Kg	
	Tomato	1 mg/Kg	
	Wheat bran, Unprocessed	5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat flour	0.5 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat germ	2 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat wholemeal	2 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Winter squash	0.5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Phenthoate	Spices, Seeds	7 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Phorate	Beans (dry)	0.05 mg/Kg	At or about the limit of determination.
	Coffee beans	0.05 mg/Kg	At or about the limit of determination.
	Common bean (pods and/or immature seeds)	0.05 mg/Kg	At or about the limit of determination.
	Coriander, seed	0.1 mg/Kg	
	Cotton seed	0.05 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Fennel, seed	0.1 mg/Kg	
	Maize	0.05 mg/Kg	At or about the limit of determination.
	Maize flour	0.05 mg/Kg	
	Maize oil, Crude	0.1 mg/Kg	
	Maize oil, Edible	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Potato	0.3 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Sorghum	0.05 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.1 mg/Kg	At or about the limit of determination.
	Spices, Roots and Rhizomes	0.1 mg/Kg	At or about the limit of determination.
	Spices, Seeds	0.5 mg/Kg	(except coriander seed and fennel seed)
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Phosalone	Almonds	0.1 mg/Kg	
	Apple	5 mg/Kg	
	Hazelnuts	0.05 mg/Kg	At or about the limit of determination.
	Pome fruits	2 mg/Kg	
	Spices, Fruits and Berries	2 mg/Kg	
	Spices, Roots and Rhizomes	3 mg/Kg	
	Spices, Seeds	2 mg/Kg	
	Stone fruits	2 mg/Kg	
	Walnuts	0.05 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Phosmet	Apricot	10 mg/Kg	
	Blueberries	10 mg/Kg	
	Cattle meat	1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Citrus fruits	3 mg/Kg	
	Cotton seed	0.05 mg/Kg	
	Cranberry	3 mg/Kg	
	Grapes	10 mg/Kg	
	Milks	0.02 mg/Kg	
	Nectarine	10 mg/Kg	
	Peach	10 mg/Kg	
	Pome fruits	10 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Tree nuts	0.2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
picoxystrobin	Acerola	99 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Piperonyl butoxide	Cattle kidney	0.3 mg/Kg	The MRL accommodates external animal treatment.
	Cattle liver	1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cattle meat	5 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
Piperonyl butoxide	Cattle milk	0.2 mg/Kg	The MRL accommodates external animal treatment.
	Cereal grains	30 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Citrus fruits	5 mg/Kg	
	Citrus juice	0.05 mg/Kg	
	Dried fruits	0.2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Eggs	1 mg/Kg	The MRL accommodates external animal treatment.
	Fruiting vegetables, Cucurbits	1 mg/Kg	
	Kidney of cattle, goats and sheep	0.2 mg/Kg	
	Lettuce, Leaf	50 mg/Kg	
	Liver of cattle, goats & sheep	1 mg/Kg	
	Maize oil, Crude	80 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Meat (from mammals other than marine mammals)	2 mg/Kg	Except cattle meat
	Milks	0.05 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products".
	Mustard greens	50 mg/Kg	
	Pea hay or pea fodder (dry)	200 mg/Kg	Dry Weight.
	Peanut, whole	1 mg/Kg	
	Peppers	2 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Poultry meat	7 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	10 mg/Kg	
	Pulses	0.2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Radish leaves (including radish tops)	50 mg/Kg	
	Root and tuber vegetables	0.5 mg/Kg	Except carrot
Spinach	50 mg/Kg		
Tomato	2 mg/Kg		
Tomato juice	0.3 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Wheat bran, Unprocessed	80 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat flour	10 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat germ	90 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
	Wheat wholemeal	30 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Pirimicarb	Artichoke, Globe	5 mg/Kg	
	Asparagus	0.01 mg/Kg	At or about the limit of determination
	Berries and other small fruits	1 mg/Kg	Except strawberries and grapes
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.5 mg/Kg	
	Cereal grains	0.05 mg/Kg	Except rice
	Citrus fruits	3 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination
	Eggs	0.01 mg/Kg	At or about the limit of determination
	Fruiting vegetables other than cucurbits	0.5 mg/Kg	Except edible fungi and Sweet corn
	Fruiting vegetables, Cucurbits	1 mg/Kg	Except melons and watermelons
	Garlic	0.1 mg/Kg	
	Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	0.3 mg/Kg	
	Legume vegetables	0.7 mg/Kg	Except soya bean
	Lettuce, Head	5 mg/Kg	
	Lettuce, Leaf	5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination
	Melons, except watermelon	0.2 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination
	Onion, Bulb	0.1 mg/Kg	
	Pea hay or pea fodder (dry)	60 mg/Kg	Dry Weight.
Peppers Chili, dried	20 mg/Kg		
Pome fruits	1 mg/Kg		
Poultry meat	0.01 mg/Kg	At or about the limit of determination	
Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Pulses	0.2 mg/Kg	Except soya bean (dry)
	Rape seed	0.05 mg/Kg	
	Root and tuber vegetables	0.05 mg/Kg	
	Spices, Seeds	5 mg/Kg	
	Stone fruits	3 mg/Kg	
	Straw and fodder (dry) of cereal grains	0.3 mg/Kg	Except rice straw and fodder, Dry WT
	Sunflower seed	0.1 mg/Kg	
	Sweet corn (kernels)	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Pirimiphos-methyl	Cereal grains	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.5 mg/Kg	
	Spices, Seeds	3 mg/Kg	
	Wheat bran, Unprocessed	15 mg/Kg	(for processed foods) The MRL accommodates post-harvest treatment of the primary food commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
prochloraz	Assorted tropical and sub-tropical fruits - inedible peel	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cereal grains	2 mg/Kg	
	Citrus fruits	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Edible offal (mammalian)	10 mg/Kg	
	Eggs	0.1 mg/Kg	
	Linseed	0.05 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.05 mg/Kg	At or about the limit of determination.
	Mushrooms	3 mg/Kg	
	Pepper, Black, White	10 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.2 mg/Kg	
	Rape seed	0.7 mg/Kg	



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Straw and fodder (dry) of cereal grains	40 mg/Kg	
	Sunflower seed	0.5 mg/Kg	
	Sunflower seed oil, Edible	1 mg/Kg	
	Wheat bran, Unprocessed	7 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Profenofos	Cardamom	3 mg/Kg	
	Coriander, seed	0.1 mg/Kg	
	Cotton seed	3 mg/Kg	
	Cumin seed	5 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Fennel, seed	0.1 mg/Kg	
	Mango	0.2 mg/Kg	
	Mangostan	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Peppers Chili	3 mg/Kg	
	Peppers Chili, dried	20 mg/Kg	
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.07 mg/Kg	(except cardamom)
	Spices, Roots and Rhizomes	0.05 mg/Kg	
	Teas (Tea and herb teas)	0.5 mg/Kg	
Tomato	10 mg/Kg		
SUBSTANCE	COMMODITY	MRL	REMARK
Propamocarb	Broccoli	3 mg/Kg	
	Brussels sprouts	2 mg/Kg	
	Cauliflower	2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Egg plant	0.3 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables, Cucurbits	5 mg/Kg	
	Leek	30 mg/Kg	
	Lettuce, Head	100 mg/Kg	
	Lettuce, Leaf	100 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Onion, Bulb	2 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Peppers, Sweet (including pimento or pimienta)	3 mg/Kg	
	Potato	0.3 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Radish	1 mg/Kg	
	Spinach	40 mg/Kg	
	Tomato	2 mg/Kg	
	Witloof chicory (sprouts)	2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Propargite	Almond hulls	50 mg/Kg	
	Almonds	0.1 mg/Kg	At or about the limit of determination.
	Apple	3 mg/Kg	
	Apple juice	0.2 mg/Kg	
	Beans (dry)	0.3 mg/Kg	
	Broad bean (dry)	0.3 mg/Kg	
	Chick-pea (dry)	0.3 mg/Kg	
	Citrus fruits	3 mg/Kg	
	Citrus pulp, Dry	10 mg/Kg	
	Cotton seed	0.1 mg/Kg	
	Cotton seed oil, Edible	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	12 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	At or about the limit of determination.
	Eggs	0.1 mg/Kg	At or about the limit of determination.
	Grape juice	1 mg/Kg	
	Grape pomace, Dry	40 mg/Kg	
	Grapes	7 mg/Kg	
	Hops, Dry	100 mg/Kg	
	Lipin (dry)	0.3 mg/Kg	
	Maize	0.1 mg/Kg	At or about the limit of determination.
Maize flour	0.2 mg/Kg		
Maize oil, Crude	0.7 mg/Kg		

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Maize oil, Edible	0.5 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.1 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". At or about the limit of determination.
	Orange juice	0.3 mg/Kg	
	Peanut	0.1 mg/Kg	At or about the limit of determination.
	Peanut oil, Crude	0.3 mg/Kg	
Propargite	Peanut oil, Edible	0.3 mg/Kg	
	Potato	0.03 mg/Kg	
	Poultry meat	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, Edible offal of	0.1 mg/Kg	At or about the limit of determination.
	Stone fruits	4 mg/Kg	
	Tea, Green, Black (black, fermented and dried)	5 mg/Kg	
	Tomato	2 mg/Kg	
	Walnuts	0.3 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Propiconazole	Banana	0.1 mg/Kg	
	Barley	2 mg/Kg	
	Barley straw and fodder, Dry	8 mg/Kg	
	Coffee beans	0.02 mg/Kg	
	Cranberry	0.3 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.05 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Oat straw and fodder, Dry	8 mg/Kg	
	Oats	0.7 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	9 mg/Kg	The MRL accommodates post-harvest treatment of the commodity

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peach	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Pecan	0.02 mg/Kg	At or about the limit of determination.
	Pineapple	0.02 mg/Kg	At or about the limit of determination.
	Plums (including prunes) (includes all commodities in this subgroup)	0.6 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Popcorn	0.05 mg/Kg	
	Poultry meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Rape seed	0.02 mg/Kg	
	Rye	0.09 mg/Kg	
	Rye straw and fodder, Dry	15 mg/Kg	
	Soya bean (dry)	0.07 mg/Kg	
	Soya bean fodder	5 mg/Kg	
	Sugar beet	0.02 mg/Kg	
	Sugar cane	0.02 mg/Kg	At or about the limit of determination.
	Sweet corn (corn-on-the-cob)	0.05 mg/Kg	
	Tomato	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Triticale	0.09 mg/Kg	
	Triticale straw and fodder, Dry	15 mg/Kg	
	Wheat	0.09 mg/Kg	
Propiconazole	Wheat straw and fodder, Dry	15 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Prothioconazole	Barley	0.2 mg/Kg	
	Bush berries	1.5 mg/Kg	
	Cranberry	0.15 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Fodder (dry) of cereal grains	5 mg/Kg	
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	(except watermelon)
	Maize	0.1 mg/Kg	
	Maize fodder (dry)	15 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.004 mg/Kg	At or about the limit of determination.
	Oats	0.05 mg/Kg	
	Peanut	0.02 mg/Kg	At or about the limit of determination.
	Peanut fodder	15 mg/Kg	
	Popcorn	0.1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Potato	0.02 mg/Kg	At or about the limit of determination.
	Pulses	1 mg/Kg	Except soya bean, dry.
	Rape seed	0.1 mg/Kg	
	Rye	0.05 mg/Kg	
	Soya bean (dry)	0.2 mg/Kg	
	Straw and fodder (dry) of cereal grains	4 mg/Kg	
	Sugar beet	0.3 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.02 mg/Kg	
	Sweet corn fodder	15 mg/Kg	
	Triticale	0.05 mg/Kg	
	Wheat	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Pymetrozine	Acerola	undefined	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Pyraclostrobin	Alfalfa fodder	30 mg/Kg	
	Apple	0.5 mg/Kg	
	Artichoke, Globe	2 mg/Kg	
	Banana	0.02 mg/Kg	At or about the limit of determination.
	Barley	1 mg/Kg	
	Beans (dry)	0.2 mg/Kg	
	Blackberries	3 mg/Kg	
	Blueberries	4 mg/Kg	
	Brussels sprouts	0.3 mg/Kg	
	Cabbages, Head	0.2 mg/Kg	
	Cantaloupe	0.2 mg/Kg	
	Carrot	0.5 mg/Kg	
	Cherries (includes all commodities in this subgroup)	3 mg/Kg	(includes all commodities in this subgroup)
	Citrus fruits	2 mg/Kg	
	Citrus oil, edible	10 mg/Kg	
	Coffee beans	0.3 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Egg plant	0.3 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.1 mg/Kg		

# الهيئة العامة للغذاء والدواء

## Saudi Food & Drug Authority

Fruiting vegetables, Cucurbits	0.5 mg/Kg	
Garlic	0.15 mg/Kg	
Grapes	2 mg/Kg	
Hops, Dry	15 mg/Kg	
Kale including: Collards, Curly kale, Scotch kale, thousand-headed kale; not including Marrow-stem kale)	1 mg/Kg	
Leek	0.7 mg/Kg	
Lentil (dry)	0.5 mg/Kg	
Lettuce, Head	2 mg/Kg	
Maize	0.02 mg/Kg	At or about the limit of determination.
Mango	0.05 mg/Kg	At or about the limit of determination.
Meat (from mammals other than marine mammals)	0.5 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
Milks	0.03 mg/Kg	
Oats	1 mg/Kg	
Oilseed, except peanut	0.4 mg/Kg	
Onion, Bulb	1.5 mg/Kg	
Papaya	0.15 mg/Kg	
Pea hay or pea fodder (dry)	30 mg/Kg	
Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.3 mg/Kg	
Peanut fodder	50 mg/Kg	
Peanut, whole	0.02 mg/Kg	At or about the limit of determination.
Peas (dry)	0.3 mg/Kg	
Peas (pods and succulent=immature seeds)	0.02 mg/Kg	At or about the limit of determination.
Peppers	0.5 mg/Kg	
Pistachio nuts	1 mg/Kg	
Plums (including prunes) (includes all commodities in this subgroup)	0.8 mg/Kg	(includes all commodities in this subgroup)
Potato	0.02 mg/Kg	
Poultry meat	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
Radish	0.5 mg/Kg	
Radish leaves (including radish tops)	20 mg/Kg	
Raspberries, Red, Black	3 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Rye	0.2 mg/Kg	
	Sorghum	0.5 mg/Kg	
	Soya bean (dry)	0.05 mg/Kg	
	Spelt	0.2 mg/Kg	
	Spring Onion	1.5 mg/Kg	
	Straw and fodder (dry) of cereal grains	30 mg/Kg	
	Strawberry	1.5 mg/Kg	
Pyraclostrobin	Sugar beet	0.2 mg/Kg	
	Tomato	0.3 mg/Kg	
	Tree nuts	0.02 mg/Kg	except pistachio nuts. At or about the limit of determination.
	Triticale	0.2 mg/Kg	
	Wheat	0.2 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Pyrethrins	Cereal grains	0.3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Citrus fruits	0.05 mg/Kg	
	Dried fruits	0.2 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Fruiting vegetables, Cucurbits	0.05 mg/Kg	At or about the limit of determination.
	Pea hay or pea fodder (dry)	1 mg/Kg	
	Peanut	0.5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Peppers	0.05 mg/Kg	At or about the limit of determination.
	Peppers Chili, dried	0.5 mg/Kg	
	Pulses	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Root and tuber vegetables	0.05 mg/Kg	At or about the limit of determination.
	Tomato	0.05 mg/Kg	At or about the limit of determination.
	Tree nuts	0.5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity. At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Pyrimethanil	Almond hulls	12 mg/Kg	
	Almonds	0.2 mg/Kg	
	Apricot	3 mg/Kg	
	Banana	0.1 mg/Kg	
	Blackberries	15 mg/Kg	
	Blueberries	8 mg/Kg	
	Carrot	1 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Cherries (includes all commodities in this subgroup)	4 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Citrus fruits	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Common bean (pods and/or immature seeds)	3 mg/Kg	
	Cucumber	0.7 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	
	Field pea (dry)	0.5 mg/Kg	
	Ginseng, dried including red ginseng	1.5 mg/Kg	
	Grapes	4 mg/Kg	
	Lettuce, Head	3 mg/Kg	
	Low growing berries	3 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	
	Nectarine	4 mg/Kg	
	Onion, Bulb	0.2 mg/Kg	
	Pea hay or pea fodder (dry)	3 mg/Kg	
Pyrimethanil	Peach	4 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	2 mg/Kg	
	Pome fruits	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Potato	0.05 mg/Kg	At or about the limit of determination.
	Raspberries, Red, Black	15 mg/Kg	
	Spring Onion	3 mg/Kg	
	Sweet corn fodder	40 mg/Kg	
	Tomato	0.7 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Pyriproxifen	Cattle meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Cattle, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Citrus fruits	0.5 mg/Kg	
	Cotton seed	0.05 mg/Kg	
	Cotton seed oil, Crude	0.01 mg/Kg	
	Cotton seed oil, Edible	0.01 mg/Kg	
	Goat meat	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

SUBSTANCE	COMMODITY	MRL	REMARK
	Goat, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
Quinlorac	Cranberry	1.5 mg/Kg	
	Rhubarb	0.5 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Quinoxifen	Barley	0.01 mg/Kg	At or about the limit of determination.
	Cherries (includes all commodities in this subgroup)	0.4 mg/Kg	
	Currant, Black	1 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grapes	2 mg/Kg	
	Hops, Dry	1 mg/Kg	
	Lettuce, Head	8 mg/Kg	
	Lettuce, Leaf	20 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Melons, except watermelon	0.1 mg/Kg	
	Milk fats	0.2 mg/Kg	
	Milks	0.01 mg/Kg	
	Peppers	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
	Poultry meat	0.02 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Poultry, Edible offal of	0.01 mg/Kg	
	Strawberry	1 mg/Kg	
	Sugar beet	0.03 mg/Kg	
Wheat	0.01 mg/Kg	At or about the limit of determination.	
SUBSTANCE	COMMODITY	MRL	REMARK
Quintozene	Barley	0.01 mg/Kg	At or about the limit of determination.
	Barley straw and fodder, Dry	0.01 mg/Kg	At or about the limit of determination.
	Broccoli	0.05 mg/Kg	
	Cabbages, Head	0.1 mg/Kg	
	Chicken meat	0.1 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat . At or about the limit of determination.
	Chicken, Edible offal of	0.1 mg/Kg	At or about the limit of determination.
	Common bean (dry)	0.02 mg/Kg	
	Common bean (pods and/or immature seeds)	0.1 mg/Kg	
	Cotton seed	0.01 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Eggs	0.03 mg/Kg	At or about the limit of determination.
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.01 mg/Kg	
	Pea hay or pea fodder (dry)	0.05 mg/Kg	
	Peanut	0.5 mg/Kg	
	Peas (dry)	0.01 mg/Kg	
	Peppers Chili, dried	0.1 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	0.05 mg/Kg	At or about the limit of determination.
	Soya bean (dry)	0.01 mg/Kg	At or about the limit of determination.
	Soya bean fodder	0.01 mg/Kg	At or about the limit of determination.
	Spices, Fruits and Berries	0.02 mg/Kg	
	Spices, Roots and Rhizomes	2 mg/Kg	
	Spices, Seeds	0.1 mg/Kg	
	Sugar beet	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.02 mg/Kg	
	Wheat	0.01 mg/Kg	
	Wheat straw and fodder, Dry	0.03 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
<b>Saflufenacil</b>	Banana	0.01 mg/Kg	
	Barley straw and fodder, Dry	0.05 mg/Kg	
	Cereal grains	0.01 mg/Kg	
	Citrus fruits	0.01 mg/Kg	
	Coffee beans	0.01 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Edible offal (mammalian)	0.3 mg/Kg	
	Grapes	0.01 mg/Kg	
	Maize fodder (dry)	0.05 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	
	Milks	0.01 mg/Kg	
	Peas (pods and succulent=immature seeds)	0.01 mg/Kg	
	Peas, Shelled (succulent seeds)	0.01 mg/Kg	
	Pome fruits	0.01 mg/Kg	
	Pulses	0.3 mg/Kg	
	Rape seed	0.6 mg/Kg	
	Sorghum straw and fodder, Dry	0.05 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Soya bean (immature seeds)	0.01 mg/Kg	
	Stone fruits	0.01 mg/Kg	
	Sunflower seed	0.7 mg/Kg	
	Sweet Corn	0.01 mg/Kg	
Saflufenacil	Tree nuts	0.01 mg/Kg	
	Wheat straw and fodder, Dry	0.05 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Sedaxane	Bean fodder	0.01 mg/Kg	At or about the limit of determination.
	Cereal grains	0.01 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milk fats	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Pea hay or pea fodder (dry)	0.01 mg/Kg	At or about the limit of determination.
	Potato	0.02 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Pulses	0.01 mg/Kg	At or about the limit of determination.
	Rape seed	0.01 mg/Kg	At or about the limit of determination.
		Straw, fodder (dry) and hay of cereal grains and other grass-like plants	0.1 mg/Kg
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Spinetoram	Beans, except broad bean and soya bean	0.05 mg/Kg	(green pods and immature seeds)
	Blueberries	0.2 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	0.3 mg/Kg	
	Celery	6 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Grapes	0.3 mg/Kg	
	Lettuce, Head	10 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Lettuce, Leaf	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milk fats	0.1 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Nectarine	0.3 mg/Kg	
	Onion, Bulb	0.01 mg/Kg	At or about the limit of determination.
	Onion, Welsh	0.8 mg/Kg	
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.07 mg/Kg	
	Peach	0.3 mg/Kg	
	Pome fruits	0.05 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Raspberries, Red, Black	0.8 mg/Kg	
Spinetoram	Spinach	8 mg/Kg	
	Spring Onion	0.8 mg/Kg	
	Sugar beet	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.06 mg/Kg	
	Tree nuts	0.01 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Spinosad	Apple	0.1 mg/Kg	
	Blackberries	1 mg/Kg	
	Blueberries	0.4 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	2 mg/Kg	
	Cattle kidney	1 mg/Kg	The MRL accommodates external animal treatment.
	Cattle liver	2 mg/Kg	The MRL accommodates external animal treatment.
	Cattle meat	3 mg/Kg	The MRL accommodates external animal treatment. (for meat) The MRL/EMRL applies to the fat of meat.
	Cattle milk	1 mg/Kg	The MRL accommodates external animal treatment.
	Cattle milk fat	5 mg/Kg	
	Celery	2 mg/Kg	
	Cereal grains	1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Citrus fruits	0.3 mg/Kg	
	Cotton seed	0.01 mg/Kg	
	Cotton seed oil, Crude	0.01 mg/Kg	
	Cotton seed oil, Edible	0.01 mg/Kg	
	Cranberry	0.02 mg/Kg	
	Dewberries (including boysenberry and loganberry)	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	Except cattle
	Eggs	0.01 mg/Kg	
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Grapes	0.5 mg/Kg	
	Kiwifruit	0.05 mg/Kg	
	Leafy vegetables	10 mg/Kg	
	Legume vegetables	0.3 mg/Kg	
	Maize fodder (dry)	5 mg/Kg	
	Meat (from mammals other than marine mammals)	2 mg/Kg	
	Onion, Bulb	0.1 mg/Kg	
	Passion fruit	0.7 mg/Kg	
	Peppers	0.3 mg/Kg	
	Peppers Chili, dried	3 mg/Kg	
	Potato	0.01 mg/Kg	
	Poultry meat	0.2 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Raspberries, Red, Black	1 mg/Kg	
	Soya bean (dry)	0.01 mg/Kg	
	Spring Onion	4 mg/Kg	
	Stone fruits	0.2 mg/Kg	
Spinosad	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
	Tomato	0.3 mg/Kg	
	Tree nuts	0.07 mg/Kg	
	Wheat bran, Unprocessed	2 mg/Kg	
	Wheat straw and fodder, Dry	1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Spirodiclofen	Almond hulls	15 mg/Kg	
	Avocado	0.9 mg/Kg	
	Blueberries	4 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Citrus fruits	0.4 mg/Kg	
	Coffee beans	0.03 mg/Kg	At or about the limit of determination.
	Cucumber	0.07 mg/Kg	
	Currants, Black, Red, White	1 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	0.3 mg/Kg	
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Gherkin	0.07 mg/Kg	
	Grapes	0.2 mg/Kg	
	Hops, Dry	40 mg/Kg	
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Milks	0.004 mg/Kg	At or about the limit of determination.
	Papaya	0.03 mg/Kg	At or about the limit of determination.
	Peppers, Sweet (including pimento or pimiento)	0.2 mg/Kg	
	Pome fruits	0.8 mg/Kg	
	Stone fruits	2 mg/Kg	
	Strawberry	2 mg/Kg	
	Sweet corn fodder	4 mg/Kg	
	Tomato	0.5 mg/Kg	
	Tree nuts	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Spirotetramat	Almond hulls	10 mg/Kg	
	Artichoke, Globe	1 mg/Kg	
	Avocado	0.4 mg/Kg	
	Bush berries	1.5 mg/Kg	
	Cabbages, Head	2 mg/Kg	
	Celery	4 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Cotton seed	0.4 mg/Kg	
	Cotton seed, meal	1 mg/Kg	
	Cranberry	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	4 mg/Kg	
	Edible offal (mammalian)	1 mg/Kg	
	Eggs	0.01 mg/Kg	
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Fruiting vegetables other than cucurbits	1 mg/Kg	Except sweet corn, mushrooms and chili pepper
Spirotetramat	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
	Grape pomace, Dry	4 mg/Kg	
	Grapes	2 mg/Kg	
	Guava	2 mg/Kg	
	Hops, Dry	15 mg/Kg	
	Kiwifruit	0.02 mg/Kg	At or about the limit of determination.
	Leafy vegetables	7 mg/Kg	
	Legume animal feeds	30 mg/Kg	
	Legume vegetables	1.5 mg/Kg	
	Litchi	15 mg/Kg	
	Mango	0.3 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	
	Milks	0.005 mg/Kg	
	Onion, Bulb	0.4 mg/Kg	
	Papaya	0.4 mg/Kg	
	Peppers Chili	2 mg/Kg	Non-bell
	Peppers Chili, dried	15 mg/Kg	
	Pome fruits	0.7 mg/Kg	
	Potato	0.8 mg/Kg	
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	
	Prunes, dried	5 mg/Kg	
	Pulses	2 mg/Kg	except soya bean (dry)
Soya bean (dry)	4 mg/Kg		
Stone fruits	3 mg/Kg		
Sweet Corn	1.5 mg/Kg		
Tree nuts	0.5 mg/Kg		
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Sulfoxaflor	Barley	0.6 mg/Kg	
	Barley straw and fodder, Dry	3 mg/Kg	
	Beans (dry)	0.3 mg/Kg	
	Broccoli	3 mg/Kg	
	Cabbages, Head	0.4 mg/Kg	
	Carrot	0.05 mg/Kg	
	Cauliflower	0.04 mg/Kg	
	Celery	1.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cherries (includes all commodities in this subgroup)	1.5 mg/Kg	
	Cotton seed	0.4 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	6 mg/Kg	
	Edible offal (mammalian)	0.6 mg/Kg	
	Eggs	0.1 mg/Kg	
	Fruiting vegetables other than cucurbits	1.5 mg/Kg	(except sweet corn and mushrooms)
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Garlic	0.01 mg/Kg	At or about the limit of determination.
	Grapes	2 mg/Kg	
	Leafy vegetables	6 mg/Kg	
	Lemons and limes (including Citron)	0.4 mg/Kg	
Sulfoxaflor	Mammalian fats (except milk fats)	0.1 mg/Kg	
	Mandarins ((including Mandarin-like hybrids)	0.8 mg/Kg	
	Meat (from mammals other than marine mammals)	0.3 mg/Kg	
	Milks	0.2 mg/Kg	
	Onion, Bulb	0.01 mg/Kg	At or about the limit of determination.
	Oranges, Sweet, Sour (including Orange-like hybrids): several cultivars	0.8 mg/Kg	
	Peaches (including Nectarine and Apricots) (includes all commodities in this subgroup)	0.4 mg/Kg	
	Peppers Chili, dried	15 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.5 mg/Kg	
	Pome fruits	0.3 mg/Kg	
	Poultry fats	0.03 mg/Kg	
	Poultry meat	0.1 mg/Kg	
	Poultry, Edible offal of	0.3 mg/Kg	
	Pummelo and Grapefruits (including Shaddock-like hybrids, among others Grapefruit)	0.15 mg/Kg	
	Rape seed	0.15 mg/Kg	
	Root and tuber vegetables	0.03 mg/Kg	(except carrots)
	Soya bean (dry)	0.3 mg/Kg	
Soya bean fodder	3 mg/Kg		



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Spring Onion	0.7 mg/Kg	
	Strawberry	0.5 mg/Kg	
	Triticale	0.2 mg/Kg	
	Wheat	0.2 mg/Kg	
	Wheat straw and fodder, Dry	3 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Sulfuryl fluoride	Bran, Unprocessed of cereal grain (except buckwheat, cañihua and quinoa)	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cereal bran, Processed	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Cereal grains	0.05 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Dried fruits	0.06 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Maize flour	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Maize meal	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Rice, Husked	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Rice, Polished	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Rye flour	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Rye wholemeal	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Tree nuts	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Wheat flour	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Wheat germ	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Wheat wholemeal	0.1 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
SUBSTANCE	COMMODITY	MRL	REMARK
Tebuconazole	Apple	1 mg/Kg	
	Apricot	2 mg/Kg	
	Artichoke, Globe	0.6 mg/Kg	
	Asparagus	0.02 mg/Kg	At or about the limit of determination.
	Banana	1.5 mg/Kg	
	Barley	2 mg/Kg	
	Barley straw and fodder, Dry	40 mg/Kg	
	Beans (dry)	0.3 mg/Kg	
	Broccoli	0.2 mg/Kg	
	Brussels sprouts	0.3 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Cabbages, Head	1 mg/Kg	
	Carrot	0.4 mg/Kg	
	Cauliflower	0.05 mg/Kg	At or about the limit of determination.
	Cherries (includes all commodities in this subgroup)	4 mg/Kg	
	Coffee beans	0.1 mg/Kg	
	Cotton seed	2 mg/Kg	
	Cucumber	0.2 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	7 mg/Kg	
	Edible offal (mammalian)	0.2 mg/Kg	
	Egg plant	0.1 mg/Kg	
	Eggs	0.05 mg/Kg	At or about the limit of determination.
	Elderberries	1.5 mg/Kg	
	Garlic	0.1 mg/Kg	
	Ginseng	0.15 mg/Kg	
	Ginseng, dried including red ginseng	0.4 mg/Kg	
	Ginseng, extracts	0.5 mg/Kg	
	Grapes	6 mg/Kg	
	Hops, Dry	40 mg/Kg	
	Leek	0.7 mg/Kg	
	Lettuce, Head	5 mg/Kg	
	Mango	0.05 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Melons, except watermelon	0.15 mg/Kg	
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Nectarine	2 mg/Kg	
	Oats	2 mg/Kg	
	Onion, Bulb	0.15 mg/Kg	
	Papaya	2 mg/Kg	
	Passion fruit	0.1 mg/Kg	
	Peach	2 mg/Kg	
	Peanut	0.15 mg/Kg	
	Peanut fodder	40 mg/Kg	
	Pear	1 mg/Kg	
	Peppers Chili, dried	10 mg/Kg	
<b>Tebuconazole</b>	Peppers, Sweet (including pimento or pimienta)	1 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Plums (including prunes) (includes all commodities in this subgroup)	1 mg/Kg	except prunes
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.
	Prunes, dried	3 mg/Kg	
	Rape seed	0.3 mg/Kg	
	Rice	1.5 mg/Kg	
	Rye	0.15 mg/Kg	
	Rye straw and fodder, Dry	40 mg/Kg	
	Shallot	0.15 mg/Kg	
	Soya bean (dry)	0.15 mg/Kg	
	Spring Onion	2 mg/Kg	
	Squash, summer	0.2 mg/Kg	
	Sunflower seed	0.1 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.6 mg/Kg	
	Table Olives	0.05 mg/Kg	At or about the limit of determination.
	Tomato	0.7 mg/Kg	
	Tree nuts	0.05 mg/Kg	At or about the limit of determination.
	Triticale	0.15 mg/Kg	
	Wheat	0.15 mg/Kg	
	Wheat straw and fodder, Dry	40 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Tebufenozide	Almond hulls	30 mg/Kg	
	Almonds	0.05 mg/Kg	
	Avocado	1 mg/Kg	
	Blueberries	3 mg/Kg	
	Broccoli	0.5 mg/Kg	
	Cabbages, Head	5 mg/Kg	
	Cattle milk	0.05 mg/Kg	
	Citrus fruits	2 mg/Kg	
	Cranberry	0.5 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	2 mg/Kg	
	Edible offal (mammalian)	0.02 mg/Kg	At or about the limit of determination.
	Eggs	0.02 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Grapes	2 mg/Kg	
	Kiwifruit	0.5 mg/Kg	
	Leafy vegetables	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Mints	20 mg/Kg	
	Nectarine	0.5 mg/Kg	
	Peach	0.5 mg/Kg	
	Pecan	0.01 mg/Kg	At or about the limit of determination.
	Peppers	1 mg/Kg	
Tebufenozide	Peppers Chili, dried	10 mg/Kg	
	Pome fruits	1 mg/Kg	
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Rape seed	2 mg/Kg	
	Raspberries, Red, Black	2 mg/Kg	
	Rice, Husked	0.1 mg/Kg	
	Sugar cane	1 mg/Kg	
	Tomato	1 mg/Kg	
	Walnuts	0.05 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Teflubenzuron	Brussels sprouts	0.5 mg/Kg	
	Cabbages, Head	0.2 mg/Kg	
	Plums (including prunes) (includes all commodities in this subgroup)	0.1 mg/Kg	
	Pome fruits	1 mg/Kg	
	Potato	0.05 mg/Kg	At or about the limit of determination.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Terbufos	Banana	0.05 mg/Kg	
	Coffee beans	0.05 mg/Kg	At or about the limit of determination.
	Edible offal (mammalian)	0.05 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Maize	0.01 mg/Kg	At or about the limit of determination.
	Maize fodder (dry)	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.05 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.05 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Sorghum	0.01 mg/Kg	At or about the limit of determination.
	Sorghum straw and fodder, Dry	0.3 mg/Kg	Dry Weight.
	Sugar beet	0.02 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Thiabendazole	Avocado	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Banana	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Cattle kidney	1 mg/Kg	
	Cattle liver	0.3 mg/Kg	
	Cattle meat	0.1 mg/Kg	
	Cattle milk	0.2 mg/Kg	
	Citrus fruits	7 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Eggs	0.1 mg/Kg	
	Mango	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Mushrooms	60 mg/Kg	
	Papaya	10 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Pome fruits	3 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Potato	15 mg/Kg	The MRL accommodates post-harvest treatment of the commodity
	Poultry meat	0.05 mg/Kg	
	Witloof chicory (sprouts)	0.05 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Thiacloprid	Almond hulls	10 mg/Kg	
	Berries and other small fruits	1 mg/Kg	
	Cotton seed	0.02 mg/Kg	At or about the limit of determination.
	Cucumber	0.3 mg/Kg	
	Edible offal (mammalian)	0.5 mg/Kg	
	Egg plant	0.7 mg/Kg	
	Eggs	0.02 mg/Kg	At or about the limit of determination.
	Kiwifruit	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.1 mg/Kg	
	Melons, except watermelon	0.2 mg/Kg	
	Milks	0.05 mg/Kg	
	Mustard seed	0.5 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Peppers, Sweet (including pimento or pimienta)	1 mg/Kg	
	Pome fruits	0.7 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry meat	0.02 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.02 mg/Kg	At or about the limit of determination.
	Rape seed	0.5 mg/Kg	
	Rice	0.02 mg/Kg	At or about the limit of determination.
	Squash, summer	0.3 mg/Kg	
	Stone fruits	0.5 mg/Kg	
	Tomato	0.5 mg/Kg	
	Tree nuts	0.02 mg/Kg	
	Watermelon	0.2 mg/Kg	
	Wheat	0.1 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
	Winter squash	0.2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Thiamethoxam	Artichoke, Globe	0.5 mg/Kg	
	Avocado	0.5 mg/Kg	
	Banana	0.02 mg/Kg	At or about the limit of determination.
	Barley	0.4 mg/Kg	
	Barley straw and fodder, Dry	2 mg/Kg	
	Beans, except broad bean and soya bean	0.3 mg/Kg	
	Berries and other small fruits	0.5 mg/Kg	
	Brassica (Cole or Cabbage) Vegetables, Head Cabbage, Flowerhead Brassicas	5 mg/Kg	
	Cacao beans	0.02 mg/Kg	At or about the limit of determination.
	Celery	1 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Coffee beans	0.2 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	0.7 mg/Kg	
	Fruiting vegetables, Cucurbits	0.5 mg/Kg	
	Hops, Dry	0.09 mg/Kg	
	Leafy vegetables	3 mg/Kg	
Legume vegetables	0.01 mg/Kg	At or about the limit of determination.	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Maize	0.05 mg/Kg	
	Maize fodder (dry)	0.05 mg/Kg	
	Mango	0.2 mg/Kg	
	Meat (from mammals other than marine mammals)	0.02 mg/Kg	
	Milks	0.05 mg/Kg	
	Mints	1.5 mg/Kg	
	Oilseed	0.02 mg/Kg	At or about the limit of determination.
	Papaya	0.01 mg/Kg	At or about the limit of determination.
	Pea hay or pea fodder (dry)	0.3 mg/Kg	
	Pecan	0.01 mg/Kg	At or about the limit of determination.
	Peppers Chili, dried	7 mg/Kg	
	Pineapple	0.01 mg/Kg	At or about the limit of determination.
	Pome fruits	0.3 mg/Kg	
	Popcorn	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Pulses	0.04 mg/Kg	
	Root and tuber vegetables	0.3 mg/Kg	
	Stone fruits	1 mg/Kg	
	Sweet corn (corn-on-the-cob)	0.01 mg/Kg	At or about the limit of determination.
	Tea, Green, Black (black, fermented and dried)	20 mg/Kg	
	Wheat	0.05 mg/Kg	
	Wheat straw and fodder, Dry	2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Tolclofos-methyl	Lettuce, Head	2 mg/Kg	
	Lettuce, Leaf	2 mg/Kg	
	Potato	0.2 mg/Kg	
	Radish	0.1 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Tolfenpyrad	Tea, green	30 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Triadimefon	Apple	0.3 mg/Kg	Based on triadimenol use only .
	Artichoke, Globe	0.7 mg/Kg	Based on triadimenol use only
	Banana	1 mg/Kg	Based on triadimenol use only
	Cereal grains	0.2 mg/Kg	Except maize and rice. Based on triadimefon and triadimenol uses
	Coffee beans	0.5 mg/Kg	Based on triadimenol use only
	Currants, Black, Red, White	0.7 mg/Kg	Based on triadimenol use only

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	based on triadimenol uses
	Edible offal (mammalian)	0.01 mg/Kg	Based on triadimefon and triadimenol uses At or about the limit of determination.
	Eggs	0.01 mg/Kg	Based on triadimefon and triadimenol uses At or about the limit of determination.
	Fruiting vegetables other than cucurbits	1 mg/Kg	Except fungi and sweet corn. Based on triadimefon and triadimenol uses.
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	Based on triadimenol use only
	Grapes	0.3 mg/Kg	Based on triadimenol uses
Triadimefon	Meat (from mammals other than marine mammals)	0.02 mg/Kg	Based on triadimefon and triadimenol uses
	Milks	0.01 mg/Kg	Based on triadimefon and triadimenol uses At or about the limit of determination.
	Peppers Chili, dried	5 mg/Kg	Based on triadimefon and triadimenol uses
	Pineapple	5 mg/Kg	Based on triadimenol use only. The MRL accommodates post-harvest treatment of the commodity.
	Poultry meat	0.01 mg/Kg	Based on triadimefon and triadimenol uses At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	Based on triadimefon and triadimenol uses At or about the limit of determination.
	Straw and fodder (dry) of cereal grains	5 mg/Kg	Except maize. Based on triadimefon and triadimenol uses
	Strawberry	0.7 mg/Kg	Based on triadimenol use only
	Sugar beet	0.05 mg/Kg	Based on triadimenol use only At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Triadimenol	Apple	0.3 mg/Kg	
	Artichoke, Globe	0.7 mg/Kg	
	Banana	1 mg/Kg	
	Cereal grains	0.2 mg/Kg	Except maize and rice
	Coffee beans	0.5 mg/Kg	
	Currants, Black, Red, White	0.7 mg/Kg	
	Dried grapes (=currants, raisins and sultanas)	1 mg/Kg	based on triadimenol uses
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Fruiting vegetables other than cucurbits	1 mg/Kg	Except fungi and sweet corn
	Fruiting vegetables, Cucurbits	0.2 mg/Kg	
Grapes	0.3 mg/Kg		



# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

	Meat (from mammals other than marine mammals)	0.02 mg/Kg	
	Milks	0.01 mg/Kg	(for milks) The residue is fat soluble and MRLs for milk products are derived as explained in "Codex Maximum Residue Limits/Extraneous Maximum Residue Limits for Milk and Milk Products". At or about the limit of determination.
	Peppers Chili, dried	5 mg/Kg	
	Pineapple	5 mg/Kg	The MRL accommodates post-harvest treatment of the commodity.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
	Poultry, Edible offal of	0.01 mg/Kg	At or about the limit of determination.
	Straw and fodder (dry) of cereal grains	5 mg/Kg	Except maize
	Strawberry	0.7 mg/Kg	
	Sugar beet	0.05 mg/Kg	At or about the limit of determination.
SUBSTANCE	COMMODITY	MRL	REMARK
Triazophos	Cardamom	4 mg/Kg	
	Coriander, seed	0.1 mg/Kg	
	Cotton seed	0.2 mg/Kg	
	Cotton seed oil, Crude	1 mg/Kg	
	Fennel, seed	0.1 mg/Kg	
	Rice, Polished	0.6 mg/Kg	
	Soya bean (immature seeds)	0.5 mg/Kg	
	Soya bean (young pod)	1 mg/Kg	
	Spices, Fruits and Berries	0.07 mg/Kg	(except cardamom)
	Spices, Roots and Rhizomes	0.1 mg/Kg	
SUBSTANCE	COMMODITY	MRL	REMARK
Trifloxystrobin	Almond hulls	3 mg/Kg	
	Asparagus	0.05 mg/Kg	At or about the limit of determination.
	Banana	0.05 mg/Kg	
	Barley	0.5 mg/Kg	
	Barley straw and fodder, Dry	7 mg/Kg	
	Beans (dry)	0.01 mg/Kg	At or about the limit of determination.
	Brussels sprouts	0.1 mg/Kg	
	Cabbages, Head	0.5 mg/Kg	
	Carrot	0.1 mg/Kg	
	Celery	1 mg/Kg	
	Citrus fruits	0.5 mg/Kg	
	Citrus pulp, Dry	1 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Dried grapes (=currants, raisins and sultanas)	5 mg/Kg	
	Egg plant	0.7 mg/Kg	
	Eggs	0.04 mg/Kg	At or about the limit of determination.
	Flowerhead brassicas (includes Broccoli: Broccoli, Chinese and Cauliflower)	0.5 mg/Kg	
	Fruiting vegetables, Cucurbits	0.3 mg/Kg	
	Grapes	3 mg/Kg	
	Hops, Dry	40 mg/Kg	
	Kidney of cattle, goats and sheep	0.04 mg/Kg	At or about the limit of determination.
	Leek	0.7 mg/Kg	
	Lentil (dry)	0.01 mg/Kg	
	Lettuce, Head	15 mg/Kg	
	Liver of cattle, goats & sheep	0.05 mg/Kg	
	Maize	0.02 mg/Kg	
	Maize fodder (dry)	10 mg/Kg	
	Meat (from mammals other than marine mammals)	0.05 mg/Kg	
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Olive oil, Refined	1.2 mg/Kg	
	Olive oil, Virgin	0.9 mg/Kg	
	Papaya	0.6 mg/Kg	
	Peanut	0.02 mg/Kg	At or about the limit of determination.
	Peanut fodder	5 mg/Kg	
	Peas (dry)	0.01 mg/Kg	
	Peppers, Sweet (including pimento or pimiento)	0.3 mg/Kg	
	Pome fruits	0.7 mg/Kg	
	Potato	0.02 mg/Kg	At or about the limit of determination.
	Poultry meat	0.04 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat. At or about the limit of determination.
	Poultry, Edible offal of	0.04 mg/Kg	At or about the limit of determination.
	Radish	0.08 mg/Kg	
Trifloxystrobin	Radish leaves (including radish tops)	15 mg/Kg	
	Rice	5 mg/Kg	
	Rice bran, Unprocessed	7 mg/Kg	
	Rice straw and fodder, Dry	10 mg/Kg	
	Soya bean (dry)	0.05 mg/Kg	

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Stone fruits	3 mg/Kg	
	Strawberry	1 mg/Kg	
	Sugar beet	0.05 mg/Kg	
	Sugar beet molasses	0.1 mg/Kg	
	Sugar beet pulp, Dry	0.2 mg/Kg	
	Table Olives	0.3 mg/Kg	
	Tomato	0.7 mg/Kg	
	Tree nuts	0.02 mg/Kg	At or about the limit of determination.
	Wheat	0.2 mg/Kg	
	Wheat bran, Unprocessed	0.5 mg/Kg	
	Wheat straw and fodder, Dry	5 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Triflumizole	Cherries (includes all commodities in this subgroup)	4 mg/Kg	
	Cucumber	0.5 mg/Kg	
	Edible offal (mammalian)	0.1 mg/Kg	
	Grapes	3 mg/Kg	
	Hops, Dry	30 mg/Kg	
	Mammalian fats (except milk fats)	0.02 mg/Kg	
	Meat (from mammals other than marine mammals)	0.03 mg/Kg	(for meat) The MRL/EMRL applies to the fat of meat.
	Milks	0.02 mg/Kg	At or about the limit of determination.
	Papaya	2 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Triforine	Blueberries	0.03 mg/Kg	
	Edible offal (mammalian)	0.01 mg/Kg	At or about the limit of determination.
	Egg plant	1 mg/Kg	
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.
	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.01 mg/Kg	At or about the limit of determination.
	Tomato	0.7 mg/Kg	
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Trinexapac- ehtyl	Barley	3 mg/Kg	
	Barley bran, processed	6 mg/Kg	
	Barley straw and fodder, Dry	0.9 mg/Kg	Dry Weight.
	Edible offal (mammalian)	0.1 mg/Kg	
	Eggs	0.01 mg/Kg	At or about the limit of determination.
	Mammalian fats (except milk fats)	0.01 mg/Kg	At or about the limit of determination.

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

	Meat (from mammals other than marine mammals)	0.01 mg/Kg	At or about the limit of determination.
	Milks	0.005 mg/Kg	
	Oat straw and fodder, Dry	0.9 mg/Kg	Dry Weight.
	Oats	3 mg/Kg	
	Poultry fats	0.01 mg/Kg	At or about the limit of determination.
	Poultry meat	0.01 mg/Kg	At or about the limit of determination.
Trinexapac- ehtyl	Poultry, Edible offal of	0.05 mg/Kg	
	Rape seed	1.5 mg/Kg	
	Sugar cane	0.5 mg/Kg	
	Triticale	3 mg/Kg	
	Triticale straw and fodder, Dry	0.9 mg/Kg	Dry Weight.
	Wheat	3 mg/Kg	
	Wheat bran, Unprocessed	8 mg/Kg	
	Wheat straw and fodder, Dry	0.9 mg/Kg	Dry Weight.
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Vinclozolin	Spices	0.05 mg/Kg	At or about the limit of determination
<b>SUBSTANCE</b>	<b>COMMODITY</b>	<b>MRL</b>	<b>REMARK</b>
Zoxamide	Dried grapes (=currants, raisins and sultanas)	15 mg/Kg	
	Fruiting vegetables, Cucurbits	2 mg/Kg	
	Grapes	5 mg/Kg	
	Potato	0.02 mg/Kg	
	Tomato	2 mg/Kg	

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

## الحدود القصوى لمتبقيات المبيدات في التمور

Pesticide Name	MRL (mg/kg)
1,1-dichloro-2,2-bis(4-ethylphenyl)ethane	0.01
1,2-dibromoethane (ethylene dibromide)	0.01
1,2-dichloroethane (ethylene dichloride)	0.01
1,3-Dichloropropene	0.01
1-methylcyclopropene	0.01
1-Naphthylacetamide and 1-naphthylacetic acid (sum of 1-naphthylacetamide and 1-naphthylacetic acid and its salts, expressed as 1-naphthylacetic acid)	0.06
2,4,5-T (sum of 2,4,5-T, its salts and esters, expressed as 2,4,5-T)	0.01
2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB)	0.01
2,4-D (sum of 2,4-D, its salts, its esters and its conjugates, expressed as 2,4-D)	0.05
2-amino-4-methoxy-6-(trifluoromethyl)-1,3,5-triazine (AMTT), resulting from the use of tritosulfuron	0.01
2-naphthoxyacetic acid	0.01
2-phenylphenol (sum of 2-phenylphenol and its conjugates, expressed as 2-phenylphenol)	0.01
3-decen-2-one	0.1
8-hydroxyquinoline (sum of 8-hydroxyquinoline and its salts, expressed as 8-hydroxyquinoline)	0.01
Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a)	0.01
Acephate	0.01
Acequinocyl	0.01
Acetamiprid	0.01
Acetochlor	0.01
Acibenzolar- S- methyl (sum of acibenzolar- S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar- S- methyl)	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Aclonifen	0.01
Acrinathrin	0.02
Alachlor	0.01
Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb)	0.02
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F)	0.01
Ametoctradin	0.01
Amidosulfuron	0.01
Aminopyralid	0.01
Amisulbrom	0.01
Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz)	0.05
Amitrole	0.01
Anilazine	0.01
Anthraquinone	0.01
Aramite	0.01
Asulam	0.05
Atrazine	0.05
Azadirachtin	0.01
Azimsulfuron	0.01
Azinphos-ethyl	0.02
Azinphos-methyl	0.05
Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)	0.01
Azoxystrobin	0.01
Barban	0.01
Beflubutamid	0.02
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	0.05
Benfluralin	0.02
Bensulfuron-methyl	0.01
Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone)	0.03
Benthiavalicarb (Benthiavalicarb-isopropyl(KIF-230 R-L) and its enantiomer (KIF-230 S-D) and its diastereomers(KIF-230 S-L and KIF-230 R-D), expressed as benthiavalicarb-isopropyl)(A)	0.01
Benzaikonium chloride (mixture of alkylbenzyltrimethylammonium chlorides with alkyl chain lengths of C8, C10, C12, C14, C16 and C18)	0.1

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Benzovindiflupyr	0.01
Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate)	0.02
Bifenox	0.01
Bifenthrin (sum of isomers)	0.01
Biphenyl	0.01
Bitertanol (sum of isomers)	0.01
Bixafen	0.01
Bone oil	0.01
Boscalid	0.01
Bromide ion	20
Bromophos-ethyl	0.01
Bromopropylate	0.01
Bromoxynil and its salts, expressed as bromoxynil	0.01
Bromuconazole (sum of diastereoisomers)	0.05
Bupirimate	0.05
Buprofezin	0.05
Butralin	0.01
Butylate	0.01
Cadusafos	0.01
Camphechlor (Toxaphene)	0.01
Captafol (F)	0.02
Captan (Sum of captan and THPI, expressed as captan)	0.03
Carbaryl	0.01
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim)	0.1
Carbetamide (sum of carbetamide and its S isomer)	0.01
Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran)	0.003
Carbon monoxide	0.01
Carboxin	0.05
Carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl)	0.01
Chlorantraniliprole (DPX E-2Y45)	0.01
Chlorbenside	0.01
Chlorbufam	0.01
Chlordane (sum of cis- and trans-chlordane)	0.01
Chlordecone	0.02
Chlorfenapyr	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Chlorfenson	0.01
Chlorfenvinphos	0.01
Chloridazon (R) (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon)	0.1
Chlormequat (sum of chlormequat and its salts, expressed as chlormequat-chloride)	0.01
Chlorobenzilate	0.02
Chloropicrin	0.005
Chlorothalonil	0.01
Chlorotoluron	0.01
Chloroxuron	0.01
Chlorpropham	0.01
Chlorpyrifos	0.01
Chlorpyrifos-methyl	0.01
Chlorsulfuron	0.05
Chlorthal-dimethyl	0.01
Chlorthiamid	0.01
Chlozolate	0.01
Chromafenozide	0.01
Cinidon-ethyl (sum of cinidon ethyl and its E-isomer)	0.05
Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim)	0.1
Clodinafop and its S-isomers and their salts, expressed as clodinafop	0.02
Clofentezine	0.02
Clomazone	0.01
Clopyralid	0.5
Clothianidin	0.01
Copper compounds (Copper)	20
Cyanamide including salts expressed as cyanamide	0.01
Cyantraniliprole	0.01
Cyazofamid	0.01
Cyclanilide	0.05
Cyclaniliprole	0.01
Cycloxydim including degradation and reaction products which can be determined as 3-(3-thianyl)glutaric acid S-dioxide (BH 517-TGSO <sub>2</sub> ) and/or 3-hydroxy-3-(3-thianyl)glutaric acid S-dioxide (BH 517-5-OH-TGSO <sub>2</sub> ) or methyl esters thereof, calculated in total as cycloxydim	0.05
Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer	0.02
Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers))	0.02



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Cyhalofop-butyl	0.02
Cymoxanil	0.01
Cypermethrin (cypermethrin including other mixtures of constituent isomers (sum of isomers))	0.05
Cyproconazole	0.05
Cyprodinil	0.02
Cyromazine	0.05
Dalapon	0.05
Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide)	0.06
Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam)	0.02
DDT (sum of p,p'-DDT, o,p'-DDT, p-p'-DDE and p,p'-TDE (DDD) expressed as DDT)	0.05
Deltamethrin (cis-deltamethrin)	0.01
Desmedipham	0.01
Di-allate (sum of isomers)	0.01
Diazinon	0.01
Dicamba	0.05
Dichlobenil	0.01
Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop)	0.02
Dichlorvos	0.01
Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	0.05
Dicloran	0.01
Dicofol (sum of p, p' and o,p' isomers)	0.02
Didecyldimethylammonium chloride (mixture of alkyl-quaternary ammonium salts with alkyl chain lengths of C8, C10 and C12)	0.1
Diethofencarb	0.01
Difenoconazole	0.1
Diflubenzuron	0.05
Diflufenican	0.01
Difluoroacetic acid (DFA)	0.02
Dimethachlor	0.01
Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	0.01
Dimethipin	0.05
Dimethoate	0.01
Dimethomorph (sum of isomers)	0.01
Dimoxystrobin	0.01
Diniconazole (sum of isomers)	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Dinocap (sum of dinocap isomers and their corresponding phenols expressed as dinocap)	0.02
Dinoseb (sum of dinoseb, its salts, dinoseb-acetate and binapacryl, expressed as dinoseb)	0.02
Dinoterb (sum of dinoterb, its salts and esters, expressed as dinoterb)	0.01
Dioxathion (sum of isomers)	0.01
Diphenylamine	0.05
Diquat	0.01
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton)	0.01
Dithianon	0.01
Dithiocarbamates (dithiocarbamates expressed as CS <sub>2</sub> , including maneb, mancozeb, metiram, propineb, thiram and ziram)	0.05
Diuron	0.01
DNOC	0.01
Dodemorph	0.01
Dodine	0.01
Emamectin benzoate B1a, expressed as emamectin	0.01
Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expressed as endosulfan)	0.05
Endrin	0.01
Epoxiconazole	0.05
EPTC (ethyl dipropylthiocarbamate)	0.01
Ethalfuralin	0.01
Ethametsulfuron-methyl	0.01
Ethephon	0.05
Ethion	0.01
Ethirimol	0.05
Ethofumesate (Sum of ethofumesate, 2-keto-ethofumesate, open-ring-2-keto-ethofumesate and its conjugate, expressed as ethofumesate)	0.03
Ethoprophos	0.02
Ethoxyquin	0.05
Ethoxysulfuron	0.01
Ethylene oxide (sum of ethylene oxide and 2-chloro-ethanol expressed as ethylene oxide) (F)	0.02
Etofenprox	0.01
Etoxazole	0.01
Etridiazole	0.05
Famoxadone	0.01
Fenamidone	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos)	0.02
Fenarimol	0.02
Fenazaquin	0.01
Fenbuconazole	0.05
Fenbutatin oxide	0.05
Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos)	0.01
Fenhexamid	0.01
Fenitrothion	0.01
Fenoxaprop-P	0.1
Fenoxycarb	0.05
Fenpicoxamid	0.01
Fenpropathrin	0.01
Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin)	0.01
Fenpropimorph (sum of isomers)	0.01
Fenpyrazamine	0.01
Fenpyroximate	0.01
Fenthion (fenthion and its oxigen analogue, their sulfoxides and sulfone expressed as parent)	0.01
Fentin (fentin including its salts, expressed as triphenyltin cation)	0.02
Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate)	0.02
Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil)	0.005
Flazasulfuron	0.01
Flonicamid (sum of flonicamid, TFNA and TFNG expressed as flonicamid)	0.03
Florasulam	0.01
Fluazifop-P (sum of all the constituent isomers of fluazifop, its esters and its conjugates, expressed as fluazifop)	0.01
Fluazinam	0.01
Flubendiamide	0.01
Flucycloxuron	0.01
Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers))	0.01
Fludioxonil	0.01
Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent)	0.05
Flufenoxuron	0.05
Flufenzin	0.02
Flumetralin	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Flumioxazine	0.02
Fluometuron	0.01
Fluopicolide	0.01
Fluopyram	0.01
Fluoride ion	2
Fluoroglycofene	0.01
Fluoxastrobin (sum of fluoxastrobin and its Z-isomer)	0.01
Flupyradifurone	0.01
Flupyrsulfuron-methyl	0.02
Fluquinconazole	0.05
Flurochloridone	0.1
Fluroxypyr (sum of fluroxypyr, its salts, its esters, and its conjugates, expressed as fluroxypyr)	0.01
Flurprimidole	0.01
Flurtamone	0.01
Flusilazole	0.01
Flutolanil	0.01
Flutriafol	0.01
Fluxapyroxad	0.01
Folpet (sum of folpet and phtalimide, expressed as folpet)	0.03
Fomesafen	0.01
Foramsulfuron	0.01
Forchlorfenuron	0.01
Formetanate: Sum of formetanate and its salts expressed as formetanate(hydrochloride)	0.01
Formothion	0.01
Fosetyl-Al (sum of fosetyl, phosphonic acid and their salts, expressed as fosetyl)	2
Fosthiazate	0.02
Fuberidazole	0.01
Furfural	1
Glufosinate-ammonium (sum of glufosinate, its salts, MPP and NAG expressed as glufosinate equivalents)	0.1
Glyphosate	0.1
Guazatine (guazatine acetate, sum of components)	0.05
Halauxifen-methyl (sum of halauxifen-methyl and X11393729 (halauxifen), expressed as halauxifen-methyl)	0.02
Halosulfuron methyl	0.01
Haloxyfop (Sum of haloxyfop, its esters, salts and conjugates expressed as haloxyfop (sum of the R- and S- isomers at any ratio))	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor)	0.01
Hexachlorobenzene	0.01
Hexachlorocyclohexane (HCH), alpha-isomer	0.01
Hexachlorocyclohexane (HCH), beta-isomer	0.01
Hexaconazole	0.01
Hexythiazox	2
Hymexazol	0.05
Imazalil	0.05
Imazamox (Sum of imazamox and its salts, expressed as imazamox)	0.05
Imazapic	0.01
Imazaquin	0.05
Imazosulfuron	0.01
Imidacloprid	0.05
Indolylacetic acid	0.1
Indolylbutyric acid	0.1
Indoxacarb (sum of indoxacarb and its R enantiomer)	0.02
Iodosulfuron-methyl (sum of iodosulfuron-methyl and its salts, expressed as iodosulfuron-methyl)	0.01
Ioxynil ( sum of ioxynil, its salts and its esters, expressed as ioxynil)	0.01
Ipconazole	0.01
Iprodione	0.01
Iprovalicarb	0.01
Isofetamid	0.01
Isoprothiolane	0.01
Isoproturon	0.01
Isopyrazam	0.01
Isoxaben	0.02
Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole)	0.02
Kresoxim-methyl	0.01
Lactofen	0.01
Lambda-Cyhalothrin	0.02
Lenacil	0.1
Lindane (Gamma-isomer of hexachlorocyclohexane (HCH))	0.01
Linuron	0.05
Lufenuron (any ratio of constituent isomers)	0.01
Malathion (sum of malathion and malaoxon expressed as malathion)	0.02
Maleic hydrazide	0.2
Mandestrobin	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Mandipropamid	0.01
MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA)	0.05
Mecarbam	0.01
Mecoprop (sum of mecoprop-p and mecoprop expressed as mecoprop)	0.05
Mepanipirim	0.01
Mepiquat (sum of mepiquat and its salts, expressed as mepiquat chloride)	0.02
Mepronil	0.01
Meptyldinocap (sum of 2,4 DNOPC and 2,4 DNOP expressed as meptyldinocap)	0.05
Mercury compounds (sum of mercury compounds expressed as mercury)	0.01
Mesosulfuron-methyl	0.01
Mesotrione	0.01
Metaflumizone (sum of E- and Z- isomers)	0.05
Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers))	0.05
Metaldehyde	0.05
Metamitron	0.1
Metazachlor (Sum of metabolites 479M04, 479M08 and 479M16, expressed as metazachlor)	0.02
Metconazole (sum of isomers)	0.02
Methabenzthiazuron	0.01
Methacrifos	0.01
Methamidophos	0.01
Methidathion	0.02
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb)	0.2
Methomyl	0.01
Methoprene	0.02
Methoxychlor	0.01
Methoxyfenozide	0.01
Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers))	0.05
Metosulam	0.01
Metrafenone	0.01
Metribuzin	0.1
Metsulfuron-methyl	0.01
Mevinphos (sum of E- and Z-isomers)	0.01
Milbemectin (sum of milbemycin A4 and milbemycin A3, expressed as milbemectin)	0.02
Molinate	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Monocrotophos	0.01
Monolinuron	0.01
Monuron	0.01
Myclobutanil	0.02
Napropamide	0.05
Nicosulfuron	0.01
Nitrofen	0.01
Novaluron	0.01
Omethoate	0.01
Orthosulfamuron	0.01
Oryzalin	0.01
Oxadiargyl	0.01
Oxadiazon	0.05
Oxadixyl	0.01
Oxamyl	0.01
Oxasulfuron	0.01
Oxathiapiprolin	0.01
Oxycarboxin	0.01
Oxydemeton-methyl (sum of oxydemeton-methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)	0.01
Oxyfluorfen	0.05
Paclobutrazol	0.5
Paraffin oil (CAS 64742-54-7)	0.01
Paraquat	0.02
Parathion	0.05
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl)	0.01
Penconazole	0.05
Pencycuron	0.05
Pendimethalin	0.05
Penoxsulam	0.01
Penthiopyrad	0.01
Permethrin (sum of isomers)	0.05
Pethoxamid	0.01
Petroleum oils (CAS 92062-35-6)	0.01
Phenmedipham	0.01
Phenothrin (phenothrin including other mixtures of constituent isomers (sum of isomers))	0.02

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate)	0.01
Phosalone	0.01
Phosmet (phosmet and phosmet oxon expressed as phosmet) (R)	0.05
Phosphamidon	0.01
Phosphane and phosphide salts (sum of phosphane and phosphane generators (relevant phosphide salts), determined and expressed as phosphane)	0.01
Phoxim	0.01
Picloram	0.01
Picolinafen	0.01
Picoxystrobin	0.01
Pinoxaden	0.02
Pirimicarb	0.01
Pirimiphos-methyl	0.01
Prochloraz (sum of prochloraz and its metabolites containing the 2,4,6-Trichlorophenol moiety expressed as prochloraz)	0.05
Procymidone	0.01
Profenofos	0.01
Profoxydim	0.05
Prohexadione (prohexadione (acid) and its salts expressed as prohexadione-calcium)	0.01
Propachlor: oxalinic deriviate of propachlor, expressed as propachlor	0.02
Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R)	0.01
Propanil	0.01
Propaquizafop	0.05
Propargite	0.01
Propham	0.01
Propiconazole (sum of isomers)	0.01
Propineb (expressed as propilendiamine)	0.05
Propisochlor	0.01
Propoxur	0.05
Propoxycarbazone (propoxycarbazone, its salts and 2-hydroxypropoxycarbazone expressed as propoxycarbazone)	0.02
Propyzamide	0.01
Proquinazid	0.02
Prosulfocarb	0.01
Prosulfuron	0.01
Prothioconazole: prothioconazole-desthio (sum of isomers)	0.01
Pymetrozine	0.02
Pyraclostrobin	0.02



**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Pyraflufen-ethyl (A) (Sum of pyraflufen-ethyl and pyraflufen, expressed as pyraflufen-ethyl)	0.02
Pyrasulfotole	0.01
Pyrazophos	0.01
Pyrethrins	1
Pyridaben	0.5
Pyridalyl	0.01
Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)	0.05
Primethanil	0.01
Pyriproxyfen	0.05
Pyroxsulam	0.01
Quinalphos	0.01
Quinclorac	0.01
Quinmerac	0.1
Quinoclamine	0.01
Quinoxifen	0.02
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene)	0.02
Quizalofop, incl. quizalofop-P	0.05
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers))	0.01
Rimsulfuron	0.01
Rotenone	0.01
Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil)	0.03
Silthiofam	0.01
Simazine	0.01
Sodium 5-nitroguaiacolate, sodium o-nitrophenolate and sodium p-nitrophenolate (Sum of sodium 5-nitroguaiacolate, sodium o-nitrophenolate and sodium p-nitrophenolate, expressed as sodium 5-nitroguaiacolate)	0.03
Spinetoram (XDE-175)	0.05
Spinosad (spinosad, sum of spinosyn A and spinosyn D)	0.02
Spirodiclofen	0.02
Spiromesifen	0.02
Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat	0.1
Spiroxamine (sum of isomers)	0.01
Sulcotrione	0.01
Sulfosulfuron	0.01
Sulfoxaflor (sum of isomers)	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Sulfuryl fluoride	0.01
Tau-Fluvalinate	0.01
Tebuconazole	0.02
Tebufenozide	0.05
Tebufenpyrad	0.01
Tecnazene	0.01
Teflubenzuron	0.01
Tefluthrin	0.05
Tembotrione	0.02
TEPP	0.01
Tepaloxymid (sum of tepaloxymid and its metabolites that can be hydrolysed either to the moiety 3-(tetrahydro-pyran-4-yl)-glutaric acid or to the moiety 3-hydroxy-(tetrahydro-pyran-4-yl)-glutaric acid, expressed as tepaloxymid)	0.1
Terbufos	0.01
Terbutylazine	0.05
Tetraconazole	0.02
Tetradifon	0.01
Thiabendazole	0.01
Thiacloprid	0.01
Thiamethoxam	0.01
Thifensulfuron-methyl	0.01
Thiobencarb (4-chlorobenzyl methyl sulfone) (A)	0.01
Thiodicarb	0.01
Thiophanate-methyl	0.1
Thiram (expressed as thiram)	0.1
Tolclofos-methyl	0.01
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolyfluanid)	0.02
Topramezone (BAS 670H)	0.01
Tralkoxydim (sum of the constituent isomers of tralkoxydim)	0.01
Triadimefon	0.01
Triadimenol (any ratio of constituent isomers)	0.01
Tri-allate	0.1
Triasulfuron	0.05
Triazophos	0.01
Tribenuron-methyl	0.01
Trichlorfon	0.01
Triclopyr	0.01
Tricyclazole	0.01

**الهيئة العامة للغذاء والدواء**  
**Saudi Food & Drug Authority**

Tridemorph	0.01
Trifloxystrobin	0.01
Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamide), expressed as Triflumizole	0.1
Triflumuron	2
Trifluralin	0.01
Triflusulfuron (6-(2,2,2-trifluoroethoxy)-1,3,5-triazine-2,4-diamine (IN-M7222))	0.01
Triforine	0.01
Trimethyl-sulfonium cation, resulting from the use of glyphosate	0.05
Trinexapac (sum of trinexapac (acid) and its salts, expressed as trinexapac)	0.01
Triticonazole	0.01
Tritosulfuron	0.01
Valifenalate	0.01
Vinclozolin	0.01
Warfarin	0.01
Ziram	0.1
Zoxamide	0.02

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

الحدود القصوى المسموح بها من متبقيات المبيدات

في أغذية الرضع وصغار الأطفال المصنعة أساساً من الحبوب والأغذية الأخرى

Pesticide Name	MRL (mg/kg)
Caduafos	0.006
Demeton-S-methyl/demeton-S-methyl sulfone/oxydemethon-methyl ( individually or combined,expressed as demethon-s-methyl )	0.006
Ethoprophos	0.008
Fipronil ( sum of fipronil- desulfinyl, expressed as fipronil )	0.004
Propined / propylenethiourea (sum of propined and propylenethiourea)	0.006

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

## المبيدات المحظورة وجودها

في أغذية الرضع وصغار الأطفال المصنعة أساساً من الحبوب والأغذية الأخرى

Pesticide Name
Aldrin and dieldrin, expressed as dieldrin
Disulfoton(sum of disulfoton , disulfoton sulfoxide and disulfoton sulfone as disulfoton )
Endrin
Fensulfothion (sum of fensulfothion, its oxygen analogue and their sulfones , expressed as fensulfothion )
Fentin , expressed as triphenyltin cation
Haloxyfop ( sum of haloxyfop its salts and esters including conjgates expressed as haloxyfop)
Heptachlor and trans-heptachlor epoxide as heptachlor
Hexachlorobenzene
Nitrofen
Omethoate
Terbufos (sum of terbufos,sulfoxide and sulfon, expressed as terbufos)

# الهيئة العامة للغذاء والدواء Saudi Food & Drug Authority

المراجع:

- REGULATION (EC) NO 396/2005 AND COMMISSION REGULATION (EU) No 293/2013 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on maximum residue levels of pesticides in or on food and feed of plant and animal origin
- Joint FAO/WHO Food Standards Programme Codex maximum residue levels of pesticides in food and feed.
- Joint FAO/WHO Food Standards Programme. Guidelines on portion of commodities to which Codex maximum residue limits apply and which is analyzed .
- Joint FAO/WHO Food Standards Programme. Codex classification of foods and animal feeds .
- <http://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/public/?event=product.resultat&language=EN&selectedID=57>
- <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32006L0125&from=EN>