

**I have been prescribed ZEPOSIA.**

Important Contact Information

My healthcare professional who prescribed ZEPOSIA:

Name: \_\_\_\_\_

Office phone number: \_\_\_\_\_

Institution address: \_\_\_\_\_

**For reporting any side effects via the National Reporting System :**

**Bristol Myers Squibb, Saudi Arabia:**

At: medinfo.saudiarabia@bms.com

or call: 800 844 7710

**The National Pharmacovigilance Centre (NPC)**

**Saudi Food and Drug Authority (SFDA):**

SFDA call center: 19999

Toll free phone: 8002490000

E-mail: npc.drug@sFDA.gov.sa

Website: <http://ade.sFDA.gov.sa/>

Fax: +966-11-2057662

2084-SA-2200004

Approved v1.0

Version 1, Nov 2021

**ZEPOSIA<sup>®</sup>**  
**(ozanimod)**

**Pregnancy Reminder Card**  
**(For women of childbearing potential)**

This document is approved by The Executive Directorate of  
Pharmacovigilance, at SFDA.

 **Bristol Myers Squibb™**

2084-SA-2200004

Approved v1.0

Version 1, Nov 2021

## Patient Information

**If used during pregnancy, ZEPOSIA® (ozanimod) can harm the unborn baby.**

**Potential risks include loss of the unborn baby and birth defects.**

- Do not use ZEPOSIA if you are pregnant or breast-feeding, or could become pregnant and are not using effective birth control.
- Before starting treatment with ZEPOSIA:
  1. Your prescriber will explain the potential risks to an unborn baby if you become pregnant while taking ZEPOSIA and will regularly inform you how to minimize the risks.
  2. You must use effective birth control while taking ZEPOSIA and for 3 months after you stop taking ZEPOSIA.
  3. You must have a negative pregnancy test verified by your prescriber and repeated at suitable intervals.

- If you become pregnant while on treatment, ZEPOSIA must be stopped. Your doctor will advise you of the harmful effects to the baby associated with ZEPOSIA treatment and ultrasound exams should be performed.
- You should stop taking ZEPOSIA 3 months before planning a pregnancy.
- If you stop taking ZEPOSIA, tell your doctor right away if your disease symptoms get worse as there is a possibility that the disease may return.
- Tell your doctor right away if you are pregnant or breast-feeding, think you might be pregnant or are planning to have a baby.

Please see the back of this reminder card for your prescriber's contact information. For more information about the effects and side effects of ZEPOSIA, please refer to the Patient Information Leaflet for ZEPOSIA.